

---

# **MyTardis Documentation**

***Release 4.1***

**Oct 23, 2019**



---

## Contents

---

<b>1 Overview</b>	<b>3</b>
<b>2 Key features for users</b>	<b>5</b>
<b>3 Key features for instrument facilities</b>	<b>7</b>
<b>4 Developing for MyTardis</b>	<b>9</b>
<b>5 Find out more</b>	<b>11</b>
<b>6 Known deployments</b>	<b>13</b>
<b>7 Related projects and repositories</b>	<b>15</b>
<b>8 Releases</b>	<b>17</b>
<b>9 Reporting Bugs</b>	<b>19</b>
<b>10 Contributing</b>	<b>21</b>
<b>11 Documentation</b>	<b>23</b>
11.1 User Guide . . . . .	23
11.2 Configuration and Administration . . . . .	42
11.3 Development . . . . .	64
11.4 Documentation for included Apps . . . . .	239
11.5 Releases . . . . .	247
<b>12 Indices and tables</b>	<b>255</b>
<b>Python Module Index</b>	<b>257</b>
<b>Index</b>	<b>263</b>







# CHAPTER 1

---

## Overview

---

MyTardis began at Monash University to solve the problem of users needing to store large datasets and share them with collaborators online. Its particular focus is on integration with scientific instruments, instrument facilities and research storage and computing infrastructure; to address the challenges of data storage, data access, collaboration and data publication.

[Read more...](#)



# CHAPTER 2

---

## Key features for users

---

The MyTardis data management platform is a software solution that manages research data and the associated metadata. MyTardis handles the underlying storage to ensure that data is securely archived and provides access to the data through a web portal. Data hosted in MyTardis can also be accessed via SFTP.

[Read more...](#)



# CHAPTER 3

---

## Key features for instrument facilities

---

MyTardis takes care of distributing data to your users. Its instrument integration technology takes care of securely and automatically shifting data from instrument to repository and makes it accessible by the right users.

[Read more...](#)



# CHAPTER 4

---

## Developing for MyTardis

---

MyTardis is mostly written in the [Python](#) programming language and is built on top of the [Django](#) web framework. A complete installation of the service also includes an [Elasticsearch](#) index, a [RabbitMQ](#)-based task queue, an [Nginx](#) server, and a [PostgreSQL](#) database.

To set up and manage these services we employ the [Kubernetes](#) orchestration software and cloud technologies.

[Read more...](#)



# CHAPTER 5

---

Find out more

---

Project homepage <http://mytardis.org>

The source code is hosted at <https://github.com/mytardis/mytardis>

Documentation at <http://mytardis.readthedocs.org> includes

- User documentation
- Administrator documentation
- Developer documentation

The wiki at <https://github.com/mytardis/mytardis/wiki> includes

- Links to MyTardis add-ons, including apps and post-save filters
- Information about MyTardis community events



# CHAPTER 6

---

## Known deployments

---

- **Store.Synchrotron:** <https://store.synchrotron.org.au/>
- **Store.Monash:** <https://store.erc.monash.edu>
- **NIF ImageTrove:** <https://imagetrove.cai.uq.edu.au/>
- **MHTP Medical Genomics:** <https://mhtp-seq.erc.monash.edu/>
- **ANSTO:** <https://tardis.nbi.ansto.gov.au/>
- **Monash MyTardis Demo:** <https://mytardisdemo.erc.monash.edu/>



# CHAPTER 7

---

## Related projects and repositories

---

- **MyData:** <https://github.com/mytardis/mydata>
  - A desktop application for managing uploads to MyTardis
- **NIF ImageTrove:** <https://github.com/NIF-au/imagetrove>
  - A tool for ingesting and archiving NIF datasets, including
    - \* Web front end: [MyTardis](#)
    - \* A DICOM server: [DICOM ToolKit](#)
    - \* A dataset uploader: [imagetrove-uploader](#)
    - \* Federated authentication with the Australian Access Federation's [Rapid Connect](#) service
- **NIF ImageTrove Docker deployment:** <https://github.com/UWA-FoS/docker-mytardis>
  - For ease of deployment, all of ImageTrove's components are packaged into a Docker container.
- **NIF Trusted Data Repositories:** <https://github.com/NIF-au/TDR>
  - Delivering durable, reliable, high-quality image data



# CHAPTER 8

---

## Releases

---

The default branch on GitHub is `develop`. This is the cutting edge development version. Please DO NOT use this in production, as it may have bugs that eat your data.

The `master` branch is the current stable release with all the latest bug fixes included. It will move to newer versions automatically. Follow this branch if you want to stay up to date in a production environment.

Each version has its own branch named by version number. At the time of writing, the latest release is `4.1.3`, tagged from the `series-4.1` branch. Follow this branch for your production installation and perform version upgrades manually.

Each bug fix or set of fixes bumps the minor version and each new release is tagged, eg. `4.1.4`. Use tagged releases if you are paranoid about changes to the code you have not tested yourself.

To follow development, please see the contributing section below.



# CHAPTER 9

---

## Reporting Bugs

---

Bug reports and feature requests can be made via our [public issue tracker](#).



# CHAPTER 10

---

## Contributing

---

New contributors are always welcome, however all developers should review the [pull-request checklist](#) before making pull requests.

For any wishes, comments, praise etc. either open a GitHub issue or contact us.

Active developers are also welcome to join our Slack team.

Contact details can be found on [mytardis.org](#).



# CHAPTER 11

## Documentation

### 11.1 User Guide

#### 11.1.1 Basics

##### Organising Data

##### Data Structure Overview

Data in MyTardis is organised into a uniform hierarchy, which includes Experiments, Datasets and Data Files. Experiments are at the top of the hierarchy and can contain multiple Datasets. Similarly, Datasets can contain multiple Data Files. The hierarchy can be thought of like a directory structure on a typical PC (Fig. 1) in which a the Experiment directory contains multiple Dataset directories, which in turn contain multiple Data Files.

##### Creating Experiments

1. Navigate to the **My Data** page.
2. Click on the **Create** button to the right of the page.

The screenshot shows the 'My Data' page with the 'Experiments' tab selected. At the top, there is a navigation bar with links for Home, About, My Data (which is highlighted in blue), Public Data, Stats, and Help. Below the navigation bar, the 'Experiments' section is displayed. It shows a summary: '1 Experiment You Own'. A specific experiment, 'Test Experiment' by Peter Capaldi, is listed. The experiment details include: 'Microscopy experiment' as the description, 'Latest dataset in this experiment' (Dataset 1), and download options ('Download data as .tar'). On the right side of the experiment card, there is a yellow button labeled '+ Create' with a red box drawn around it, indicating it is the target for step 2. Other buttons in the same row are 'Collapse all' and 'Expand all'. At the bottom of the experiment card, there is a timestamp 'yesterday' and a status bar showing '1' datasets, '0' files, and 'Private' access level, along with a download link.

3. Fill in the 'Create Experiment' form. Requires at least a Title and one author.




Fig. 1: Fig. 1. Data hierarchy in MyTardis

MyTardis Home About My Data Public Data Stats Help thedoctor ▾

### Create Experiment

Title

Authors   
Comma-separated authors and optional emails/URLs

Institution name

Description

Powered by [MyTardis](#)

4. Click **Save**.

## Adding Datasets

Datasets always have at least one parent Experiment. To add a dataset to an Experiment:

1. Navigate to the Experiment page into which you would like to add a dataset.
2. Click the **+ Add New** button to the right of the page.

The screenshot shows the 'Test Experiment' page. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, Help, and a user account dropdown for 'thedoc'. Below the navigation is the experiment title 'Test Experiment' and author 'Peter Capaldi'. The main content area displays experiment details: 'Microscopy experiment', '1 Dataset', and a note to 'Download Selected'. A search bar allows filtering datasets by description. Below this, a single dataset is listed: 'Dataset 1' (Monash University, 0 bytes, yesterday). At the bottom, there are download options (Download All, TAR, SFTP) and a note that the page is 'Powered by MyTardis'.

3. Fill in the 'Add new dataset' form. Note: The 'Description' field is actually the name of the dataset.

The screenshot shows the 'Add new dataset' form. It has three input fields: 'Description' (set to 'Dataset 1'), 'Directory' (empty), and 'Instrument' (a dropdown menu showing '-----'). Below the form is a large grey area for file attachments. At the bottom left is a blue 'Save' button. The page is 'Powered by MyTardis'.

4. Click **Save**.

## Adding Data Files

Data Files can be added to a particular Dataset from the Dataset page.

1. Navigate to the Dataset into which you want to add new files.
2. Click the green **Add files...** button to the right of the page.

The screenshot shows the 'Dataset 1' page from MyTardis. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, and Help. A user account 'thedocor' is shown on the right. The main content area has sections for 'Datafile Information' (with a note to click the icon for details), 'Dataset Metadata' (empty), and 'Other Experiments' (empty). On the right, there's a summary of '0 Files' with download options for TAR, SFTP, and MD5, and a green 'Add files...' button. Below that is a search bar and download selection buttons for 'All' or 'None'.

Powered by [MyTardis](#)

3. Select the files you want to add from the file selector dialog and Click **Open**. You can add multiple files by holding the “Shift” or “Ctrl” keys to select multiple files in the dialog.

## Accessing Data

### Download a Data File

Individual Data Files can be downloaded as follows:

1. Navigate to the Dataset containing the Data File you want to download.
2. Click the **Download** button on the Data File you want to download.

This screenshot shows the same 'Dataset 1' page as above, but with more content visible. It includes a 'Preview Images' section with a large black placeholder and arrows, and a 'Datafile Information' section with a note to click the icon for details. The right side shows a detailed list of '4 Files' with download icons. One file, 'cell5\_deskewed\_C0\_T0.ome.tif', is highlighted with a red border around its download icon.

## Download a Dataset

Entire Datasets can be downloaded as a tar archive.

1. Navigate to the Dataset you want to download.
2. Click the **tar** button to the right of the page.

The screenshot shows the 'Dataset 1' page on MyTardis. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, Help, and a user dropdown 'thedoc'. Below the navigation is the dataset title 'Dataset 1' and a note 'From the experiment: Test Experiment'. To the right is an 'Edit Dataset Description' button. In the center, there's a preview section titled 'Preview Images' with a large black placeholder image and arrows for navigation. Below it is a file list titled '4 Files' with a 'Download Dataset' button (highlighted in red) and options for TAR, SFTP, and MD5. A search bar and a 'Select' dropdown are also present. The file list includes four entries: 'cell5\_deskewed.companion.ome' (292.2 KB), 'cell5\_deskewed\_C0\_T0.ome.tif' (1.0 GB), 'cell5\_deskewed\_C1\_T0.ome.tif' (1.0 GB), and 'cell5\_deskewed\_C2\_T0.ome.tif' (1.0 GB). Each entry has a checkbox, a download icon, and a more options icon. At the bottom left is a 'Datafile Information' section with a note about viewing details, and at the bottom right is a 'Dataset Metadata' section stating 'There is no metadata for this dataset.'

Note: *tar* is an archive format like *zip* that may not be familiar to Windows users and a default Windows installation may not have the appropriate software to expand *tar* archives. We suggest that users install [7-zip](#) to expand *tar* archives from MyTardis.

## Download an Experiment

Entire Experiments can be downloaded as a tar archive.

1. Navigate to the Experiment you want to download.
2. Click the **tar** button under the 'Description' section of the page.

The screenshot shows the MyTardis Experiment page for 'Test Experiment'. At the top, there's a navigation bar with links for Home, About, My Data, Public Data, Stats, Help, and a dropdown for 'thedoc'.

The main content area has a title 'Experiment' and 'Test Experiment' with a subtitle 'Peter Capaldi'. It includes a 'Create publication' and 'Edit Experiment' button. Below this, there are statistics: 1 dataset, 4 files, 3.1 GB, and a date of 5th December 2017. A 'Private' link is also present.

A search bar labeled 'Microscopy experiment' is followed by tabs for Description (selected), Metadata, Sharing, and Transfer Datasets.

Details about the experiment include:

- Institution: Monash University
- Licensing: Unspecified
- Administrators: thedoctor

Download options include 'Download All' with buttons for TAR (highlighted with a red box) and SFTP.

On the right, there's a section for '1 Dataset' with a 'Download Selected' button. It shows 'Dataset 1' with a thumbnail image, a download button, and statistics: 4 files, 3.1 GB.

At the bottom right, it says 'Powered by MyTardis'.

Note: *tar* is an archive format like *zip* that may not be familiar to Windows users and a default Windows installation may not have the appropriate software to expand *tar* archives. We suggest that users install [7-zip](#) to expand *tar* archives from MyTardis.

## Sharing and Publishing Data

MyTardis provides 3 primary mechanisms for sharing your data:

- Sharing with another MyTardis user.
- Sharing via a temporary (obfuscated) link.
- Making data public.

Data sharing is done at the Experiment level and you can find the options to share an Experiment under the **Sharing** tab on the left side of an Experiment page.

**Experiment**

# Test Experiment

Peter Capaldi

Microscopy experiment

[Description](#)[Metadata](#)[Sharing](#)[Transfer Datasets](#)

## Public Access

**Current Public Access Settings**[Private](#)**Current License**

Unspecified

[⚙ Change Public Access](#)

## Sharing

**Users**

Users who have a share in this experiment:

Username	Name
thedoctor	none

[➡ Change User Sharing](#)**Groups**

Groups who have a share in this experiment:

*There are currently no groups with access to this experiment.*[➡ Change Group Sharing](#)

## Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared.

Temporary access links provide full access to recipients regardless of an experiment's public status.

No tokens defined

[Create New Temporary Link](#)

### **Sharing Data with Another MyTardis User**

To share an Experiment with another MyTardis user:

1. Navigate to the Experiment you want to share.
2. Click on the **Sharing** tab on the left side of the page.
3. Click the **Change User Sharing** button.

**Experiment**

# Test Experiment

Peter Capaldi

Microscopy experiment

[Description](#)[Metadata](#)[Sharing](#)[Transfer Datasets](#)

## Public Access

**Current Public Access Settings**[Private](#)**Current License**

Unspecified

[⚙ Change Public Access](#)

## Sharing

**Users**

Users who have a share in this experiment:

Username	Name
thedoctor	none

[➡ Change User Sharing](#)**Groups**

Groups who have a share in this experiment:

*There are currently no groups with access to this experiment.*[➡ Change Group Sharing](#)

## Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared.

Temporary access links provide full access to recipients regardless of an experiment's public status.

No tokens defined

[Create New Temporary Link](#)

4. Enter the **Username** of the user with which you want to share the data.

## User Sharing

### Current User Permissions

[thedoctor] (doctor@tardis.org)    Read Edit Owner    🔗 Edit ✖ Delete

### Add new user

Username:

Permissions:

*Owners have the ability to change access controls and share experiments with others.*

+ Add User

**Note:** Entering the users name or email address with activate autocomplete, which helps to find the username of the user.

5. Select the permissions you'd like to give the user from the **Permissions** dropdown.
6. Click the **+Add User** button.
7. You should now see a new entry under the **Current User Permissions** section showing the user you've shared the Experiment with and the permissions you've given them.

# User Sharing

## Current User Permissions

[thedoctor] (doctor@tardis.org)	<span>Read</span>	<span>Edit</span>	<span>Owner</span>	<span>Edit</span>	<span>Delete</span>
[rosetyler] (rosetyler@tardis.org)	<span>Read</span>	<span>Edit</span>		<span>Edit</span>	<span>Delete</span>

## Add new user

Username:

rosetyler

Permissions:

View and Edit

*Owners have the ability to change access controls and share experiments with others.*

+ Add User

## Sharing Data via a Temporary Link

You can also share Data in an Experiment via a temporary (obfuscated) link. Temporary links expire after 1 month or can be deleted manually. Note: temporary links are not protected (i.e., anybody with the link can access the data); however, they are obfuscated and are thus difficult to find without prior knowledge of the link.

To share an Experiment via a temporary link:

1. Navigate to the Experiment you want to share.
2. Click on the **Sharing** tab on the left of the page.
3. Click the **Create New Temporary Link** button in the links section.

### Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared for direct access.

Temporary access links provide full access to recipients regardless of an experiment's public status.

No tokens defined

Create New Temporary Link

4. You should now see a new entry in the **Links** section. The new entry will provide links to both the Experiment page and a direct download link. These can be copied to the clipboard using the relevant buttons. These can then be shared with collaborators using email etc.

### Links

This experiment is private. A temporary link can be created by its owner(s) and privately shared for direct access.

Temporary access links provide full access to recipients regardless of an experiment's public status.

Temporary Link	Archive direct download	Expiry	Granted By	
<a href="#">Page link</a> <a href="#">Copy to clipboard</a>	<a href="#">Archive link</a> <a href="#">Copy to clipboard</a>	10th January 2018	thedoctor	<a href="#">Delete</a>
<a href="#">Create New Temporary Link</a>				

### Publishing Data

Access to an Experiment in MyTardis is set to “private” by default and no license is attached to the data; however, MyTardis allows data from an Experiment to be made publicly available with an appropriate license. To make an Experiment publicly available:

1. Navigate to the Experiment you wish to publish and activate the **Sharing** tab to the left of the page.
2. Click the **Change Public Access** button. This will activate the Public Access dialog and display the current status of the data.
3. Select **Public** in the “Public access” dropdown menu.
4. Select an appropriate license from the list of licenses presented. In the following screenshot, a “Creative Commons Attribution” license is selected; however, your choices may be different as licenses are configured by your service provider.

# Public Access

## Step 1: Change Public Access:

Public access	Public	▼
---------------	--------	---

## Step 2: Select a license:

### Creative Commons Attribution 3.0 Australia (CC BY 3.0)

This licence lets others distribute, remix, tweak, and build upon your work, even commercially, as long as they credit you for the original creation. This is the most accommodating of licences offered under Creative Commons.



[Reselect License](#)

## Step 3: Accept The Legal Agreement:

Monash University (ABN 12 377 614 012) ("University") maintains a digital repository ("Repository") in which it stores and makes available various works via the Internet or other electronic means.

By submitting material for the Repository ("Work") the person(s) submitting the Work ("Depositor") agree to the following terms and conditions:

5. Agree to the "Terms of Publishing" of your service provider.
6. Click **Confirm**

## 11.1.2 SFTP Access

SFTP is a secure and convenient way to access, browse and download large Experiments, Datasets and Files in MyTardis. Importantly, the SFTP interface to MyTardis is read only i.e., it is a mechanism to access data in MyTardis but does **not** allow adding data to MyTardis.

### Prerequisites for accessing data via SFTP

In order to access data on MyTardis via SFTP, you will first need to install an SFTP client. There are many free and commercial SFTP clients for you to choose from; however, we recommend [Cyberduck \(Win & Mac\)](#), [FileZilla \(All platforms\)](#) or [WinSCP \(Win only\)](#) for the majority of users. The instructions here will focus on Cyberduck (Win & Mac).

### Registering and managing SSH keys in MyTardis

MyTardis uses SSH key pairs to authenticate you when connecting via SFTP. Using SSH keys to authenticate is more secure and private than password-based authentication. SSH keys generally come in a pair: (1) a private part and (2) a public part. Key-based authentication typically requires you to share your public key with the service, again which you use your private key to authenticate. Never share your private key!

MyTardis provide two mechanisms for registering a public key:


1. *Adding an existing public SSH key to MyTardis*
2. *Have MyTardis to generate an SSH key pair*

### Adding an existing public SSH key to MyTardis

If you have an existing SSH keypair, you can register the public key in MyTardis. For instructions on how to create an SSH key pair, Gitlab provide some nice documentation on how to do so [here](#).

To register a public key in MyTardis:

1. Navigate to the SSH key management page using the *Manage SSH Keys* link in the user menu.



2. Click the *+ Add Key* button:

A screenshot of the "SSH Keys" management page. At the top, there is a navigation bar with links: MyTardis, Home, About, My Data, Public Data, Stats, and Help. Below the navigation bar, the page title is "SSH Keys" with the subtitle "Add and manage your public SSH keys for accessing MyTardis via SFTP.". There are two green buttons at the top right: "+ Add key" (highlighted with a pink border) and "+ Generate key". A yellow callout box contains the text "You don't have any public keys registered. Please add keys using the Add key button above.".

3. Fill in the *Add SSH Keys* form by entering a name for the key and the public key text. The public key text should be in OpenSSH format e.g., `ssh-rsa AAAAB3NzaC1yc2EAAAQABAAQDYZYnXpTP6e/BsQw+....`

FTP

## Add SSH Keys

Add your own public SSH Key using the form below. **Important:** Don't add your private key.

Device Name:

Public Key:

```
ssh-rsa
AAAAAB3NzaC1yc2EAAAQABAAQDYZYnXpTP6e/BsQw+QEvdtpvdKJV2pxc9Q
DISjpqsV464bxerFs7+deNShlpJiHy7zBO4zbzGd2vE2wuxXa02tGRwKghQm3/fFRH6ZL4
pfJ/tkasYd7i5sAIKIkh0tPVVU+6HYbnbNjN+rIYh16ECrp7+YmtwPwVieeiTn69cSTkG+way
TFXwO6M3dolb/SMY8zE5JM0tVnaxBJTwNwpQZHmQW4eh87elHbv7QrtRF7ws/Ph6ME
Bpy1A9VI18ysBKMG4YxybxGuwOOMDAOI/2RhqMGV1MPXlushIOAy9vrYCeS40AukYiE
```

4. Click the *Add Key* button.

If successful you should get a new entry in the SSH keys table.

SSH Keys						
Add and manage your public SSH keys for accessing MyTardis via SFTP.						
						<input type="button" value="+ Add key"/> <input type="button" value="+ Generate key"/>
<b>Key</b>						
<b>massive</b>						<input type="button" value="Delete"/>
Type: SSH-RSA						
Fingerprint: f68edca12548c068f8836d412230bdd4						
Date added: 2018-08-07						


### Have MyTardis to generate an SSH key pair

Creating SSH key pairs can be a bit of a challenge, particularly on Windows systems. For this reason, MyTardis provides another you another option for registering a public keys. In this case, MyTardis will generate the key pair for

you, store the public part of the key and provide you with a one time opportunity to download the private part of the key.

It is important to note that MyTardis never stores your private key. If you lose/delete it, MyTardis cannot recover it for you. This isn't really a problem, since MyTardis can always generate another key pair for you; however, you should revoke the public key associated to the lost private key in your account to ensure that no one who gains access to your private key can access your data. See [Deleting previously registered public keys in MyTardis](#).


1. Navigate to the SSH key management page using the *Manage SSH Keys* link in the user menu.



2. Click the + *Generate key* button:

A screenshot of the "SSH Keys" management page. At the top, there is a navigation bar with links: MyTardis, Home, About, My Data, Public Data, Stats, and Help. Below the navigation bar, the title "SSH Keys" is displayed, followed by the sub-instruction "Add and manage your public SSH keys for accessing MyTardis via SFTP.". On the right side of the page, there are two green buttons: "+ Add key" and "+ Generate key" (the latter is highlighted with a red box). The main content area shows a table with a single row for a key named "massive". The table columns are: "Key" (containing "massive"), "Type" (containing "SSH-RSA"), "Fingerprint" (containing "f68edca12548c068f8836d412230bdd4"), and "Date added" (containing "2018-08-07"). To the right of the "massive" row is a "Delete" button.

3. Give the key a name and click the *Generate & Download* button. The server will generate an SSH key pair, register the public key and trigger your browser to download the private key.



4. The SSH keys table will be updated with your newly registered public key.

MyTardis    Home    About    My Data    Public Data    Stats    Help

## SSH Keys

Add and manage your public SSH keys for accessing MyTardis via SFTP.


Key	
<b>massive</b>	<b>Delete</b>
Type: SSH-RSA	
Fingerprint: f68edca12548c068f8836d412230bdd4	
Date added: 2018-08-07	
<b>TestKey</b>	<b>Delete</b>
Type: SSH-RSA	
Fingerprint: 3c4c3c3eb293d274fbebe687cc46aff76	
Date added: 2018-08-07	

**+ Add key**    **+ Generate key**

### Deleting previously registered public keys in MyTardis

Removing a previously registered public SSH key from MyTardis is straightforward.

1. Navigate to the SSH key management page using the *Manage SSH Keys* link in the user menu.



2. Click the *Delete* button on the key you wish to remove.

A screenshot of the "SSH Keys" management page. At the top, there's a navigation bar with "MyTardis" and links for "Home", "About", "My Data", "Public Data", "Stats", and "Help". Below that is a section titled "SSH Keys" with the sub-instruction "Add and manage your public SSH keys for accessing MyTardis via SFTP.". There are two buttons at the top right: "+ Add key" and "+ Generate key". The main area shows two entries:

- massive**: Type: SSH-RSA, Fingerprint: f68edca12548c068f8836d412230bdd4, Date added: 2018-08-08. To the right is a "Delete" button.
- TestKey**: Type: SSH-RSA, Fingerprint: e27936d5ccac5b7e5af83cefb29f01f0, Date added: 2018-08-09. To the right is a "Delete" button, which is highlighted with a pink border.


Attempting to connect to MyTardis via SFTP using the private sister key to the deleted key will no longer work.

### Connecting to MyTardis via SFTP

1. Open your SFTP client and create a new connection with the following configuration:

Parameter	Value
Server:	<i>URL for your MyTardis deployment e.g. <a href="https://store.erc.monash.edu">https://store.erc.monash.edu</a></i>
Port:	<i>Port on which SFTP server is running</i>
Username:	<i>Your MyTardis username</i>
Password:	<i>Leave this blank</i>
SSH Private Key	<i>Path to a private SSH key<sup>1</sup></i>

**Note:** substitute your credentials and details for your MyTardis deployment for the *italicised* values. If you are unsure about any of these value, please contact your system admin should be able to provide these to you.



## 2. Click Connect

- Upon successful connection you will be presented with a file browser showing all your data on MyTardis.

Data is organised according to the Experiment/Dataset/Data File hierarchy/structure described in the *Organising Data* section.

## Browse and/or Download a Specific Experiment or Dataset

MyTardis also provides a convenient way to access/browse a particular Experiment or Dataset via SFTP.

1. Navigate to the Experiment or Dataset page that you want to access via SFTP using your web browser.
2. There is an **SFTP** button in the *Download* section on both the Experiment and Dataset views.

---

<sup>1</sup> You must register the public key in MyTardis first, see [Registering and managing SSH keys in MyTardis](#)

# Experiment View

## Experiment Test Experiment

Peter Capaldi

Microscopy experiment

Description    Metadata    Sharing    Transfer Datasets

Institution Monash University

Licensing Unspecified

Administrators Peter Capaldi

Download All     

# Dataset View

4 Files

Download Dataset:   

Add files...

Search: Enter part or all of a filename, then press enter.

Select: All / None



**cell5\_deskewed.companion.ome**  
(292.2 KB)



**cell5\_deskewed\_C0\_T0.ome.tif** (1.0 GB)



**cell5\_deskewed\_C1\_T0.ome.tif** (1.0 GB)



**cell5\_deskewed\_C2\_T0.ome.tif** (1.0 GB)



- Clicking the **SFTP** button at either of these two locations will redirect you to a page with instructions and links for starting an SFTP session for a specific experiment or dataset.

## 11.2 Configuration and Administration

### 11.2.1 Installation

The sections through to Extended Configuration below provide a Quick Start guide for getting a basic MyTardis installation up and running. The following section provides additional information on advanced configuration and add-on capabilities of MyTardis.

#### Prerequisites

##### Ubuntu (18.04 LTS is recommended)

Run this script for Python 3:

```
sudo bash install-ubuntu-py3-requirements.sh
```

It will install required packages with these commands:

```
# for Ubuntu 16.04 or 18.04
# sudo bash install-ubuntu-py3-requirements.sh

apt-get update
apt-get install \
    git libldap2-dev libmagickwand-dev libsasl2-dev \
    libssl-dev libxml2-dev libxslt1-dev libmagic-dev curl gnupg \
    python3-dev python3-pip python3-venv zlib1g-dev libfreetype6-dev libjpeg-dev

curl -sL https://deb.nodesource.com/setup_12.x | sudo -E bash -
sudo apt-get install -y nodejs
```

Or run this script for Python 2.7:

```
sudo bash install-ubuntu-py2-requirements.sh
```

It will install required packages with these commands:

```
# for Ubuntu 16.04 or 18.04
# sudo bash install-ubuntu-py2-requirements.sh

apt-get update
apt-get install git libldap2-dev libmagickwand-dev libsasl2-dev \
    libssl-dev libxml2-dev libxslt1-dev libmagic-dev curl gnupg \
    python-dev python-pip python-virtualenv virtualenvwrapper \
    zlib1g-dev libfreetype6-dev libjpeg-dev

curl -sL https://deb.nodesource.com/setup_12.x | sudo -E bash -
sudo apt-get install -y nodejs
```

## Download

To get the most recent stable release:

```
git clone -b master https://github.com/mytardis/mytardis.git
cd mytardis
```

This clones the repository as read-only.

Or, to get the current development branch:

```
git clone -b develop git://github.com/mytardis/mytardis.git
cd mytardis
```

## Quick configuration

It is recommended that you use a virtualenv. The list of packages above for Python 2.7 includes the `virtualenvwrapper` toolkit.

If using Python 3, you can, install `virtualenvwrapper` with `sudo pip3 install virtualenvwrapper` and set the `export VIRTUALENV_PYTHON=/usr/bin/python3` in your `~/.bashrc` or `~/.profile` to ensure that `mkvirtualenv` will make a Python 3 virtual environment. For more information on configuring `virtualenvwrapper`, see <https://virtualenvwrapper.readthedocs.io/en/latest/install.html#shell-startup-file>

To activate `virtualenvwrapper`:

For Ubuntu 18.04 with Python 3 (using `pip3` installed `virtualenvwrapper`):

```
source /usr/local/bin/virtualenvwrapper.sh
```

For Ubuntu 18.04 with Python 2.7 (using `apt-get` installed `virtualenvwrapper`):

```
source /etc/bash_completion.d/virtualenvwrapper
```

For Ubuntu 16.04 with Python 2.7 (using `apt-get` installed `virtualenvwrapper`):

```
source /usr/share/virtualenvwrapper/virtualenvwrapper.sh
```

Then create the `mytardis` virtual environment

```
mkvirtualenv mytardis
pip install -U pip
```

Note: the next time you want to work with this virtualenv, run the appropriate `source` command and then use the command: `workon mytardis`

MyTardis dependencies are then installed with pip:

```
pip install -U -r requirements.txt
```

To install minimal Javascript dependencies for production:

```
npm install --production
```

To install Javascript dependencies for production and for testing:

```
npm install && npm test
```

Configuring MyTardis is done through a standard Django `settings.py` file. MyTardis comes with a set of default settings in its `tardis/default_settings/` package. You can import this as the basis of your own config file - options defined here will override the relevant options in `default_settings/*.py`.

Create a new file `tardis/settings.py` containing the following:

```
from .default_settings import *

# Add site specific changes here.

# Turn on django debug mode.
DEBUG = True

# Use the built-in SQLite database for testing.
# The database needs to be named something other than "tardis" to avoid
# a conflict with a directory of the same name.
DATABASES['default']['ENGINE'] = 'django.db.backends.sqlite3'
DATABASES['default']['NAME'] = 'tardis_db'
```

In addition you will need to create a new `SECRET_KEY` for your installation. This is important for security reasons.

A convenient method is to run the following command in your `mytardis` installation location:

```
python -c "import os; from random import choice; key_line = '%sSECRET_KEY=%\"%s\" #_'
˓→generated from build.sh\n' % ('from .default_settings import *\n\n' if not os.path.
˓→isfile('tardis/settings.py') else '', ''.join([choice(
˓→'abcdefghijklmnopqrstuvwxyz0123456789@#$%^&*(-_=+)' for i in range(50)])); f=open(
˓→'tardis/settings.py', 'a+'); f.write(key_line); f.close()"
```

This is the minimum set of changes required to successfully run the server in development mode. You can make any other site-specific changes as necessary.

### Initialisation

Create and configure the database:

```
python manage.py migrate
python manage.py createcachetable default_cache
python manage.py createcachetable celery_lock_cache
```

This avoids creating a superuser before the MyTardis specific `UserProfile` table has been created. More information about the `migrate` commands can be found at [Configuration and Administration](#).

Next, create a superuser:

```
python manage.py createsuperuser
```

MyTardis can now be executed in its simplest form using:

```
python manage.py runserver
```

This will start the Django web server at <http://localhost:8000/>.

## Extended configuration

See below for some extra configuration options that are specific to MyTardis.

An automatically generated documentation of the settings can be found in [tardis package](#).

## Essential Production Settings

These settings are essential if you want to run MyTardis in production mode (`DEBUG = False`).

### **SECRET\_KEY**

This key needs to be unique per installation and, as the name implies, be kept secret.

A new one can be conveniently generated with the command:

```
echo "SECRET_KEY='`python manage.py generate_secret_key`'" >> tardis/settings.py
```

However, the more complex command shown above needs to be used at installation time.

### **ALLOWED\_HOSTS**

`ALLOWED_HOSTS` is a list of hostnames and/or IP addresses under which the server is accessible. If this is not set you will get a 500 Error for any request.

## Database

### `tardis.default_settings.DATABASE_ENGINE`

The database server engine that will be used to store the MyTardis metadata, possible values are `postgresql_psycopg2`, `postgresql`, `mysql`, `sqlite3` or `oracle`.

### `tardis.default_settings.DATABASE_NAME`

The name of the database to used to store the data, this is the path to the database if you are using the SQLite storage engine.

### `tardis.default_settings.DATABASE_USER`

The user name used to authenticate to the database. If you are using SQLite this field is not used.

### `tardis.default_settings.DATABASE_PASSWORD`

The password used to authenticate to the database. If you are using SQLite this field is not used.

### `tardis.default_settings.DATABASE_HOST`

The host name of the machine hosting the database service. If this is empty then localhost will be used. If you are using SQLite then this field is ignored.

### tardis.default\_settings.DATABASE\_PORT

The port the database is running on. If this is empty then the default port for the database engine will be used. If you are using SQLite then this field is ignored.

## LDAP

For further information see [LDAP authentication](#)

## Repository

### tardis.default\_settings.DEFAULT\_STORAGE\_BASE\_DIR

The path to the default MyTardis storage location. This is where files will be stored to if you do not provide any other location explicitly through “StorageBox“es.

### tardis.default\_settings.REQUIRE\_DATAFILE\_CHECKSUMS

If True, a Datafile requires an MD5 or SHA-512 checksum from the time it is first recorded in the MyTardis database. This enables a model-level constraint check each time a Datafile record is saved. Defaults to True. Datafile record is saved.

### tardis.default\_settings.REQUIRE\_DATAFILE\_SIZES

If True, a Datafile require a size from the time it is first recorded in the MyTardis database. This enables a model-level constraint check each time a Datafile record is saved. Defaults to True.

### tardis.default\_settings.REQUIRE\_VALIDATION\_ON\_INGESTION

If True, ingestion of a Datafile is only permitted if the Datafile matches its supplied size and/or checksums. Defaults to True.

## Access Rights & Licensing

### Licences

By default, the Creative Commons Attribution 4.0 International licences are loaded.

You can use the admin interface to add other licences. Please ensure `allows_distribution` is set to the correct value to ensure the licence appears in conjunction with suitable public access types.

### Legal Notice

When changing the public access rights or licence for an experiment, a legal notice is displayed. You can override it by specifying following settings in `settings.py`:

```
LEGAL_TEXT = "A sample legal Text"
```

## Filters

### tardis.default\_settings.POST\_SAVE\_FILTERS

This contains a list of post save filters that are execute when a new data file is created.

The `POST_SAVE_FILTERS` variable is specified like:

```
POST_SAVE_FILTERS = [
    ("tardis.tardis_portal.filters.exif.EXIFFilter", ["EXIF", "http://exif.schema"
    ↵"]),
]
```

For further details please see the [Filter Setup](#) section.

## Archive Organizations

### `tardis.default_settings.DEFAULT_ARCHIVE_FORMATS`.

This is a prioritized list of download archive formats to be used in contexts where only one choice is offered to the user; e.g. the “download selected” buttons. (The list allows for using different archive formats depending on the user’s platform.)

### `tardis.default_settings.DEFAULT_PATH_MAPPER`.

This gives the default archive “organization” to be used. Organizations are defined via the next attribute.

### `tardis.default_settings.DOWNLOAD_PATH_MAPPERS`.

This is a hash that maps archive organization names to Datafile filename mapper functions. These functions are responsible for generating the archive pathnames used for files written to “tar” and “zip” archives by the downloads module.

The `DOWNLOAD_PATH_MAPPERS` variable is specified like:

```
DOWNLOAD_PATH_MAPPERS = {
    'test': ('tardis.apps.example.ExampleMapper',),
    'test2': ('tardis.apps.example.ExampleMapper', {'foo': 1})
}
```

The key for each entry is the logical name for the organization, and the value is a tuple consisting of the function’s pathname and a set of optional keyword arguments to be passed to the function. At runtime, the function is called with each Datafile as a positional argument, and an additional ‘rootdir’ keyword argument. The function should compute and return a (unique) pathname based on the Datafile and associated objects. If the function returns `None`, this tells the archive builder to leave out the file.

By default, the archive builder uses the built-in “deep-storage” mapper which gives pathnames that try to use directory information to rebuild a file tree.

## Storage Locations ( `StorageBox` es)

A MyTardis instance can be configured to support multiple locations ( `StorageBox` es) for storing data files. Each location holds copies ( `DataFileObject` s) of `DataFile` s that are recorded in the MyTardis database.

The `StorageBox` architecture is compatible with the [Django File Storage API](#). This makes it relatively easy to support a number of different storage backends such as cloud storage or SFTP servers. Please refer to the [StorageBox documentation](#) for more detailed information.

## Single Search

Instructions on installing and configuring Elasticsearch for advanced search are available from [Setting Up Search](#).

### Additional Tabs

Additional and custom tabs may be configured in MyTardis on a per-installation basis. The tabs are implemented as separate Django applications with a single view (index), listed in the TARDIS\_APPS configuration item and either linked to, or installed in the TARDIS\_APP\_ROOT directory, by default tardis/apps.

Documentation on the additional tabs is available from [Apps and Contextual Views](#).

### Additional Views

Custom views may be configured in MyTardis on a per-installation basis. The tabs are implemented as separate Django applications with a single view function listed in the \*\_VIEWS configuration item and added to the INSTALLED\_APPS list.

Refer to the [views documentation](#) for further information.

### Site Customisations

Some settings that allow customised messages and styles.

```
PUBLICATION_INTRODUCTION = """
<p><strong>... introduction and publication agreement ...</strong></p>
"""
SITE_STYLES = '' # should be CSS

# if either GA setting is empty, GA is disabled
GOOGLE_ANALYTICS_ID = '' # whatever Google provides
GOOGLE_ANALYTICS_HOST = '' # the host registered with Google

# these refer to any template finder findable location, e.g. APPDIR/templates/...
CUSTOM_ABOUT_SECTION_TEMPLATE = 'tardis_portal/about_include.html'
CUSTOM_USER_GUIDE = 'user_guide/index.html'
```

## Deployment

### Collecting Static Files

For performance reasons you should avoid static files being served via the application, and instead serve them directly through the webserver.

To collect all the static files to a single directory:

```
python manage.py collectstatic
```

tardis.default\_settings.STATIC\_ROOT

This contains the location to deposit static content for serving.

tardis.default\_settings.STATIC\_URL

The path static content will be served from. (eg. /static or http://mytardis-resources.example.com/)

**See also:**

[collectstatic](#), STATIC\_ROOT, STATIC\_URL

## Serving with Nginx + Gunicorn

In this configuration, Nginx serves static files and proxies application requests to a Gunicorn server:



Nginx should then be configured to send requests to the server. Here is an example configuration (SSL part from Mozilla SSL configurator). Please amend for your own needs and understand the settings before deploying it.:

```

upstream mytardis {
    server unix:/var/run/gunicorn/mytardis/socket;
    server 127.0.0.1:8000 backup;
}

server {
    listen 80 default_server;
    server_name demo.mytardis.org;
    return 301 https://$server_name$request_uri;
}

server {
    listen 443 default_server ssl;
    server_name demo.mytardis.org;

    # certs sent to the client in SERVER HELLO are concatenated in ssl_certificate
    ssl_certificate /path/to/signed_cert_plus_intermediates;
    ssl_certificate_key /path/to/private_key;
    ssl_session_timeout 5m;
    ssl_session_cache shared:SSL:50m;

    # Diffie-Hellman parameter for DHE ciphersuites, recommended 2048 bits
    ssl_dhparam /path/to/dhparam.pem;

    # intermediate configuration. tweak to your needs.
    ssl_protocols TLSv1.1 TLSv1.2;
    ssl_ciphers 'ECDHE-RSA-AES128-GCM-SHA256:ECDHE-ECDSA-AES128-GCM-SHA256:ECDHE-RSA-
    ↵AES256-GCM-SHA384:ECDHE-ECDSA-AES256-GCM-SHA384:DHE-RSA-AES128-GCM-SHA256:DHE-DSS-
    ↵AES128-GCM-SHA256:kEDH+AESGCM:ECDHE-RSA-AES128-SHA256:ECDHE-ECDSA-AES128-
    ↵SHA256:ECDHE-RSA-AES128-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-RSA-AES256-SHA384:ECDHE-
    ↵ECDSA-AES256-SHA384:ECDHE-RSA-AES256-SHA:ECDHE-ECDSA-AES256-SHA:DHE-RSA-AES128-
    ↵SHA256:DHE-RSA-AES128-SHA:DHE-DSS-AES128-SHA256:DHE-RSA-AES256-SHA256:DHE-DSS-
    ↵AES256-SHA:DHE-RSA-AES256-SHA:DES-CBC3-SHA:!aNULL:!eNULL:!EXPORT:!DES:!RC4:!MD5:!
    ↵PSK:!aECDH:!EDH-DSS-DES-CBC3-SHA:!EDH-RSA-DES-CBC3-SHA:!KRB5-DES-CBC3-SHA';
    ssl_prefer_server_ciphers on;

    # HSTS (ngx_http_headers_module is required) (15768000 seconds = 6 months)
    add_header Strict-Transport-Security max-age=15768000;

    # OCSP Stapling ---
    # fetch OCSP records from URL in ssl_certificate and cache them
    ssl_stapling on;
    ssl_stapling_verify on;

    ## verify chain of trust of OCSP response using Root CA and Intermediate certs
    ssl_trusted_certificate /path/to/root_CA_cert_plus_intermediates;
  
```

(continues on next page)

(continued from previous page)

```
resolver <IP DNS resolver>;  
  
client_max_body_size 4G;  
keepalive_timeout 5;  
  
gzip off; # security reasons  
gzip_proxied any;  
# MyTardis generates uncompressed archives, so compress them in transit  
gzip_types application/x-javascript text/css;  
gzip_min_length 1024;  
gzip_vary on;  
  
location / {  
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;  
    proxy_set_header X-Forwarded-Proto $scheme;  
    proxy_set_header Host $http_host;  
    proxy_redirect off;  
    proxy_pass http://mytardis;  
    client_max_body_size 4G;  
    client_body_buffer_size 8192k;  
    proxy_connect_timeout 2000;  
    proxy_send_timeout 2000;  
    proxy_read_timeout 2000;  
}  
  
location /static/ {  
    expires 7d;  
    alias /srv/static_files/;  
}  
}
```

The `X-Forwarded-Proto` header is explained in <http://docs.gunicorn.org/en/stable/deploy.html#id5>:

It is recommended to pass protocol information to Gunicorn. Many web frameworks use this information to generate URLs. Without this information, the application may mistakenly generate ‘http’ URLs in ‘https’ responses, leading to mixed content warnings or broken applications.

To tell MyTardis to set this header in its HTTP requests and redirects, you’ll need the following in your `settings.py`:

```
SECURE_PROXY_SSL_HEADER = ('HTTP_X_FORWARDED_PROTO', 'https')
```

For more information, including warnings on the risks of misconfiguring this setting, see: <https://docs.djangoproject.com/en/1.11/ref/settings/#secure-proxy-ssl-header>

Don’t forget to create the static files directory and give it appropriate permissions. The location is set in the `settings.py` file.

```
# Collect static files to ``settings.STATIC_ROOT``  
python manage.py collectstatic  
# Allow Nginx read permissions  
setfacl -R -m user:nginx:rx static_dir
```

### See also:

[Django with Gunicorn](#)

## Serving with Apache HTTPD + mod\_wsgi

We do not support the use of Apache. If you need this and want to support this use case, we welcome your contribution of any relevant documentation.

## Creating Systemd Services for Gunicorn and Celery

Gunicorn is a Python WSGI HTTP Server which is suitable for production (when combined with NGINX). Gunicorn is typically run from a Systemd service (on Ubuntu 16.04 or Ubuntu 18.04), saved in `/etc/systemd/system/gunicorn.service`:

```
[Unit]
Description=gunicorn daemon
After=network.target

[Service]
User=mytardis
Group=mytardis
WorkingDirectory=/home/mytardis/mytardis
ExecStart=/home/mytardis/.virtualenvs/mytardis/bin/gunicorn \
-c gunicorn_settings.py -b unix:/tmp/gunicorn.socket \
-b 127.0.0.1:8000 \
--log-syslog \
wsgi:application

[Install]
WantedBy=multi-user.target
```

On older systems (Ubuntu 14.04), Supervisor can be used instead of Systemd. In this case, the Gunicorn service would be configured in `/etc/supervisor/conf.d/gunicorn.conf`:

```
[program:gunicorn]
command=/home/mytardis/.virtualenvs/mytardis/bin/gunicorn
-c /home/mytardis/mytardis/gunicorn_settings.py
-b unix:/tmp/gunicorn.socket
-b 127.0.0.1:8000
--log-syslog
wsgi:application
user=mytardis
stdout_logfile=/var/log/gunicorn.log
redirect_stderr=true
```

A single server MyTardis deployment requires only one Gunicorn service, but MyTardis can be installed on multiple web nodes, each running NGINX and Gunicorn to accomodate load balancing and high availability using HAProxy.

The Celery workers which run MyTardis asynchronous tasks also require a service configuration, which is typically implemented with Systemd (on Ubuntu 16.04 or Ubuntu 18.04), saved in `/etc/systemd/system/celeryworker.service`:

```
[Unit]
Description=celeryworker daemon
After=network.target

[Service]
User=mytardis
Group=mytardis
WorkingDirectory=/home/mytardis/mytardis
```

(continues on next page)

(continued from previous page)

```
Environment=DJANGO_SETTINGS_MODULE=tardis.settings
ExecStart=/home/mytardis/.virtualenvs/mytardis/bin/celery worker \
-A tardis.celery.tardis_app \
-c 2 -Q celery,default -n "allqueues.%{h}"

[Install]
WantedBy=multi-user.target
```

On older systems (Ubuntu 14.04), Supervisor can be used instead of Systemd. In this case, the Celery worker service would be configured in `/etc/supervisor/conf.d/celeryworker.conf`:

```
[program:celeryd]
environment=
    DJANGO_SETTINGS_MODULE=tardis.settings
command=/home/mytardis/.virtualenvs/mytardis/bin/celery worker
    -A tardis.celery.tardis_app
    -c 2 -Q celery,default -n "allqueues.%{h}"
user=mytardis
directory=/home/mytardis/mytardis
stdout_logfile=/var/log/celeryd.log
redirect_stderr=true
killasgroup=true
stopwaitsecs=600
```

For tasks scheduled by Celerybeat, the Systemd service configuration (for Ubuntu 16.04 or Ubuntu 18.04), is saved in `/etc/systemd/system/celerybeat.service`:

```
[Unit]
Description=celerybeat daemon
After=network.target

[Service]
User=mytardis
Group=mytardis
WorkingDirectory=/home/mytardis/mytardis
Environment=DJANGO_SETTINGS_MODULE=tardis.settings
ExecStart=/home/mytardis/.virtualenvs/mytardis/bin/celery beat \
-A tardis.celery.tardis_app --loglevel INFO

[Install]
WantedBy=multi-user.target
```

On older systems (Ubuntu 14.04), Supervisor can be used instead of Systemd. In this case, the Celerybeat service would be configured in `/etc/supervisor/conf.d/celerybeat.conf`:

```
[program:celerybeat]
environment=
    DJANGO_SETTINGS_MODULE=tardis.settings
command=/home/mytardis/.virtualenvs/mytardis/bin/celery beat
    -A tardis.celery.tardis_app --loglevel INFO
user=mytardis
directory=/home/mytardis/mytardis
stdout_logfile=/var/log/celerybeat.log
redirect_stderr=true
```

## 11.2.2 Authentication Methods

### Users

MyTardis supports several sources of authentication and identity, referred to as user providers.

In the *settings.py* user providers are activated by specifying them within the **USER\_PROVIDERS** variable:

```
USER_PROVIDERS = ('tardis.tardis_portal.auth.localdb_auth.DjangoUserProvider',)
```

### Groups

MyTardis also supports several sources for group membership information, referred to as group providers.

In the *settings.py* group providers are activated by specifying them within the **GROUP\_PROVIDERS** variable:

```
GROUP_PROVIDERS = ('tardis.tardis_portal.auth.localdb_auth.DjangoGroupProvider',
                    'tardis.tardis_portal.auth.vbl_auth.VblGroupProvider',)
```

### Included Auth Plugins

#### HTTP Basic Endpoint Authentication

`tardis.tardis_portal.auth.httpbasicendpoint_auth`

HTTP Basic Endpoint authentication uses access to a HTTP resource (or endpoint) to determine if authentication should be allowed.

To use HTTP Basic Endpoint authentication, you'll need a HTTP resource protected by HTTP Basic Auth which is accessible from the MyTardis server.

In the *settings.py* add the following to **AUTH\_PROVIDERS** with an appropriate name. eg.

```
AUTH_PROVIDERS = (
    ('acls', 'acls', 'tardis.tardis_portal.auth.httpbasicendpoint_auth.
     ↴HttpBasicEndpointAuth'),
)
```

On each request, MyTardis will attempt to use basic authentication with the provided credentials to access the HTTP resource. If it fails, access is denied.

Endpoint to use in HTTP Basic Endpoint Auth. eg.

```
HTTP_BASIC_AUTH_ENDPOINT = 'https://test.example/endpoint'
```

### LDAP Authentication

`tardis.tardis_portal.auth.ldap_auth`

To enable LDAP you'll need to specify which components of the LDAP authentication backend are enabled. In the *settings.py* add the following to either Authentication, User Provider, Group Provider slugs.:

```
'tardis.tardis_portal.auth.ldap_auth.ldap_auth'
```

This is a wrapper function that allows initialisation of the LDAP provider using *settings.py* values.

### `ldap_auth()` Function

The following are configuration settings that are used when initialising the LDAP backend.

`tardis.default_settings.LDAP_TLS`

Enable TLS connections.

`tardis.default_settings.LDAP_URL`

Set the URL of the LDAP server, e.g. `ldap://localhost:389/`

`tardis.default_settings.LDAP_USER_LOGIN_ATTR`

Set the login attribute of the users, usually this will be either `cn` or `uid`

`tardis.default_settings.LDAP_USER_ATTR_MAP`

The LDAP user attribute map is used to map internal identifiers like `first_name`, `last_name` and `email` to their LDAP equivalents e.g. `{"givenName": "first_name", "sn": "last_name", "mail": "email"}`

`tardis.default_settings.LDAP_GROUP_ID_ATTR`

This is where you specify the group identifier from LDAP, usually it will be `cn`.

`tardis.default_settings.LDAP_GROUP_ATTR_MAP`

This map is used to map internal identifiers like `display` e.g. `{"description": "display"}`

`tardis.default_settings.LDAP_BASE`

Sets the search base of the LDAP queries `dc=example, dc=com`

`tardis.default_settings.LDAP_USER_BASE`

Sets the suffix to append to the user RDN (e.g. `uid=jsmith`) to construct the DN e.g. `"ou=People, " + LDAP_BASE`

`tardis.default_settings.LDAP_GROUP_BASE`

Sets the suffix to append to the group RDN (e.g. `cn=group1`) to construct the DN e.g. `"ou=Group, " + LDAP_BASE`

### Temporary Token Authentication

`tardis.tardis_portal.auth.token_auth`

To use token authentication, you'll need to specify the following `settings.py`

`'tardis.tardis_portal.auth.token_auth.TokenGroupProvider',`

`TOKEN_EXPIRY_DAYS = 30`

`TOKEN_LENGTH = 30`

`TOKEN_USERNAME = 'tokenuser'`

and create a user with

`bin/django createtokenuser`

### Cleaning up

`bin/django cleanuptokens`

It is recommended that you schedule regular purging of expired tokens. Set a cronjob to run `bin/django cleanuptokens`

## Expiry

Token auth works by hijacking the group provider system.

MyTardis groups are calculated and cached when a user logs in.

This means that if a session is active, and a token becomes invalid (either through deletion or expiry) that access will still be granted. To mitigate this, when a token user logs in, an explicit expiry is set on their session - the earlier of 4am the next day, or the session expiry date (the end of the day)

This forces the user to attempt to log in again, and be denied access.

- `tardis.tardis_portal.auth.ip_auth`

The `tardis.tardis_portal.auth package` module contains the authentication specific code.

## 11.2.3 Filter Setup

With the `USE_FILTERS` option set to True in settings, filters will be called once a file object has been verified.

Filters allow post-processing of uploaded files and can be used to extract metadata from file headers and/or generate thumbnail images.

The DataFileObject's verify method submits a task called "mytardis.apply\_filters" to the message broker (RabbitMQ).

This task can be picked up by the "mytardis-filters" microservice: <https://github.com/mytardis/mytardis-filters> or by your own custom microservice.

## 11.2.4 Database

### Initialising

When creating a new database the `migrate` command will need to be called to initialise the schema and insert the initial data fixtures.

### Usage

```
python manage.py migrate
```

### Migrating

Some of the upgrades to MyTardis will require that the database schema be upgraded to match the internal data model. The `migrate` command migrates data from old database schemas to the current one. It detects which version of the database you are currently running and will automatically migrate to the current version.

In certain cases it is also necessary to update the permissions table.

### Usage

```
python manage.py migrate
```

If the model changes require it, run:

```
python manage.py update_permissions
```

### creating superuser

After success of database initialization or migration, please use a command line utility called `createsuperuser` to create an administrator account using the admin site which is hooked to the URL `/admin/`.

### Usage

```
python manage.py createsuperuser
```

### Backup

Previous versions of MyTardis included a `backupdb` management command but it has been removed in 4.0. Please use the recommended backup tool for your database engine, e.g. `pg_dump` or `mysqldump`.

## 11.2.5 Schema and Parameter Sets

MyTardis stores metadata as *Parameters*, which are grouped in to *Parameter Sets*, which are defined by a *Schema*.

### Managing Schema

Schema are managed through the Django administrative interface. The administrative interface is normally accesible from a link similar to:

```
http://domain.com:8000/admin/
```

Selecting “Schemas” in the adminstrative interface will display a list of the installed schemas. Clicking on a schema displays the editor for that schema.

Schema definitions are the combination of two tables, *Schema* and *ParameterName*.

The *Schema* fields are:

**Namespace** The namespace uniquely identifies the schema. When exporting an experiment as a METS file the namespace is used as an XML Namespace, and thus must follow the XML standard, i.e. in the form of a URL.

The MyTardis naming convention is:

```
http://domain.com/localidentifiers/schemaname/version
```

**Name** The display name of the schema.

**Type** Experiment, Dataset or Datafile.

**Subtype** Used to group and identify schema for forms based searching.

The *ParameterName* fields are:

**Schema** The namespace of the schema which this parameter belongs to.

**Name** The identifier used to ingest parameters.

**Full Name** The display name of the parameter.

**Units** The display name of the units for numerical values.

**Data Type** One of:

- Numeric
- String
- Longstring
- URL
- Filename
- Datetime
- Link

Strings use the input field widget for editing, while longstrings use a textarea widget.

**Immutable** If true, no user editing of the parameter is allowed, regardless of access.

**Comparison Type** The type of search to be performed with Forms Based Search. Not used by Advanced Search.

**Is Searchable** Flag whether this parameter is searchable.

**Choices** If defined, a drop down list of values is displayed.

**Order** The display order of the parameters within the schema. Sorting is by Order, then alphabetically.

## 11.2.6 Setting Up Search

Tardis comes with a single search option which provides users with a search field that returns a list of matching Experiments, Datasets and Datafiles.

The single search box uses Elasticsearch, and Django Elasticsearch DSL library that allows indexing of django models in elasticsearch, and accordingly requires some setup. The single search box is disabled by default.

### Setting up Elasticsearch

Elasticsearch doesn't work out of the box with MyTardis. It is not currently installed with pip and requires a number of manual steps to get working.

Elasticsearch can be found here: <https://www.elastic.co/products/elasticsearch>

The following are a very simple list of steps that will get everything up and running. It is advisable to follow up with the person responsible for overseeing security policy at your home institution to see if any extra setup is necessary.

### Django Configuration

#### Enabling Single Search

A list of default settings for Single Search are already in `default_settings.py` in the MyTardis repository. Single search is enabled by setting the `SINGLE_SEARCH_ENABLED` option to True.

MyTardis comes with a search app that allows indexing Experiments, Dataset and Datafile models and also provides view and api to perform elasticsearch query on these models. This can be enabled by adding '`tardis.apps.search`' to the list of installed apps.

Other settings are shown below:

## ELASTICSEARCH\_DSL Settings

The default value is

```
INSTALLED_APPS += ('django_elasticsearch_dsl', 'tardis.apps.search',)
ELASTICSEARCH_DSL = {
    'default': {
        'hosts': 'http://localhost:9200'
    },
}
ELASTICSEARCH_DSL_INDEX_SETTINGS = {
    'number_of_shards': 1
}
```

## Updating Indexes

Once Elasticsearch is set up, and Single Search is enabled (i.e. the `SINGLE_SEARCH_ENABLED` option in settings is set to True) Elasticsearch DSL will automatically register the addition of and changes to models and reflect these in the search index. That is, as soon as a new instance of a model is added to the database, or changes are made to an existing instance, these changes will be searchable.

If you're adding search to an existing deployment of Django then you'll need to manually trigger a rebuild of the indexes (automatic indexing only happens through signals when models are added or changed).

Elasticsearch DSL registers a number of management commands with the Django framework, these commands can be listed by running the following command

```
python manage.py search_index --help
```

the important one here being the `-rebuild` command. To rebuild, navigate to your checkout and call the following command

```
python manage.py search_index --rebuild
```

Elasticsearch DSL will then ask you to confirm your decision (Note: Rebuilding will destroy your existing indexes, and will take a while for large datasets, so be sure), and then start rebuilding.

### 11.2.7 Storage Options and Architecture in MyTardis

#### Database layout for storage

The storage for each DataFile is configured individually. A “way to store data” is called StorageBox. Each file has one or many related DataFileObjects, which link a DataFile with a StorageBox. A DataFile can have several copies stored in different StorageBoxes via several DataFileObjects.

#### StorageBoxes

StorageBoxes contain all the information needed to store a file except an id unique to the file and storagebox.

Each StorageBox points to a class that implements the Django storage API via a python module path as string.

Optional instantiation parameters for each StorageBox can be stored in StorageBoxOptions. These are used as parameters to the storage class set in the `django_storage_class` attribute of a StorageBox

These parameters are string types by default. However, by setting the optional parameter `value_type` to '`pickle`', any pickleable object can be stored here and hence used for instantiation of the storage class.

Optional classification and other metadata can be stored in `StorageBoxAttributes`.

A special case is where someone registers a file and wants to put it into location themselves but needs to be given the place to put it (via the API). Such situation can only be resolved with `StorageBoxes` that implement the "`build_save_location`" function. Such `StorageBoxes` need to have a `StorageBoxAttribute` with key "`staging`" and value "`True`".

## DataFiles

`DataFiles` are the logical representation of the file. They contain information about the name, size, checksum, dates etc.

## DataFileObjects

`DataFileObjects` point to the `DataFile` they belong to and the `StorageBox` they reside in. They also have an identifier that the `StorageBox` uses to find the actual file. `DataFileObjects` also have a date, and a state-flag.

## Available backends

Django storage API compatible backends are available for example at <https://github.com/jschneier/django-storages>

We have tested the following backends with MyTardis:

- File on disk or any other system mounted storage
- SFTP
- SWIFT Object Storage

## Documented backends

### S3 compatible storage

S3 and S3 compatible storage backends are supported by the `django-storages` package.

The `django-storages` package is now included in MyTardis's `requirements-base.txt`

It can be used to configure an S3 storage box, or it can be used to store static assets in S3, as described at <https://django-storages.readthedocs.io/en/latest/backends/amazon-S3.html>

## Configuration

The following options can be set as `StorageBoxOption` on your S3 storage box or system wide in your Django settings (a default of \* labels mandatory settings):

StorageBoxOption	Django Setting	Default
access_key	AWS_S3_ACCESS_KEY_ID	*
	AWS_ACCESS_KEY_ID	
secret_key	AWS_S3_SECRET_ACCESS_KEY	
	AWS_SECRET_ACCESS_KEY	
file_overwrite	AWS_S3_FILE_OVERWRITE	True
headers	AWS_HEADERS	{}
bucket_name	AWS_STORAGE_BUCKET_NAME	
auto_create_bucket	AWS_AUTO_CREATE_BUCKET	False
default_acl	AWS_DEFAULT_ACL	public-read
bucket_acl	AWS_BUCKET_ACL	default_acl
querystring_auth	AWS_QUERYSTRING_AUTH	True
querystring_expire	AWS_QUERYSTRING_EXPIRE	600
reduced_redundancy	AWS_REDUCED_REDUNDANCY	
location	AWS_LOCATION	''
encryption	AWS_S3_ENCRYPTION	False
custom_domain	AWS_S3_CUSTOM_DOMAIN	None
calling_format	AWS_S3_CALLING_FORMAT	SubdomainCallingFormat()
secure_urls	AWS_S3_SECURE_URLS	True
file_name_charset	AWS_S3_FILE_NAME_CHARSET	SET8
gzip	AWS_IS_GZIPPED	False
preload_metadata	AWS_PRELOAD_METADATA	False
gzip_content_types	GZIP_CONTENT_TYPES	('text/css', 'text/javascript', 'application/javascript', 'application/x-javascript', 'image/svg+xml')
url_protocol	AWS_S3_URL_PROTOCOL	http:
host	AWS_S3_HOST	S3Connection.DefaultHost
use_ssl	AWS_S3_USE_SSL	True
port	AWS_S3_PORT	None
proxy	AWS_S3_PROXY_HOST	None
proxy_port	AWS_S3_PROXY_PORT	None
The max amount of memory a returned file can take up before being rolled over into a temporary file on disk. Default is 0: Do not roll over.		
max_memory_size	AWS_S3_MAX_MEMORY_SIZE	

## Appendix: Conversion of ‘Replicas’

Replicas used to be the method of file storage abstraction in MyTardis versions 3.x. The StorageBoxes replace this. For pain-free upgrading, a conversion has been included with the database migrations that works as follows:

All ‘Locations’ that are local are converted to default (folder on disk) StorageBoxes. All ‘Locations’ that are not local are converted to dummy ‘link only’ StorageBoxes with the corresponding name. These can be upgraded manually to a StorageBox with an appropriate backend after the migration has taken place.

Max size is set to size of disk, hence for multiple locations on the same disk this number provides no protection. This also should be set to reasonable values manually after the migration.

Each ‘Replica’ of a file will be converted to a DataFileObject pointing to the relevant StorageBox.

All files are manually reverified, so that unverified entries can be checked for errors.


## 11.2.8 Facility Overview

### Introduction

The Facility Overview included with MyTardis allows facility administrators to monitor the output of connected instruments, highlighting unverified files, dataset size, file counts and file listings.

### Setup

In order for datasets to appear in the Facility Overview, each dataset must be associated with an Instrument, which is itself associated with a Facility. The Facility object will reference a facility administrator's group, members of which may view the Facility Overview.



The facility managers, facility manager groups, facilities and instruments may be configured via the django admin interface. MyData, the desktop uploader client for the MyTardis server, can be configured to assign the appropriate instrument to uploaded datasets at the point of ingestion.

It should be noted that the dataset visibility within the facility overview is limited to dataset and datafile listings only. Access to the experiment and dataset views, as well as raw data, is still controlled via the [ACL framework](#).

### Usage

Members of the facility manager groups for one or more facilities will see the “Facility Overview” menu item in the MyTardis web portal. After opening the facility overview, a list of recently ingested datasets will be displayed from the facility being managed. If a user manages multiple facilities, a blue drop-down selector will also appear on the right-hand side of the page. As the facility overview is designed to give a snapshot of recently uploaded datasets, older data is not immediately accessible; MyTardis’ [search feature](#) is better suited to this.

In addition to simply listing the most recent datasets, the datasets can be grouped by instrument or by owner, and filtered by username, experiment name and instrument name. Note that while filters are active, it may appear as though no new pages are loaded by clicking “Load more”, since the additional datasets fetched from the server might not match the active filters.

## 11.2.9 Task Priorities

### Overview

From v4.1.0, MyTardis assumes the use of RabbitMQ as its message broker, and instructs Celery to create a “celery” queue with task priorities enabled. The queue’s maximum priority is set to 10 in `tardis/default_settings/celery_settings.py` which is used when setting up the Celery app in `tardis/celery.py`:

```
tardis/default_settings/celery_settings.py
-----
...
MAX_TASK_PRIORITY = 10
DEFAULT_TASK_PRIORITY = 5
DEFAULT_EMAIL_TASK_PRIORITY = 10

CELERY_DEFAULT_QUEUE = 'celery'
# The 'x-max-priority' argument will only be respected by the RabbitMQ broker,
# which is the recommended broker for MyTardis:
CELERY_QUEUES = (
    Queue('celery', Exchange('celery'),
          routing_key='celery',
          queue_arguments={'x-max-priority': MAX_TASK_PRIORITY}),
)
tardis/celery.py
-----
...
tardis_app = Celery('tardis')
tardis_app.config_from_object('django.conf:settings')
...
```

Celery's `apply_async` method's `shadow` argument is used to annotate storage box related task names with the location (storage box name) which they are running in, e.g. `dfo_verify` becomes `dfo_verify location:default-storage`:

```
tardis/tardis_portal/tasks.py
-----
...
def verify_dfos(**kwargs):
    ...
    for dfo in dfos_to_verify:
        kwargs['priority'] = dfo.priority
        kwargs['shadow'] = 'dfo_verify location:%s' % dfo.storage_box.name
        dfo_verify.apply_async(args=[dfo.id], **kwargs)
...
```

## Monitoring

We can confirm that the `x-max-priority` argument was supplied when creating the queue by running `rabbitmqctl report` on our RabbitMQ server:

```
$ sudo rabbitmqctl report | grep 'x-max-priority'
...
Listing queues for vhost mytardis ...
name      durable auto_delete      arguments ...
...
celery      true    false    [{"x-max-priority":10}] ...
```

We can list the tasks currently running (and observe their priorities) by running `celery inspect active` from one of our Celery nodes:

```
(mytardis) mytardis@celery0 ~/mytardis$ DJANGO_SETTINGS_MODULE=tardis.settings celery_
→-A tardis.celery.tardis_app inspect active
-> celery@allqueues.celery0: OK
```

(continues on next page)

(continued from previous page)

```

    * {u'args': u'[32933203]', u'time_start': 1548368931.7151582, u'name': u'dfo_
    ↵verify location:default-storage',
      u'delivery_info': {u'priority': 5, u'redelivered': False, u'routing_key': u
    ↵'celery', u'exchange': u''},
      u'hostname': u'celery@allqueues.celery0', u'acknowledged': False, u'kwargs': u'
    ↵{}',
      u'type': u'tardis_portal.dfo.verify', u'id': u'50c80b84-5d64-44c7-a6d4-
    ↵c551b6d14e22', u'worker_pid': 3730}
-> celery@allqueues.celery2: OK
  - empty -
...
-> celery@allqueues.celery7: OK
  * {u'args': u'[30476811]', u'time_start': 1548368924.2799926, u'name': u'dfo_
    ↵verify location:default-storage',
      u'delivery_info': {u'priority': 5, u'redelivered': False, u'routing_key': u
    ↵'celery', u'exchange': u''},
      u'hostname': u'celery@allqueues.celery7', u'acknowledged': False, u'kwargs': u'
    ↵{}',
      u'type': u'tardis_portal.dfo.verify', u'id': u'de7d0fe1-f386-4937-af7f-
    ↵a693e7630fb5', u'worker_pid': 9051}
...
-> celery@allqueues.celery14: OK
  * {u'args': u'[289]', u'time_start': 1548368427.9639463, u'name': u'sbox_cache_
    ↵files location:big-data1',
      u'delivery_info': {u'priority': 4, u'redelivered': False, u'routing_key': u
    ↵'celery', u'exchange': u''},
      u'hostname': u'celery@allqueues.celery14', u'acknowledged': False, u'kwargs': u'
    ↵{}',
      u'type': u'tardis_portal.storage_box.cache_files', u'id': u'8767709f-ae98-4735-
    ↵9d29-21bb5b13e230', u'worker_pid': 15906}

```

Notice that most tasks have the default priority of 5 (defined in `tardis/default_settings/celery_settings.py` as `DEFAULT_TASK_PRIORITY`) and that the task operating on a file from the `big-data1` storage boxes has a lower priority of 4.

Default priorities for storage boxes can be configured via StorageBox Attributes. We can check which storage boxes have priorities specified in the Django shell as follows:

```
(mytardis) mytardis@celery0:~/mytardis$ ./manage.py shell_plus

>>> StorageBoxAttribute.objects.filter(key='priority')
<QuerySet [<StorageBoxAttribute: big-data1> priority: 4>, <StorageBoxAttribute: big-
    ↵data2> priority: 4>]>
```

So in the example above, explicit priorities are only set for the “big-data1” and “big-data2” storage boxes.

## Common Problems and Solutions

### Celery workers time out when running `celery inspect active`

When running `celery inspect active` sometimes you will see this error:

```
Error: No nodes replied within time constraint.
```

Usually, running `celery inspect active` again will resolve the problem, i.e. it will just work without error on subsequent attempts.

If desired, you can specify a `timeout` e.g. `timeout 10` but usually running `celery inspect active` again does the trick.

### Non-priority queue already exists

If an attempt to submit a task to the queue (with `apply_async`) triggers an error like this:

```
PreconditionFailed: Queue.declare: (406) PRECONDITION_FAILED - inequivalent arg 'x-max-priority' for queue 'celery' in vhost '/': received the value '10' of type 'signedint' but current is none
```

This means that the MyTardis process attempting to submit the task is expecting the queue to have the `x-max-priority` argument, but it doesn't have that argument (see `rabbitmqctl report` above).

In this case, you can delete the `celery` queue, and allow Celery to recreate it with the `x-max-priority` argument:

```
(mytardis) mytardis@celery0 ~/mytardis$ DJANGO_SETTINGS_MODULE=tardis.settings celery -A tardis.celery.tardis_app amqp queue.delete celery
```

## 11.3 Development

### 11.3.1 Architecture

This page describes the architecture of MyTardis.

MyTardis is built on the Django web framework, which itself is built on Python, thus MyTardis follows the architectural model of Django.

#### Component Architecture

**Web Server** MyTardis is typically deployed with the standard `Nginx + Gunicorn + Django + Python` stack.

**RDBMS** Ideally, use PostgreSQL. MySQL or MariaDB may be usable but it is not as well tested.

**Data Storage** Local disk, network mounted disks as well as S3 and SFTP are supported.

**Ingestion** Ingestion is normally site specific. A desktop application is available (MyData).

#### Functional Architecture

MyTardis follows the standard Django architecture.

The major functional modules in MyTardis are:

**API** A RESTful API provides anonymous and authenticated access to most of the stored data.

**Auth** Authentication and Authorisation.

**Download** Data download functionality.

**Filters** Processing of metadata as data is uploaded, e.g. extract EXIF metadata from JPEG files.

**Management** Additional commands for the Django CLI. The backup utility is implemented as a Django command.

**Migrations** Database migration code.

**Publish** RIF-CS metadata publication.

**Search** Provides a searchable and authorisation enabled index for quickly finding data.

**SFTP server** Provides read access to data in MyTardis via the SFTP protocol

Information on the individual modules is available from the modindex.

## Scalability Model

At the component / module level, performance and Scalability within MyTardis is achieved by:

- Allowing long lived or compute intensive operations to be hosted on separate machines from the main web server.
  - E.g. by running multiple web servers and sending long lived operations, such as ingestion, to a server reserved for such operations.
- Performance and Scalability of the database is achieved by a combination of 1) optimising the SQL requests issued by MyTardis, and 2) database specific scalability, please refer to the appropriate database documentation.
- Performance and Scalability of the web server is provided through the normal mechanisms for nginx / wsgi hosted python applications, e,g,:
  - Increasing individual Server capability
    - \* Individual Server performance / utilization may be managed by controlling the number of python (django) processes active at any one time.
  - Deploying multiple web servers
    - \* Multiple web servers may be deployed using standard mechanisms, e.g. load balancers. State (session) information is distributed using Django's standard session model.
- The Data Archive is a normal file system, e.g. NFS, SAMBA, etc., with performance and scalability dependent on the implementation and deployment.
- Extraction and formatting of metadata for ingestion is up to the client and may be distributed across any number of machines.

## SQL Scalability Notes

The datafileparameter table is expected to be the single largest table by an order of magnitude, in the hundreds of millions of records (at the Australian Synchrotron).

For Postgres, this will probably be addressed by table partitioning. In this case using a date field to partition is often recommended. Dates may be introduced as part of the support for annotations, raw data, versioned data and derived data.

## Persistance and Data Architecture

Django provides an Object-Relational-Model that maps Django Models to the underlying relational database.

The Django Models are defined in `tardis.tardis_portal.models`.

### Security Model

#### Authentication

Access to data catalogued by MyTardis may be either public, i.e. anonymous access allowed, or private, requiring authentication. The Authentication Framework is documented in [ref-authframework](#).

#### Authorisation

MyTardis includes an extensible authorisation engine, documented in [ref-authframework](#) and [Authorisation Framework](#).

### Class Diagram

Unless the application has a very rich business model (which MyTardis does not), a class diagram doesn't convey much information in Django applications (it ends up being a flat list of classes). To understand the context in which the MyTardis classes are created, please refer to the Django documentation, <http://docs.djangoproject.com/> on the responsibilities of models, views, managers and templates.

### Source Code

This section describes the top level layout of the source code in the [GitHub](#) repository.

- docs
  - MyTardis User and Administrative documentation
- tardis
  - apps
    - \* **Contains all the optional functionality and installation specific** functionality. Examples include the optional ANDS Register (ands\_register) and Related Info (related\_info) tabs, and the ANSTO (mecat-ansto) and Australian Synchrotron (mecat-as) installation specific modules.
    - \* **Some applications are part of the main code base, others can be added** at installation time.
  - search
    - \* Search related code
  - tardis\_portal
    - \* This is the main django application that contains most of the core MyTardis functionality

### 11.3.2 Authorisation Framework

#### Django Authorisation

Django has a built-in authorisation/permission mechanism that is in use by default. It is enabled in MyTardis in `default_settings.py` together with the custom object level permission framework described below.

```
AUTHENTICATION_BACKENDS = (
    'django.contrib.auth.backends.ModelBackend',
    'tardis.tardis_portal.auth.authorisation.ACIAwareBackend',
)
```

The Django default permissions are automatically available for each Model. The verbs are add, change, delete, and they can be queried on the user object as follows:

```
user.has_perm('tardis_portal.add_experiment')
user.has_perm('tardis_portal.add_dataset')
user.has_perm('tardis_portal.change_experiment')
user.has_perm('tardis_portal.delete_datasetparameterset')
```

There is a function in `tardis.tardis_portal.auth.authservice` called `_set_user_from_dict` that adds the following permissions for each new user created using custom methods:

```
'add_experiment'
'change_experiment'
'change_group'
'change_userauthentication'
'change_experimentacl'
```

These permissions apply in general and are augmented by ACLs

## Object Level Permissions and Access Control Lists

The main purpose of the ACL system is to manage per experiment permissions. The architecture allows for future expansion to more fine grained permission management. However, at this stage only the Experiment level is supported by the user interface.

Permissions are applied with a few predefined roles:

**read** read permission allows individuals and groups access to view an experiment.

**write** write permissions cover addition of new datasets and datafiles and also deletion of datafile.

**delete** delete permission allows deletion of datasets and experiments.

Roles are applied through the web using the *Control Panel* and can be applied to either users or groups.

To make an experiment public requires an explicit publish action.

The ACL permissions can be queried on the user object just like standard permissions, however, with the addition of the object in question:

```
user.has_perm('tardis_acls.change_experiment', experiment)
```

Verbs currently available are change, view, delete, owns, share.

The translation of ACLs to `has_perm` verbs is defined in a function in `tardis.tardis_portal.auth.authorisation`.

To allow for querying on any object related to experiments, extra logic was added to some of the models. To support the logic, in addition to ACLs, `has_perm` calls model functions named `_has_VERB_perm`, which allows model-specific permission logic.

The current policy is that if those functions return True or False then that result is returned without further checking. If they return an object, permissions will be checked for this object thereby allowing delegation.

### 11.3.3 RESTful API for MyTardis

The data and metadata stored in MyTardis instances is made accessible through a RESTful API.

Not all functionality has been exposed via the API at this time. This documentation reflects what is available and tested.

The API version v1 is built on the Tastypie framework.

The RESTful API can also be explored via the automatically generated Swagger documentation at <http://mytardis-example.com/api/v1/swagger/>.

See [swagger.io](https://swagger.io) for details on the Swagger standard.

#### API accessible models

- Experiment
- ExperimentParameterSet
- ExperimentParameter
- 
- Dataset
- DatasetParameterSet
- DatasetParameter
- 
- DataFile
- DatafileParameterSet
- DatafileParameter
- 
- StorageBox
- StorageBoxOption
- StorageBoxAttribute
- 
- Schema
- ParameterName
- 
- User
- Group
- 
- Facility
- Instrument
- 
- ObjectACL

## Authentication

Currently implemented are Basic Auth, to be used via HTTPS only, and SessionAuth which queries Django sessions. Due to our desire to provide information to users without any login, eg. for public data, the Basic Auth mechanism is slightly non-standard.

The standard sends an anonymous request, awaits a WWW-Authenticate header, then sends authentication credentials. Instead, this API sends public data for anonymous requests.

Using `curl` or the `requests` library this poses no problem. However, using `urllib2` or web browser without a Django session is not going to work out of the box.

Here is a snippet (found here: <http://stackoverflow.com/questions/4628610/does-urllib2-support-preemptive-authentication-authentication>) that makes `urllib2` work, should you want to use this library:

```
class PreemptiveBasicAuthHandler(urllib2.BaseHandler):

    def __init__(self, password_mgr=None):
        if password_mgr is None:
            password_mgr = urllib2.HTTPPasswordMgrWithDefaultRealm()
        self.passwd = password_mgr
        self.add_password = self.passwd.add_password

    def http_request(self, req):
        uri = req.get_full_url()
        user, pw = self.passwd.find_user_password(None, uri)
        if pw is None:
            return req

        raw = "%s:%s" % (user, pw)
        auth = 'Basic %s' % base64.b64encode(raw).strip()
        req.add_unredirected_header('Authorization', auth)
        return req

auth_handler = PreemptiveBasicAuthHandler()
auth_handler.add_password(realme=None,
                         uri=url,
                         user='mytardis',
                         passwd='mytardis')
opener = urllib2.build_opener(auth_handler)
# ...and install it globally so it can be used with urlopen.
urllib2.install_opener(opener)
```

## Querying the database (GET)

All endpoints support querying lists and individual records via GET requests. Some support more complex queries via GET parameters as well.

## Creating objects, adding files (POST)

The creation of Experiments, Datasets and Dataset\_Files via POSTs with the option to include metadata/parametersets has been implemented and tested.

The following examples demonstrate how to go about it.

In all except the file attachment case the POST data should be a JSON string, the Content-Type header needs to be set to application/json and the Accept header as well. Other response formats may be made available in the future.

In all cases the URI of the created object is returned in the Location header of the response.

## Experiments

Example JSON input

```
{  
    "title": "API-created Experiment #1",  
    "description": "Wow, all automatic!",  
    "institution_name": "Monash University",  
    "parameter_sets": [  
        {  
            "schema": "http://institution.com/my/schema",  
            "parameters": [  
                {  
                    "name": "important_parameter_1",  
                    "value": "Test16"  
                },  
                {  
                    "name": "important_parameter_3",  
                    "value": "57.136"  
                }  
            ]  
        },  
        {  
            "schema": "http://company.com/some/other/schema",  
            "parameters": [  
                {  
                    "name": "meaningful_name",  
                    "value": "Test17"  
                },  
                {  
                    "name": "meaningless_name",  
                    "value": "1234"  
                }  
            ]  
        }  
    ]  
}
```

This creates an experiment with two parametersets with two parameters each.

Alternative to Schema namespaces and Parameter names, you can also specify the URIs to each. Until the querying of Schemas and Parameters is documented this is discouraged.

## Datasets

Example JSON input:

```
{  
    "description": "API-created Dataset",  
    "experiments": [  
        {  
            "id": "12345678901234567890123456789012",  
            "label": "Experiment 1",  
            "uri": "http://monash.edu/experiments/12345678901234567890123456789012"  
        },  
        {  
            "id": "12345678901234567890123456789013",  
            "label": "Experiment 2",  
            "uri": "http://monash.edu/experiments/12345678901234567890123456789013"  
        }  
    ]  
}
```

(continues on next page)

(continued from previous page)

```

"/api/v1/experiment/1/",
"/api/v1/experiment/2/"
],
"immutable": false,
"parameter_sets": [
{
  "parameters": [
    {
      "name": "obscure-instrument-setting-52",
      "value": "awesome dataset api POST"
    },
    {
      "name": "temperature",
      "value": "301"
    }
  ],
  "schema": "http://datasets.com/need/schemas/too"
},
{
  "parameters": [
    {
      "name": "someotherparameter",
      "value": "some other value"
    }
  ],
  "schema": "http://better-datasets.com/offers/better/schemas"
}
]
}

```

## DataFiles

There are three ways to add a file to MyTardis via the API.

### Via multipart form POST

This works for single files at the moment.

The key is to send a multipart-form instead of ‘application/json’. This can be accomplished with the requests library as shown in the following example.

To use requests you need to install it first, eg. pip install requests.

Also, for this to work, the POST data needs to be sent with the JSON string called ‘json\_data’ and the file called ‘attached\_file’.

Example JSON input:

```
{
  "dataset": "/api/v1/dataset/1/",
  "filename": "mytestfile.txt",
  "md5sum": "c858d6319609d6db3c091b09783c479c",
  "size": "12",
  "mimetype": "text/plain",
  "parameter_sets": []
}
```

(continues on next page)

(continued from previous page)

```
"schema": "http://datafileshop.com/fileinfo/v1",
"parameters": [
    {
        "name": "fileparameter1",
        "value": "123"
    },
    {
        "name": "fileparameter2",
        "value": "1234"
    }
]
}
```

Example requests script:

```
import requests
from requests.auth import HTTPBasicAuth

url = "http://localhost:8000/api/v1/dataset_file/"
headers = {'Accept': 'application/json'}
response = requests.post(url, data={"json_data": data}, headers=headers,
                         files={'attached_file': open(filename, 'rb')},
                         auth=HTTPBasicAuth(username, password)
                     )
```

### Via staging location

Another way to add a file is to create the database entry first without providing a storage location. This will return back a location on the server that you are assumed to have access to. Once the file appears there, for example when you copy it there, it will be moved to its permanent storage location managed by MyTardis.

The full file path that you should copy/move the file to is returned as the content of the response.

Example JSON input:

```
{
    "dataset": "/api/v1/dataset/1/",
    "filename": "mytestfile.txt",
    "md5sum": "c858d6319609d6db3c091b09783c479c",
    "size": "12",
    "mimetype": "text/plain",
    "parameter_sets": [
        {
            "schema": "http://datafileshop.com/fileinfo/v1",
            "parameters": [
                {
                    "name": "fileparameter1",
                    "value": "123"
                },
                {
                    "name": "fileparameter2",
                    "value": "1234"
                }
            ]
        }
    ]
}
```

## Via shared permanent storage location

This method assumes that there exists a storage that is shared between MyTardis and you. The registered file will remain in this location.

For this to work you need to get a Location (internal MyTardis settings) name to submit with your metadata.

Examples JSON:

```
{
    "dataset": "/api/v1/dataset/1/",
    "filename": "mytestfile.txt",
    "md5sum": "c858d6319609d6db3c091b09783c479c",
    "size": "12",
    "mimetype": "text/plain",
    "replicas": [
        {
            "url": "mytestfile.txt",
            "location": "local",
            "protocol": "file"
        }
    ],
    "parameter_sets": [
        {
            "schema": "http://datafileshop.com/fileinfo/2",
            "parameters": [
                {
                    "name": "fileparameter1",
                    "value": "123"
                },
                {
                    "name": "fileparameter2",
                    "value": "123"
                }
            ]
        }
    ]
}
```

## urllib2 POST example script

Replace MODEL with one of the available model names in lower case. data is the JSON as a string.

```
import urllib2
url = "http://localhost:8000/api/v1/MODEL/"
headers = {'Accept': 'application/json',
           'Content-Type': 'application/json'}
auth_handler = urllib2.HTTPBasicAuthHandler()
auth_handler.add_password(realms="django-tastypie",
                           uri=url,
                           user=username,
                           passwd=password)
opener = urllib2.build_opener(auth_handler)
urllib2.install_opener(opener)
myrequest = urllib2.Request(url=url, data=data,
                            headers=headers)
myrequest.get_method = lambda: 'POST'
output = "error"
output = urllib2.urlopen(myrequest)
print output.headers["Location"]
```

### 11.3.4 Tests

#### Running the Test Suite

Run this command to run the unit tests:

```
./test.py
```

If you want to specify any options or specific tests to run, the test argument is required first:

```
./test.py test --some-argument
```

You can choose to run the test suite with different options (e.g. with coverage, with different verbosity, etc.). To see the full list of options, run the same command with the `--help` flag.

#### Running Individual Unit Tests

The unit tests reside in the `tardis/tardis_portal/tests` directory. To run the unit tests individually, you can use this command:

```
./test.py test <test_module_name_here>
```

Note that the test module name argument should be the relative file path with “.” as folder separator. For example, if you want to run the test “`test_authentication.py`”, then your command to execute this test would be:

```
./test.py test tardis.tardis_portal.tests.test_authentication
```

#### Other options

You can choose to include different options when running the unit tests (e.g. run in verbose mode, print out a traceback, etc.). Run the `test` or `django test` command with `--help` flag to see the full list of options:

```
./test.py test --help
```

#### Running BDD tests

To run BDD (Behaviour Driven Development) tests with the default settings and headless Chrome, download Chromedriver from <http://chromedriver.chromium.org/downloads> and make it available in your PATH (e.g. in `/usr/local/bin/`) and run:

```
./test.py behave
```

#### Running QUnit tests

The QUnit tests reside in the `js_tests/` directory.

`package.json` contains `devDependencies` required for running these tests.

Running `npm install` will install everything you need, whereas `npm install --production` will skip the `devDependencies`.

You can run the QUnit tests with:

```
npm test
```

Or by running a web server:

```
python -m SimpleHTTPServer
```

and opening [http://127.0.0.1:8000/js\\_tests/tests.html](http://127.0.0.1:8000/js_tests/tests.html) in your browser.

### 11.3.5 tardis

#### tardis package

##### Subpackages

##### tardis.analytics package

##### Submodules

##### tardis.analytics.apps module

```
class tardis.analytics.apps.AnalyticsConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig
    name = 'tardis.analytics'
    verbose_name = 'Analytics framework'
```

##### tardis.analytics.ga module

Google analytics tracking

```
tardis.analytics.ga.track_download(label, session_id, ip, user, total_size=None,
                                    num_files=None, ua=None)
tardis.analytics.ga.track_login(label, session_id, ip, user)
tardis.analytics.ga.track_logout(label, session_id, ip, user)
```

##### tardis.analytics.tracker module

Generic tracking and analytics interface Supports Google Analytics through ga.py, others may follow

```
class tardis.analytics.tracker.IteratorTracker(iterator, tracker_data=None)
    Bases: object
```

wraps file iterator to track successful and incomplete downloads

```
close()
next()
```

```
tardis.analytics.tracker.service = <module 'tardis.analytics.ga' from '/home/docs/checkouts...
```

This can become a setting to other service in the future

## Module contents

### tardis.apps package

#### Subpackages

##### tardis.apps.deep\_storage\_download\_mapper package

#### Submodules

##### tardis.apps.deep\_storage\_download\_mapper.mapper module

File mapper that works for files stored in deep directory structures. It recreates the structure as stored in the datafile directory

```
tardis.apps.deep_storage_download_mapper.mapper.deep_storage_mapper(obj,  
root-  
dir=None)
```

If rootdir is None, just return a filesystem-safe representation of the object, e.g. “DatasetDescription\_123” or “strange %2F filename.txt”

For now, only DataFiles are supported when rootdir is not None.

#### Parameters

- **obj** (`DataFile`, `Dataset` or `Experiment`) – The model instance (DataFile, Dataset or Experiment) to generate a path for.
- **rootdir** (`basestring`) – The top-level directory name, or None

**Returns** Filesystem-safe path for the object in the archive or SFTP view.

**Return type** basestring

#### Raises

- `Exception` –
- `NotImplementedError` –

```
tardis.apps.deep_storage_download_mapper.mapper.encode_if_py2(string)
```

UTF-8 encode string if necessary for Python 2.7.

If we get a unicode string in Python 2.7, e.g. u’unicode’, we encode it as UTF-8 before URL quoting it.

We use “six.text\_type” rather than “unicode” to check the string type in Python 2.7, to avoid getting an undefined variable error when linting in Python 3.

In Python 3, it is not necessary to explicitly encode in UTF-8 before URL quoting, and attempting to combine a bytes-encoded string with a database ID in Python 3 using “%s\_%d” % (b”foo”, 123) gives “b’foo’\_123” instead of “foo\_123”, so it’s best to avoid explicit encoding.

### tardis.apps.deep\_storage\_download\_mapper.urls module

#### Module contents

### tardis.apps.dl\_mapper\_df\_dir\_only package

## Submodules

### tardis.apps.dl\_mapper\_df\_dir\_only.mapper module

File mapper that works for files stored in deep directory structures. It recreates the structure as stored in the datafile directory

```
tardis.apps.dl_mapper_df_dir_only.mapper.df_dir_only(datafile, rootdir)
```

### tardis.apps.dl\_mapper\_df\_dir\_only.urls module

#### Module contents

### tardis.apps.filepicker package

## Submodules

### tardis.apps.filepicker.filepicker\_settings module

### tardis.apps.filepicker.urls module

### tardis.apps.filepicker.utils module

taken from [https://raw.github.com/Filepicker/django-filepicker/master/django\\_filepicker/utils.py](https://raw.github.com/Filepicker/django-filepicker/master/django_filepicker/utils.py) on 11 Apr 2013

```
class tardis.apps.filepicker.utils.FilepickerFile(url)
    Bases: object

    cleanup()
        Removes any downloaded objects and closes open files.

    filepicker_url_regex = <_sre.SRE_Pattern object>

    get_file()
        Downloads the file from filepicker.io and returns a Django File wrapper object
```

### tardis.apps.filepicker.views module

Filepicker.io button view and upload handler

#### Module contents

### tardis.apps.oaipmh package

## Subpackages

### tardis.apps.oaipmh.provider package

## Submodules

## tardis.apps.oaipmh.provider.base module

```
class tardis.apps.oaipmh.provider.base.BaseProvider(site)
Bases: oaipmh.interfaces.IOAI, object
```

A base provider which roughly implements the PyOAI interface for OAI-PMH servers.

Extend this if you're writing your own provider for a new type or a different metadata format.

```
getRecord(metadataPrefix, identifier)
```

Get a record for a metadataPrefix and identifier.

### Parameters

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **identifier** (*string*) –
  - repository-unique identifier of record

### Raises

- **oaipmh.error.CannotDisseminateFormatError** – if metadataPrefix is unknown or not supported by identifier.
- **oaipmh.error.IdDoesNotExistError** – if identifier is unknown or illegal.

**Returns** a header, metadata, about tuple describing the record.

```
identify()
```

Retrieve information about the repository.

Returns an Identify object describing the repository.

```
listIdentifiers(metadataPrefix, set=None, from_=None, until=None)
```

Get a list of header information on records.

### Parameters

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **set** (*string*) – set identifier; only return headers in set
- **from** (*datetime*) – only retrieve headers from **from\_** date forward (in naive UTC)
- **until** (*datetime*) – only retrieve headers with dates up to and including until date (in naive UTC)

### Raises

- **error.CannotDisseminateFormatError** – if metadataPrefix is not supported by the repository.
- **error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of headers.

```
listMetadataFormats(identifier=None)
```

List metadata formats supported by repository or record.

**Parameters** **identifier** (*string*) – identify record for which we want to know all supported metadata formats. If absent, list all metadata formats supported by repository.

### Raises

- **error.IdDoesNotExistError** – if record with identifier does not exist.

- **error.NoMetadataFormatsError** – if no formats are available for the indicated record.

**Returns** an iterable of metadataPrefix, schema, metadataNamespace tuples (each entry in the tuple is a string).

### **listRecords** (*metadataPrefix*, *set=None*, *from\_=None*, *until=None*)

Get a list of header, metadata and about information on records.

#### Parameters

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **set** (*string*) – set identifier; only return records in set
- **from** (*datetime*) – only retrieve records from *from\_* date forward (in naive UTC)
- **until** (*datetime*) – only retrieve records with dates up to and including *until* date (in naive UTC)

#### Raises

- **oaipmh.error.CannotDisseminateFormatError** – if metadataPrefix is not supported by the repository.
- **oaipmh.error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of header, metadata, about tuples.

### **listSets()**

Get a list of sets in the repository.

**Raises** **error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of setSpec, setName tuples (strings).

### **writeMetadata** (*element*, *metadata*)

Create XML elements under the given element, using the provided metadata.

Should avoid doing any model-lookups, as they should be done when creating the metadata.

#### Parameters

- **element** (*lxml.etree.Element*) – element to put all content under (as SubElements)
- **metadata** (*oaipmh.common.Metadata*) – metadata to turn into XML

**Raises** **NotImplementedError** – not implemented

## tardis.apps.oaipmh.provider.experiment module

```
class tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider(site)
Bases: tardis.apps.oaipmh.provider.base.BaseProvider

NS_CC = 'http://www.tardis.edu.au/schemas/creativecommons/2011/05/17'

getRecord(metadataPrefix, identifier)
    Return record if we handle it.

static get_id(obj)

listIdentifiers(metadataPrefix, set=None, from_=None, until=None)
    Return identifiers in range, provided we handle this metadata prefix.
```

```
listRecords (metadataPrefix, set=None, from_=None, until=None)
    Return records in range, provided we handle this metadata prefix.

listSets()
    No support for sets.

class tardis.apps.oaipmh.provider.experiment.DcExperimentProvider (site)
    Bases: tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider

listMetadataFormats (identifier=None)
    Return metadata format if no identifier, or identifier is a valid experiment.

class tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider (site)
    Bases: tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider

class ExperimentWriter (root, metadata, site)

    write()
    writeRegistryObjectsWrapper()
    writeRelatedAuthor (element, obj, relation)
    writeRelatedInfo (element, obj)
    writeRelatedUser (element, obj, relation)
    writeSubject (element, obj)
    static get_rifcs_id (id_, site_=None)
    listMetadataFormats (identifier=None)
        Return metadata format if no identifier, or identifier is a valid experiment.

    static writeExperimentMetadata (element, metadata, site=None, writer=None)
        Wrapper around experiment writer.

    static writeUserMetadata (element, metadata, site=None)
```

### Module contents

#### tardis.apps.oaipmh.tests package

##### Subpackages

##### tardis.apps.oaipmh.tests.provider package

##### Submodules

##### tardis.apps.oaipmh.tests.provider.test\_base module

```
class tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.
```

```
testGetRecord()
    Default behaviour should be to not handle the identifier.

testIdentify()
    There can be only one provider that responds. By default, don't.

testListIdentifiers()
    By default a provider cannot handle the given metadata prefix.

testListMetadataFormats()
    By default a provider handles no metadata formats.

testListRecords()
    By default a provider cannot handle the given metadata prefix.

testListSets()
    By default a provider does not implement sets.
```

### tardis.apps.oaipmh.tests.provider.test\_experiment module

```
class tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTC
Bases: object

setUp()
tearDown()

testGetRecordHandlesInvalidIdentifiers()

testIdentify()
    There can be only one provider that responds. This one does not.

testListIdentifiers()

testListIdentifiersDoesNotHandleSets()

testListMetadataFormats()

testListSets()

class tardis.apps.oaipmh.tests.provider.test_experiment.DcExperimentProviderTestCase(method)
Bases: tardis.apps.oaipmh.tests.provider.test_experiment.
AbstractExperimentProviderTC, django.test.testcases.TestCase

testGetRecord()

testListRecords()

class tardis.apps.oaipmh.tests.provider.test_experiment.RifCsExperimentProviderTestCase(method)
Bases: tardis.apps.oaipmh.tests.provider.test_experiment.
AbstractExperimentProviderTC, django.test.testcases.TestCase

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testGetRecord()

testListRecords()
```

## Module contents

### Submodules

#### tardis.apps.oaipmh.tests.test\_oai module

```
class tardis.apps.oaipmh.tests.test_oai.EndpointTestCase(methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testGetRecord()
testIdentify()
testListIdentifiers()
testListMetadataFormats()
testListRecords()
```

## Module contents

### Submodules

#### tardis.apps.oaipmh.models module

#### tardis.apps.oaipmh.server module

```
class tardis.apps.oaipmh.server.ProxyingMetadataRegistry(providers)
Bases: oaipmh.metadata.MetadataRegistry

A registry that only writes, and does so by proxying to Providers.

hasReader(metadata_prefix)
hasWriter(metadata_prefix)
readMetadata(metadata_prefix, element)
    Turn XML into metadata object.

    element - element to read in
    returns - metadata object

registerReader(metadata_prefix, reader)
registerWriter(metadata_prefix, writer)
writeMetadata(metadata_prefix, element, metadata)
    Write metadata as XML.

    element - ElementTree element to write under metadata - metadata object to write

class tardis.apps.oaipmh.server.ProxyingServer(providers)
Bases: oaipmh.interfaces.IOAI
```

**getRecord**(*metadataPrefix*, *identifier*)

Get a record for a metadataPrefix and identifier.

**Raises**

- **oaipmh.error.CannotDisseminateFormatError** – if no provider returns a result, but at least one provider responds with `oaipmh.error.CannotDisseminateFormatError` (meaning the identifier exists)
- **oaipmh.error.IdDoesNotExistError** – if all providers fail with `oaipmh.error.IdDoesNotExistError`

**Returns** first successful provider response

**Return type** response

**identify()**

Retrieve information about the repository.

**Returns** an `oaipmh.common.Identify` object describing the repository.

**Return type** `oaipmh.common.Identify`

**listIdentifiers**(*metadataPrefix*, \*\**kwargs*)

Lists identifiers from all providers as a single set.

**Raises**

- **error.CannotDisseminateFormatError** – if *metadataPrefix* is not supported by the repository.
- **error.NoSetHierarchyError** – if a set is provided, as the repository does not support sets.

**Returns** a `set`. Set of headers.

**Return type** set

**listMetadataFormats**(\*\**kwargs*)

List metadata formats from all providers in a single set.

**Raises**

- **error.IdDoesNotExistError** – if record with identifier does not exist.
- **error.NoMetadataFormatsError** – if no formats are available for the indicated record, but it does exist.

**Returns** a *frozense*t of *metadataPrefix*, schema, metadataNamespace tuples (each entry in the tuple is a string).

**Return type** `frozense`t

**listRecords**(*metadataPrefix*, \*\**kwargs*)

Lists records from all providers as a single set.

**Raises**

- **error.CannotDisseminateFormatError** – if *metadataPrefix* is not supported by the repository.
- **error.NoSetHierarchyError** – if a set is provided, as the repository does not support sets.

**Returns** a `set`. Set of header, metadata, about tuples.

**Return type** set

`listSets()`

List sets.

Raises `oaipmh.error.NoSetHierarchyError` – because set hierarchies are currently not implemented

`tardis.apps.oaipmh.server.get_server(current_site)`

## `tardis.apps.oaipmh.urls module`

### `tardis.apps.oaipmh.views module`

`tardis.apps.oaipmh.views.endpoint(request)`

## Module contents

### `tardis.apps.openid_migration package`

#### Subpackages

##### `tardis.apps.openid_migration.migrations package`

#### Submodules

##### `tardis.apps.openid_migration.migrations.0001_initial module`

```
class tardis.apps.openid_migration.migrations.0001_initial.Migration(name,
                                                                    app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0012_userauthentication_approved'), (u'auth', u'__')
    initial = True
    operations = [CreateModel fields=[(u'id', AutoField)], (u'ac...
```

## Module contents

### `tardis.apps.openid_migration.tests package`

#### Submodules

##### `tardis.apps.openid_migration.tests.test_forms module`

Tests related to OpenID migration forms

```
class tardis.apps.openid_migration.tests.test_forms.OpenIDMigrationFormTestCase(methodName='__')
    Bases: django.test.testcases.TestCase
```

`setUp()`

Hook method for setting up the test fixture before exercising it.

```
test_init()
```

## tardis.appsopenid\_migration.tests.test\_migration module

Tests related to OpenID migration

```
class tardis.appsopenid_migration.tests.test_migration.OpenIDMigrationTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_do_migration()
```

## tardis.appsopenid\_migration.tests.test\_models module

```
class tardis.appsopenid_migration.tests.test_models.ModelTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    create_OpenidUserMigration()

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_OpenidUserMigration_creation()
```

## tardis.appsopenid\_migration.tests.test\_views module

Tests related to OpenID migration views

```
class tardis.appsopenid_migration.tests.test_views.OpenIDMigrationViewTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_migrate_accounts(**keywargs)
```

## Module contents

### Submodules

#### tardis.appsopenid\_migration.apps module

```
class tardis.appsopenid_migration.apps.OpenidMigrationConfig(app_name,
                                                               app_module)
    Bases: tardis.app_config.AbstractTardisAppConfig

    name = 'tardis.appsopenid_migration'
    verbose_name = 'OpenID migrations'
```

## tardis.apps.openid\_migration.context\_processors module

```
tardis.apps.openid_migration.context_processors.openid_migration_processor(request)
    adds context for openid_migration
```

## tardis.apps.openid\_migration.default\_settings module

### tardis.apps.openid\_migration.email\_text module

```
tardis.apps.openid_migration.email_text.email_migration_success(user,
                                                               new_username,
                                                               auth_method)
tardis.apps.openid_migration.email_text.interpolate_template(template_name,
                                                               **kwargs)
```

## tardis.apps.openid\_migration.forms module

```
tardis.apps.openid_migration.forms.openid_user_migration_form()
    Create a user migration form with username and password field.
```

## tardis.apps.openid\_migration.migration module

```
tardis.apps.openid_migration.migration.acl_migration(userIdToBeReplaced,
                                                       replacementUserId,
                                                       user_migration_record)
```

```
tardis.apps.openid_migration.migration.confirm_migration(request)
```

```
tardis.apps.openid_migration.migration.do_migration(request)
```

Migrating account from the account that the logged in user has provided in the Authentication Form. Migration involve relinking the UserAuthentication table entries, transferring ObjectACL entries to the migrated account, changing the Group memberships and making the old account inactive.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`'s new list of authentication methods

**Return type** `HttpResponse`

```
tardis.apps.openid_migration.migration.getSupportedAuthMethods()
```

Return the list of authentication methods.

```
tardis.apps.openid_migration.migration.get_api_key(user)
```

```
tardis.apps.openid_migration.migration.get_matching_auth_provider(backend)
```

```
tardis.apps.openid_migration.migration.migrate_api_key(old_user, new_user)
```

```
tardis.apps.openid_migration.migration.migrate_user_permissions(old_user,
                                                               new_user)
```

```
tardis.apps.openid_migration.migration.openid_migration_method(request)
```

## tardis.apps.openid\_migration.models module

```
class tardis.apps.openid_migration.models.OpenidACLMigration (id, user_migration, acl_id)
    Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

acl_id
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:
    

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')


    child.parent is a ForwardManyToOneDescriptor instance.

acl_id_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

objects = <django.db.models.manager.Manager object>

user_migration
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:
    

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')


    child.parent is a ForwardManyToOneDescriptor instance.

user_migration_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

class tardis.apps.openid_migration.models.OpenidACLMigrationAdmin (model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ['user_migration_obj', 'acl_id']

    media

    user_migration_obj (obj)
```

```
class tardis.apps.openid_migration.models.OpenidUserMigration(id,      old_user,
                                                               old_user_auth_method,
                                                               new_user,
                                                               new_user_auth_method,
                                                               migra-
                                                               tion_timestamp,
                                                               migra-
                                                               tion_status)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**get\_next\_by\_migration\_timestamp**(\*\*morekwargs)

**get\_previous\_by\_migration\_timestamp**(\*\*morekwargs)

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**migration\_status**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**migration\_timestamp**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**new\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**new\_user\_auth\_method**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**new\_user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

**old\_user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

#### `old_user_auth_method`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### `old_user_id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### `openidaclmigration_set`

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class tardis.apps.openid_migration.models.OpenidUserMigrationAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
    list_display = ['__str__', 'old_user', 'old_user_auth_method', 'new_user_id', 'new_user']
    media
```

## tardis.apps.openid\_migration.tasks module

## tardis.apps.openid\_migration.urls module

## tardis.apps.openid\_migration.user\_menu\_modifiers module

```
tardis.apps.openid_migration.user_menu_modifiers.add_migrate_account_menu_item(request, user_menu)
```

Add a ‘Migrate My Account’ item to the user menu

#### Parameters

- `request` (`django.http.HttpRequest`) – an HTTP Request instance
- `user_menu` (`list`) – user menu context to modify

`Returns` user\_menu list

`Return type` list

## tardis.apps.openid\_migration.utils module

```
tardis.apps.openid_migration.utils.rollback_migration(user_migration_obj)
```

## tardis.apps.openid\_migration.views module

```
tardis.apps.openid_migration.views.migrate_accounts(request, *args, **kwargs)  
    Manage user migration using AJAX.
```

### Module contents

#### tardis.apps.push\_to package

##### Subpackages

#### tardis.apps.push\_to.migrations package

##### Submodules

###### tardis.apps.push\_to.migrations.0001\_initial module

```
class tardis.apps.push_to.migrations.0001_initial.Migration(name, app_label)  
    Bases: django.db.migrations.migration.Migration  
  
    dependencies = [(u'auth', u'__first__'), (u'auth', u'0006_require_contenttypes_0002')]  
    operations = [(<CreateModel fields=[(u'id', <django.db.models.fields.AutoField>), (u'ke
```

###### tardis.apps.push\_to.migrations.0002\_auto\_20160518\_1953 module

```
class tardis.apps.push_to.migrations.0002_auto_20160518_1953.Migration(name,  
                           app_label)  
    Bases: django.db.migrations.migration.Migration  
  
    dependencies = [(u'push_to', u'0001_initial')]  
    operations = [(<AlterField field=<django.db.models.fields.CharField>, name=u'key_type',
```

### Module contents

#### tardis.apps.push\_to.tests package

##### Submodules

###### tardis.apps.push\_to.tests.test\_models module

```
class tardis.apps.push_to.tests.test_models.ModelsTestCase(methodName='runTest')  
    Bases: django.test.testcases.TestCase  
  
    setUp()  
        Hook method for setting up the test fixture before exercising it.  
  
    test_credential_generation()  
    test_get_allowed_signing_services()
```

```
test_keys_from_private_key_only()
test_pkey_to_credential()
```

## Module contents

### Submodules

#### tardis.apps.push\_to.apps module

```
class tardis.apps.push_to.apps.PushToConfig(app_name, app_module)
    Bases: tardis.app_config.AbstractTardisAppConfig

    name = 'tardis.apps.push_to'
    verbose_name = 'Push To'
```

#### tardis.apps.push\_to.exceptions module

```
exception tardis.apps.push_to.exceptions.NoSuitableCredential
    Bases: exceptions.Exception
```

This exception is thrown when attempting to find a suitable credential for a remote host but none is found

#### tardis.apps.push\_to.models module

```
class tardis.apps.push_to.models.Credential(*args, **kwargs)
    Bases: tardis.apps.push_to.models.KeyPair
```

A credential that may contain a password and/or key. The auth method chosen depends on the credentials available, allowed auth methods, and priorities defined by the SSH client.

```
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist
```

```
exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned
```

```
static generate_keypair_credential(tardis_user,           remote_user,           remote_hosts,
                                     bit_length=2048)
```

Generates and saves an RSA key pair credential. Credentials returned by this method are intended to be registered on remote systems before being used. @type tardis\_user: User @type remote\_user: str @type bit\_length: int @type remote\_hosts: list[RemoteHost] :return: the generated credential :rtype: object

```
get_client_for_host(remote_host)
```

Attempts to establish a connection with the remote\_host using this credential object. The remote\_host may be any host, but only those in the remote\_hosts field are expected to work. @type remote\_host: RemoteHost :return: a connected SSH client :rtype: SSHClient

```
static get_suitable_credential(tardis_user, remote_host, remote_user=None)
```

```
id
```

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

### **password**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **remote\_hosts**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

### **remote\_user**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **verify\_remote\_access** (`remote_host=None`)

@type remote\_host: RemoteHost

**class** tardis.apps.push\_to.models.CredentialAdmin (`model, admin_site`)

Bases: django.contrib.admin.options.ModelAdmin

### **form**

alias of `CredentialForm`

### **media**

```
class tardis.apps.push_to.models.CredentialForm(data=None, files=None,
                                                 auto_id=u'id_%s', prefix=None,
                                                 initial=None, error_class=<class
                                                 'django.forms.utils.ErrorList'>,
                                                 label_suffix=None,
                                                 empty_permitted=False,
                                                 instance=None,
                                                 use_required_attribute=None)
```

Bases: django.forms.models.ModelForm

### **class Meta**

```
fields = '__all__'
```

```

model
    alias of Credential

    widgets = {'password': <django.forms.widgets.PasswordInput object>}
    base_fields = {'key_type': <django.forms.fields.CharField object>, 'password': <django.forms.widgets.PasswordInput object>}
    declared_fields = {}

media

class tardis.apps.push_to.models.DBHostKeyPolicy
Bases: paramiko.client.MissingHostKeyPolicy

Host key verification policy based on the host key stored in the database.

missing_host_key (client, hostname, key)
    @type key: PKey

class tardis.apps.push_to.models.KeyPair (*args, **kwargs)
Bases: django.db.models.base.Model

A key pair

class Meta

    abstract = False

key

        Returns a subclass of PKey of the appropriate key type
        Return type PKey
        Raises ValidationError –

key_type
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

private_key
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

public_key
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

save (*args, **kwargs)

class tardis.apps.push_to.models.OAuthSSHCertSigningService (*args, **kwargs)
Bases: django.db.models.base.Model

Connection parameters for an OAuth2 SSH certificate signing service. Supports certificate signing server available here: https://github.com/monash-merc/ssh-authz

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

allow_for_all
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```

### **allowed\_groups**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

### **allowed\_remote\_hosts**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

### **allowed\_users**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

### **cert\_signing\_url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **static get\_available\_signing\_services(user)**

Gets all SSH cert signing services available for a given user :param User user: User :return: allowed signing services :rtype: User

#### **static get\_oauth\_service(user, service\_id)**

@type user: User @type service\_id: int

### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **nickname**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **oauth\_authorize\_url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**oauth\_check\_token\_url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**oauth\_client\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**oauth\_client\_secret**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**oauth\_token\_url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

```
class tardis.apps.push_to.models.RemoteHost (*args, **kwargs)
Bases: tardis.apps.push_to.models.KeyPair
```

A remote host that may be connected to via SSH

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**administrator**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child (Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**administrator\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**credential\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza (Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**host\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**logo\_img**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**nickname**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**oauthsshcertsigningservice\_set**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**objects = <django.db.models.manager.Manager object>****port**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**class tardis.apps.push\_to.models.RemoteHostAdmin(model, admin\_site)**

Bases: django.contrib.admin.options.ModelAdmin

Hides the private key field, which is not necessary for host keys

```
fields = ['nickname', 'administrator', 'host_name', 'port', 'key_type', 'public_key',
media
```

## tardis.apps.push\_to.oauth\_tokens module

**tardis.apps.push\_to.oauth\_tokens.get\_token(request, oauth\_service)**

Returns the OAuth2 token from the current session :param Request request: django session object :param OAuthSSHCertSigningService oauth\_service: an

OAuthSSHCertSigningService object

**Returns**

**Return type** string

**tardis.apps.push\_to.oauth\_tokens.get\_token\_data(oauth\_service, token)**

Gets the OAuth2 user attributes using the supplied token :param OAuthSSHCertSigningService oauth\_service: an

OAuthSSHCertSigningService object

**Parameters** **token** (basestring) – an OAuth2 token

**Returns** a json object of user attributes

**Return type** dict

tardis.apps.push\_to.oauth\_tokens.set\_token(*request, oauth\_service, token*)

Stores the OAuth2 token in the current session :param Request *request*: django request object :param OAuthSSHCertSigningService *oauth\_service*: an OAuthSSHCertSigningService object

**Parameters** **token** (*basestring*) – the OAuth2 token

### tardis.apps.push\_to.ssh\_authz module

tardis.apps.push\_to.ssh\_authz.sign\_certificate(*credential, token, url*)

An interface to the OAuth2 SSH certificate signing service @type credential: models.Credential

### tardis.apps.push\_to.tasks module

tardis.apps.push\_to.tasks.do\_file\_copy(*credential\_id, remote\_host\_id, datafile\_map, base\_dir=None*)  
tardis.apps.push\_to.tasks.make\_dirs(*sftp\_client, dir\_list*)  
tardis.apps.push\_to.tasks.notify\_user(*user\_id, remote\_host\_id, success=True*)

### tardis.apps.push\_to.urls module

#### tardis.apps.push\_to.utils module

tardis.apps.push\_to.utils.bytes\_available(*ssh\_client, path*)  
tardis.apps.push\_to.utils.can\_copy(*ssh\_client, object\_type, object\_id, path*)  
tardis.apps.push\_to.utils.get\_default\_push\_location(*sftp\_client*)  
tardis.apps.push\_to.utils.get\_object\_size(*type, id*)  
tardis.apps.push\_to.utils.is\_directory(*sftp\_client, path*)  
tardis.apps.push\_to.utils.list\_subdirectories(*sftp\_client, path, show\_hidden=False*)  
tardis.apps.push\_to.utils.shell\_escape(*s*)

### tardis.apps.push\_to.views module

tardis.apps.push\_to.views.authorize\_remote\_access(*request, \*args, \*\*kwargs*)

Generates an SSH certificate using an OAuth2 SSH signing service :param Request *request*: request object :param basestring *remote\_host\_id*: remote host id :param basestring *service\_id*: OAuth2 SSH certificate signing service id :return: an error message or OAuth2 redirects :rtype: HttpResponseRedirect

tardis.apps.push\_to.views.get\_accessible\_hosts(*request, \*args, \*\*kwargs*)

Retrieves all accessible hosts (i.e. hosts for which the user already has credentials for) including push-to trigger URLs if the object type and id are supplied :param Request *request*: request object :param object *obj\_type*: data type to be copied

(experiment, dataset or datafile)

**Parameters** `push_obj_id` (`int`) – the database object id

**Returns** json object with accessible hosts

**Return type** `HttpResponse`

`tardis.apps.push_to.views.get_credential(request, remote_host)`

Fetches a suitable credential for the remote host, or raises an exception if none found :param Request request: request object :param RemoteHost remote\_host: the RemoteHost for which a credential should be found

**Returns** the credential

**Return type** `object`

**Raises** `NoSuitableCredential` – raised when no credential is found

`tardis.apps.push_to.views.get_push_url_for_host(remote_host, obj_type, push_obj_id)`

Constructs a push-to URL to trigger data transfer :param RemoteHost remote\_host: the RemoteHost to which data should be copied :param obj\_type: data type to be copied (experiment, dataset or datafile) :type obj\_type: object :param int push\_obj\_id: the database object id :return: a push-to URL :rtype: basestring

`tardis.apps.push_to.views.get_signing_services(request, *args, **kwargs)`

Retrieves all certificate signing services and associated hosts including push-to trigger URLs if the object type and id are supplied :param Request request: request object :param class obj\_type: data type to be copied (experiment, dataset or datafile) :param int push\_obj\_id: the database object id :return: json object with signing services and hosts :rtype: `HttpResponse`

`tardis.apps.push_to.views.oauth_callback(request, *args, **kwargs)`

OAuth2 callback endpoint to continue the SSH certificate signing process :param Request request: request object :return: error message or redirect to the signing service with access token :rtype: `HttpResponse`

`tardis.apps.push_to.views.oauth_callback_url(request)`

Builds the oauth callback URL :param Request request: request object :return: callback URL :rtype: basestring

`tardis.apps.push_to.views.render_error_message(request, message, status=500)`

`tardis.apps.push_to.views.render_success_message(request, message, status=200)`

`tardis.apps.push_to.views.validate_remote_path(request, *args, **kwargs)`

## Module contents

`tardis.apps.related_info package`

### Subpackages

`tardis.apps.related_info.tests package`

### Submodules

`tardis.apps.related_info.tests.test_oaipmh module`

`class` `tardis.apps.related_info.tests.test_oaipmh.RifCSTestCase(methodName='runTest')`

Bases: `django.test.testcases.TransactionTestCase`

```
setUp()
    Hook method for setting up the test fixture before exercising it.

testExistsInOaipmh()
```

### tardis.apps.related\_info.tests.tests module

```
class tardis.apps.related_info.tests.tests.CreateTestCase (methodName='runTest')
    Bases: django.test.testcases.TransactionTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testCanCreate()

    testDetectsBadInput()

    testMustHaveWrite(**kwargs)

class tardis.apps.related_info.tests.tests.DeleteTestCase (methodName='runTest')
    Bases: django.test.testcases.TransactionTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testCanDelete()

    testMustHaveWrite(**kwargs)

class tardis.apps.related_info.tests.tests.GetTestCase (methodName='runTest')
    Bases: django.test.testcases.TransactionTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testHandlesFound()

    testHandlesNotFound(**kwargs)

class tardis.apps.related_info.tests.tests.ListTestCase (methodName='runTest')
    Bases: django.test.testcases.TransactionTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testHandlesEmptySet()

    testHandlesMultipleEntries()

    testHandlesSingleEntry()

class tardis.apps.related_info.tests.tests.TabTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testAccessWithReadPerms(**kwargs)

    testAccessWithoutReadPerms(**kwargs)

class tardis.apps.related_info.tests.tests.UpdateTestCase (methodName='runTest')
    Bases: django.test.testcases.TransactionTestCase
```

```
setUp()
    Hook method for setting up the test fixture before exercising it.

testDetectsBadInput()
testMustHaveWrite(**kwargs)
```

## Module contents

### Submodules

#### tardis.apps.related\_info.forms module

```
class tardis.apps.related_info.forms.RelatedInfoForm(data=None, files=None,
                                                      auto_id=u'id_%s', prefix=None, initial=None,
                                                      error_class=<class 'django.forms.utils.ErrorList'>,
                                                      label_suffix=None,
                                                      empty_permitted=False,
                                                      field_order=None,
                                                      use_required_attribute=None,
                                                      renderer=None)
Bases: django.forms.Form
base_fields = {'identifier': <django.forms.fields.URLField object>, 'notes': <django.forms.fields.URLField object>, 'media': <django.forms.fields.CharField object>}
declared_fields = {'identifier': <django.forms.fields.URLField object>, 'notes': <django.forms.fields.URLField object>, 'media': <django.forms.fields.CharField object>}
```

#### tardis.apps.related\_info.models module

#### tardis.apps.related\_info.settings module

#### tardis.apps.related\_info.urls module

#### tardis.apps.related\_info.views module

## Module contents

### tardis.apps.s3utils package

#### Subpackages

##### tardis.apps.s3utils.tests package

#### Submodules

## tardis.apps.s3utils.tests.test\_api module

Testing the s3util app's extensions to the tastypie-based mytardis api

**class** tardis.apps.s3utils.tests.test\_api.**S3UtilsAppApiTestCase** (*methodName='runTest'*)  
Bases: tardis.tardis\_portal.tests.api.MyTardisResourceTestCase

**setUp()**

Hook method for setting up the test fixture before exercising it.

**tearDown()**

Hook method for deconstructing the test fixture after testing it.

**test\_download\_dfo()**

Test downloading a DataFileObject using the s3util app's extensions to the MyTardis REST API.

## tardis.apps.s3utils.tests.test\_app\_config module

**class** tardis.apps.s3utils.tests.test\_app\_config.**S3UtilsConfigTestCase** (*methodName='runTest'*)  
Bases: django.test.testcases.TestCase

**test\_app\_config()**

## tardis.apps.s3utils.tests.test\_checksums module

Testing the s3util app's ability to calculate checksums for S3 objects

**class** tardis.apps.s3utils.tests.test\_checksums.**S3UtilsAppChecksumsTestCase** (*methodName='runTest'*)  
Bases: django.test.testcases.TestCase

**setUp()**

Hook method for setting up the test fixture before exercising it.

**tearDown()**

Hook method for deconstructing the test fixture after testing it.

**test\_checksums()**

Ensure that we can calculate an MD5 sum and a SHA512 sum for a file in S3 object storage

## Module contents

### Submodules

#### tardis.apps.s3utils.api module

Additions to MyTardis's REST API

**class** tardis.apps.s3utils.api.**ReplicaAppResource** (*api\_name=None*)  
Bases: tardis.tardis\_portal.api.ReplicaResource

Extends MyTardis's API for DFOs, adding in a download method for S3 objects

**class Meta**

Bases: tardis.tardis\_portal.api.Meta

```
authorization
    Authorisation class for Tastypie.

object_class
    alias of tardis.tardis_portal.models.datafile.DataFileObject

queryset
    resource_name = 'replica'

base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'datafile': <...>}

declared_fields = {}

download_dfo(request, **kwargs)
    Download DataFileObject from S3 Object Store

prepend_urls()
```

### tardis.apps.s3utils.apps module

```
class tardis.apps.s3utils.apps.S3UtilsConfig(app_name, app_module)
    Bases: django.apps.config.AppConfig

    name = u's3utils'
```

### tardis.apps.s3utils.default\_settings module

Default settings for s3utils app

```
tardis.apps.s3utils.default_settings.S3_SIGNED_URL_EXPIRY = 30
A short expiry (30 seconds) is used, because it is only intended to provide access long enough for an authenticated MyTardis user to be redirected to the signed URL.
```

### tardis.apps.s3utils.urls module

Minimal urls.py, so we can do a reverse lookup for the ‘s3\_api\_download\_dfo’ URL pattern.

‘s3\_api\_download\_dfo’ is defined in the prepend\_urls method of the ReplicaAppResource class in api.py

The API endpoint defined in this app is mapped to a URL in tardis/urls/api.py (along with API endpoints defined by other MyTardis apps).

### tardis.apps.s3utils.utils module

Utilities for S3 objects

```
tardis.apps.s3utils.utils.calculate_checksums(dfo,      compute_md5=True,      com-
                                                pute_sha512=False)
Calculates checksums for an S3 DataFileObject instance. For files in S3, using the django-storages abstraction
is inefficient - we end up with a clash of chunking algorithms between the download from S3 and MyTardis's
Python-based checksum calculation. So for S3 files, we calculate checksums using external binaries (md5sum
and shasum) instead.
```

:param dfo : The DataFileObject instance :type dfo: DataFileObject :param compute\_md5: whether to compute md5 default=True :type compute\_md5: bool :param compute\_sha512: whether to compute sha512, default=True :type compute\_sha512: bool

**Returns** the checksums as { ‘md5sum’: result, ‘sha512sum’: result}

**Return type** dict

`tardis.apps.s3utils.utils.generate_presigned_url(dfo, expiry=None)`

Generate a presigned URL for an S3 object

boto3 must be installed if you are using the storages.backends.s3boto3.S3Boto3Storage storage class, defined in the django-storages package

**dfo** [DataFileObject] The DataFileObject to generate the pre-signed URL for

**expiry** [int] The signed URL’s expiry in seconds

**string** The pre-signed URL

## Module contents

### tardis.apps.search package

#### Subpackages

##### tardis.apps.search.tests package

#### Submodules

##### tardis.apps.search.tests.test\_api module

**class** `tardis.apps.search.tests.test_api.SimpleSearchTest(methodName='runTest')`  
Bases: `tardis.tardis_portal.tests.api.MyTardisResourceTestCase`

**setUp()**

Hook method for setting up the test fixture before exercising it.

`test_advance_search_authenticated_user()`

`test_advance_search_unauthenticated_user()`

`test_simple_search_authenticated_user()`

`test_simple_search_unauthenticated_user()`

##### tardis.apps.search.tests.test\_index module

**class** `tardis.apps.search.tests.test_index.IndexExperimentTestCase(methodName='runTest')`  
Bases: `django.test.testcases.TestCase`

**setUp()**

Hook method for setting up the test fixture before exercising it.

`test_create_index()`

## Module contents

### Submodules

#### tardis.apps.search.api module

RESTful API for MyTardis search. Implemented with Tastypie.

```
class tardis.apps.search.api.AdvanceSearchAppResource (api_name=None)
    Bases: tastypie.resources.Resource

    class Meta

        always_return_data = True
        authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
        list_allowed_methods = ['post']
        object_class
            alias of SearchObject
        resource_name = 'advance-search'
        serializer = <tardis.apps.search.api.PrettyJSONSerializer object>
        base_fields = {'hits': <tastypie.fields.ApiField object>, u'resource_uri': <tastypie.fields.ApiField object>}
        declared_fields = {'hits': <tastypie.fields.ApiField object>}
        detail_uri_kwargs (bundle_or_obj)
        get_object_list (request)
        obj_create (bundle, **kwargs)
        obj_get_list (bundle, **kwargs)

    class tardis.apps.search.api.PrettyJSONSerializer (formats=None,
                                                    content_types=None,
                                                    time_formatting=None)
        Bases: tastypie.serializers.Serializer
        json_indent = 2
        to_json (data, options=None)

    class tardis.apps.search.api.SearchAppResource (api_name=None)
        Bases: tastypie.resources.Resource
        Tastypie resource for simple-search

        class Meta

            always_return_data = True
            authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
            list_allowed_methods = ['get']
            object_class
                alias of SearchObject
            resource_name = 'simple-search'
```

```

    serializer = <tardis.apps.search.api.PrettyJSONSerializer object>
base_fields = {'hits': <tastypie.fields.ApiField object>, u'resource_uri': <tastypie
declared_fields = {'hits': <tastypie.fields.ApiField object>}
detail_uri_kwargs (bundle_or_obj)
get_object_list (request)
obj_get_list (bundle, **kwargs)

class tardis.apps.search.api.SearchObject (hits=None, id=None)
Bases: object

tardis.apps.search.api.simple_search_public_data (query_text)

```

## tardis.apps.search.apps module

```

class tardis.apps.search.apps.SearchConfig (app_name, app_module)
Bases: tardis.app_config.AbstractTardisAppConfig

name = 'tardis.apps.search'
verbose_name = 'Search'

```

## tardis.apps.search.documents module

```

class tardis.apps.search.documents.DataFileDocument (related_instance_to_ignore=None,
**kwargs)
Bases: django_elasticsearch_dsl.documents.DocType

class Django

model
    alias of tardis.tardis_portal.models.datafile.DataFile
queryset_pagination = 100000
related_models = [<class 'tardis.tardis_portal.models.dataset.Dataset'>, <class 'ta
class Index

name = 'datafile'
settings = {'number_of_replicas': 0, 'number_of_shards': 1}
django = {'queryset_pagination': 100000, 'model': <class 'tardis.tard...>}
get_instances_from_related (related_instance)

class tardis.apps.search.documents.DatasetDocument (related_instance_to_ignore=None,
**kwargs)
Bases: django_elasticsearch_dsl.documents.DocType

class Django

model
    alias of tardis.tardis_portal.models.dataset.Dataset

```

```
related_models = [<class 'tardis.tardis_portal.models.experiment.Experiment'>, <class 'tardis.tardis_portal.models.dataset.Dataset'>]
class Index

    name = 'dataset'
    settings = {'number_of_replicas': 0, 'number_of_shards': 1}
    django = {'queryset_pagination': None, 'model': <class 'tardis.tardis_portal.models.experiment.Experiment'>}
    get_instances_from_related(related_instance)

class tardis.apps.search.documents.ExperimentDocument(related_instance_to_ignore=None, **kwargs)
Bases: django_elasticsearch_dsl.documents.DocType

class Django

    model
        alias of tardis.tardis_portal.models.experiment.Experiment
    related_models = [<class 'django.contrib.auth.models.User'>, <class 'tardis.tardis_portal.models.dataset.Dataset'>]
class Index

    name = 'experiments'
    settings = {'number_of_replicas': 0, 'number_of_shards': 1}
    django = {'queryset_pagination': None, 'model': <class 'tardis.tardis_portal.models.experiment.Experiment'>}
    get_instances_from_related(related_instance)
```

## tardis.apps.search.urls module

### tardis.apps.search.views module

views relevant to search

```
class tardis.apps.search.views.SearchView(**kwargs)
Bases: django.views.generic.base.TemplateView
template_name = 'search.html'
```

## Module contents

### tardis.apps.sftp package

#### Subpackages

##### tardis.apps.sftp.management package

#### Subpackages

## tardis.apps.sftp.management.commands package

### Submodules

#### tardis.apps.sftp.management.commands.sftpd module

```
class tardis.apps.sftp.management.commands.sftpd.Command(stdout=None,
                                                       stderr=None,
                                                       no_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
handle(*args, **options)
```

### Module contents

### Module contents

## tardis.apps.sftp.migrations package

### Submodules

#### tardis.apps.sftp.migrations.0001\_initial module

```
class tardis.apps.sftp.migrations.0001_initial.Migration(name, app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0011_auto_20160505_1643'), (u'auth', u'__first__')]
initial = True
operations = [CreateModel(fields=[(u'id', AutoField())], name=u'User')]
```

### Module contents

## tardis.apps.sftp.tests package

### Submodules

#### tardis.apps.sftp.tests.test\_sftp module

```
class tardis.apps.sftp.tests.test_sftp.SFTPDManagementTestCase(methodName='runTest')
Bases: django.test.testcases.TestCase
testSFTPDWithoutHostKey()
Attempting to start the SFTPD service without a host key should raise an SSHException
class tardis.apps.sftp.tests.test_sftp.SFTPTest(methodName='runTest')
Bases: django.test.testcases.TestCase
setUp()
Hook method for setting up the test fixture before exercising it.
```

```
test_cybderduck_connection_window()
test_sftp()
test_sftp_dynamic_docs_dataset(**keywargs)
test_sftp_dynamic_docs_experiment(**keywargs)
test_sftp_key_connect()
```

## Module contents

### Submodules

[tardis.apps.sftp.admin module](#)

[tardis.apps.sftp.api module](#)

```
class tardis.apps.sftp.api.SFTPACLAuthorization
    Bases: tastypie.authorization.Authorization

    create_detail(object_list, bundle)
    delete_detail(object_list, bundle)
    read_detail(object_list, bundle)
    read_list(object_list, bundle)

class tardis.apps.sftp.api.SFTPPublicKeyAppResource(api_name=None)
    Bases: tastypie.resources.ModelResource

    Tastypie model resource for SFTPPublicKey model

    class Meta

        authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
        authorization
        detail_allowed_methods = ['get', 'delete']
        filtering = {'id': ('exact',), 'name': ('exact',)}
        list_allowed_methods = ['get', 'post']
        object_class
        alias of tardis.apps.sftp.models.SFTPPublicKey
        queryset
        resource_name = 'sftp/key'
        validation = <tastypie.validation.FormValidation object>

        base_fields = {'added': <tastypie.fields.DateField object>, u'id': <tastypie.fields.
        declared_fields = {}
        dehydrate(bundle)
        hydrate(bundle)
```

## tardis.apps.sftp.apps module

```
class tardis.apps.sftp.apps.SFTPConfig(app_name, app_module)
    Bases: tardis.app_config.AbstractTardisAppConfig

    name = 'tardis.apps.sftp'
    verbose_name = 'SFTP'
```

## tardis.apps.sftp.default\_settings module

```
tardis.apps.sftp.default_settings.REQUIRE_SSL_TO_GENERATE_KEY = True
    Require a secure connection (i.e., HTTPS) to allow key generation.
```

```
tardis.apps.sftp.default_settings.SFTP_USERNAME_ATTRIBUTE = 'email'
    The attribute from the User model ('email' or 'username') used to generate the SFTP login example on the
    sftp_access help page.
```

## tardis.apps.sftp.forms module

```
class tardis.apps.sftp.forms.KeyAddForm(data=None, files=None, auto_id=u'id_%s', pre-
    fix=None, initial=None, error_class=<class
        'django.forms.utils.ErrorList'>, la-
    bel_suffix=None, empty_permitted=False,
    field_order=None, use_required_attribute=None,
    renderer=None)
    Bases: django.forms.forms.Form
```

```
base_fields = {'key_type': <django.forms.fields.CharField object>, 'name': <django.f
    clean()
    declared_fields = {'key_type': <django.forms.fields.CharField object>, 'name': <djang
    media
```

```
class tardis.apps.sftp.forms.KeyGenerateForm(data=None, files=None,
    auto_id=u'id_%s', prefix=None,
    initial=None, error_class=<class
        'django.forms.utils.ErrorList'>, la-
    bel_suffix=None, empty_permitted=False, field_order=None,
    use_required_attribute=None, ren-
    derer=None)
    Bases: django.forms.forms.Form
```

```
base_fields = {'name': <django.forms.fields.CharField object>}
    declared_fields = {'name': <django.forms.fields.CharField object>}
    media
```

## tardis.apps.sftp.models module

```
class tardis.apps.sftp.models.SFTPPublicKey(*args, **kwargs)
    Bases: django.db.models.base.Model
```

Model for associated SFTP public keys with users

## Parameters

- **user** (*ForeignKey for User*) – user who owns this public key
- **name** (*string*) – name for this public key
- **public\_key** (*string*) – OpenSSH formatted public key
- **added** (*date*) – date the public key was added (Optional)

## exception DoesNotExist

Bases: `django.core.exceptions.ObjectDoesNotExist`

## exception MultipleObjectsReturned

Bases: `django.core.exceptions.MultipleObjectsReturned`

## added

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## get\_next\_by\_added (\*\*morekwargs)

## get\_previous\_by\_added (\*\*morekwargs)

## id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## key\_type

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## name

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## objects = <django.db.models.manager.Manager object>

## public\_key

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## user

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

## user\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## tardis.apps.sftp.sftp module

SFTP Server

```

class tardis.apps.sftp.sftp.DynamicTree (host_obj=None)
Bases: object

add_child (name, obj=None)
add_path (path)
add_path_elems (elems)
clear_children ()
get_leaf (path, update=False)
update_all_files ()
update_dataset_files ()
update_datasets ()
update_experiments ()
update_nothing ()

class tardis.apps.sftp.sftp.MySFTPHandle (df, flags=0, optional_args=None)
Bases: paramiko.sftp_handle.SFTPHandle

SFTP File Handle

stat ()
    Return an L{SFTPAttributes} object referring to this open file, or an error code. This is equivalent to L{SFTPServerInterface.stat}, except it's called on an open file instead of a path.

    @return: an attributes object for the given file, or an SFTP error code (like L{SFTP_PERMISSION_DENIED}). @rtype: L{SFTPAttributes} I{or error code}

class tardis.apps.sftp.sftp.MySFTPRequestHandler (request, client_address, server)
Bases: SocketServer.BaseRequestHandler

auth_timeout = 60
handle ()
handle_timeout ()
setup ()
timeout = 60

class tardis.apps.sftp.sftp.MySFTPServer (*args, **kwargs)
Bases: paramiko.sftp_server.SFTPServer

override SFTPServer to provide channel information to the SFTP subsystem

class tardis.apps.sftp.sftp.MySFTPServerInterface (server, *args, **kwargs)
Bases: paramiko.sftp_si.SFTPServerInterface

MyTardis data via SFTP

canonicalize (path)
    Return the canonical form of a path on the server.

experiments

list_folder (path)
    Returns a list of files within a given folder. The C{path} will use posix notation (C{“/”} separates folder names) and may be an absolute or relative path.

```

The list of files is expected to be a list of L{SFTPAttributes} objects, which are similar in structure to the objects returned by C{os.stat}. In addition, each object should have its C{filename} field filled in, since this is important to a directory listing and not normally present in C{os.stat} results.

In case of an error, you should return one of the C{SFTP\_\*} error codes, such as L{SFTP\_PERMISSION\_DENIED}.

@param path: the requested path (relative or absolute) to be listed. @type path: str @return: a list of the files in the given folder, using L{SFTPAttributes} objects. @rtype: list of L{SFTPAttributes} I{or error code}

**lstat (path)**

symbolic links are not supported

**open (path, flags, attr)**

Open a file on the server and create a handle for future operations on that file. On success, a new object subclassed from L{SFTPHandle} should be returned. This handle will be used for future operations on the file (read, write, etc). On failure, an error code such as L{SFTP\_PERMISSION\_DENIED} should be returned.

C{flags} contains the requested mode for opening (read-only, write-append, etc) as a bitset of flags from the C{os} module:

- C{os.O\_RDONLY}
- C{os.O\_WRONLY}
- C{os.O\_RDWR}
- C{os.O\_APPEND}
- C{os.O\_CREAT}
- C{os.O\_TRUNC}
- C{os.O\_EXCL}

(One of C{os.O\_RDONLY}, C{os.O\_WRONLY}, or C{os.O\_RDWR} will always be set.)

The C{attr} object contains requested attributes of the file if it has to be created. Some or all attribute fields may be missing if the client didn't specify them.

@note: The SFTP protocol defines all files to be in “binary” mode. There is no equivalent to python’s “text” mode.

**Parameters**

- **path** (*basestring*) – the requested datafile path
- **flags** (*int*) – flags or'd together from the C{os} module indicating the requested mode for opening the file.
- **attr** (*SFTPAttributes*) – requested attributes of the file if it is newly created.

**Returns** a new L{SFTPHandle} I{or error code}.

**Return type** SFTPHandle

**session\_ended()**

run cleanup on exceptions or disconnection. idea: collect stats and store them in this function

**session\_started()**

run on connection initialisation

**stat** (*path*)

Return an L{SFTPAtributes} object for a path on the server, or an error code. If your server supports symbolic links (also known as "aliases"), you should follow them. (L{lstat} is the corresponding call that doesn't follow symlinks/aliases.)

@param path: the requested path (relative or absolute) to fetch file statistics for. @type path: str

@return: an attributes object for the given file, or an SFTP error code (like L{SFTP\_PERMISSION\_DENIED}). @rtype: L{SFTPAtributes} | {or error code}

```
class tardis.apps.sftp.sftp.MyTSFTPTCPServer (address, host_key, RequestHandler-Class=None)
```

Bases: SocketServer.TCPServer

```
allow_reuse_address = True
```

```
close_request (request)
```

```
shutdown_request (request)
```

```
class tardis.apps.sftp.sftp.MyTServerInterface
```

Bases: paramiko.server.ServerInterface

```
check_auth_interactive (username, submethods)
```

Begin an interactive authentication challenge, if supported. You should override this method in server mode if you want to support the "keyboard-interactive" auth type, which requires you to send a series of questions for the client to answer.

Return AUTH\_FAILED if this auth method isn't supported. Otherwise, you should return an *.InteractiveQuery* object containing the prompts and instructions for the user. The response will be sent via a call to *check\_auth\_interactive\_response*.

The default implementation always returns AUTH\_FAILED.

#### Parameters

- **username** (*str*) – the username of the authenticating client
- **submethods** (*str*) – a comma-separated list of methods preferred by the client (usually empty)

**Returns** AUTH\_FAILED if this auth method isn't supported; otherwise an object containing queries for the user

**Return type** int or *.InteractiveQuery*

```
check_auth_interactive_response (responses)
```

Continue or finish an interactive authentication challenge, if supported. You should override this method in server mode if you want to support the "keyboard-interactive" auth type.

Return AUTH\_FAILED if the responses are not accepted, AUTH\_SUCCESSFUL if the responses are accepted and complete the authentication, or AUTH\_PARTIALLY\_SUCCESSFUL if your authentication is stateful, and this set of responses is accepted for authentication, but more authentication is required. (In this latter case, *get\_allowed\_auths* will be called to report to the client what options it has for continuing the authentication.)

If you wish to continue interactive authentication with more questions, you may return an *.InteractiveQuery* object, which should cause the client to respond with more answers, calling this method again. This cycle can continue indefinitely.

The default implementation always returns AUTH\_FAILED.

**Parameters** **responses** – list of *str* responses from the client

**Returns** AUTH\_FAILED if the authentication fails; AUTH\_SUCCESSFUL if it succeeds; AUTH\_PARTIALLY\_SUCCESSFUL if the interactive auth is successful, but authentication must continue; otherwise an object containing queries for the user

**Return type** int or *.InteractiveQuery*

**check\_auth\_password** (*username, password*)

Determine if a given username and password supplied by the client is acceptable for use in authentication.

Return AUTH\_FAILED if the password is not accepted, AUTH\_SUCCESSFUL if the password is accepted and completes the authentication, or AUTH\_PARTIALLY\_SUCCESSFUL if your authentication is stateful, and this key is accepted for authentication, but more authentication is required. (In this latter case, *get\_allowed\_auths* will be called to report to the client what options it has for continuing the authentication.)

The default implementation always returns AUTH\_FAILED.

**Parameters**

- **username** (*str*) – the username of the authenticating client.
- **password** (*str*) – the password given by the client.

**Returns** AUTH\_FAILED if the authentication fails; AUTH\_SUCCESSFUL if it succeeds; AUTH\_PARTIALLY\_SUCCESSFUL if the password auth is successful, but authentication must continue.

**Return type** int

**check\_auth\_publickey** (*username, key*)

Determine if a given key supplied by the client is acceptable for use in authentication. You should override this method in server mode to check the username and key and decide if you would accept a signature made using this key.

Return AUTH\_FAILED if the key is not accepted, AUTH\_SUCCESSFUL if the key is accepted and completes the authentication, or AUTH\_PARTIALLY\_SUCCESSFUL if your authentication is stateful, and this password is accepted for authentication, but more authentication is required. (In this latter case, *get\_allowed\_auths* will be called to report to the client what options it has for continuing the authentication.)

Note that you don't have to actually verify any key signature here. If you're willing to accept the key, Paramiko will do the work of verifying the client's signature.

The default implementation always returns AUTH\_FAILED.

**Parameters**

- **username** (*str*) – the username of the authenticating client
- **key** (*PKey*) – the key object provided by the client

**Returns** AUTH\_FAILED if the client can't authenticate with this key; AUTH\_SUCCESSFUL if it can; AUTH\_PARTIALLY\_SUCCESSFUL if it can authenticate with this key but must continue with authentication

**Return type** int

**check\_channel\_request** (*kind, chanid*)

Determine if a channel request of a given type will be granted, and return OPEN\_SUCCEEDED or an error code. This method is called in server mode when the client requests a channel, after authentication is complete.

If you allow channel requests (and an ssh server that didn't would be useless), you should also override some of the channel request methods below, which are used to determine which services will be allowed on a given channel:

- *check\_channel\_pty\_request*
- *check\_channel\_shell\_request*
- *check\_channel\_subsystem\_request*
- *check\_channel\_window\_change\_request*
- *check\_channel\_x11\_request*
- *check\_channel\_forward\_agent\_request*

The `chanid` parameter is a small number that uniquely identifies the channel within a `.Transport`. A `.Channel` object is not created unless this method returns `OPEN_SUCCEEDED` – once a `.Channel` object is created, you can call `.Channel.get_id` to retrieve the channel ID.

The return value should either be `OPEN_SUCCEEDED` (or 0) to allow the channel request, or one of the following error codes to reject it:

- `OPEN_FAILED_ADMINISTRATIVELY_PROHIBITED`
- `OPEN_FAILED_CONNECT_FAILED`
- `OPEN_FAILED_UNKNOWN_CHANNEL_TYPE`
- `OPEN_FAILED_RESOURCE_SHORTAGE`

The default implementation always returns `OPEN_FAILED_ADMINISTRATIVELY_PROHIBITED`.

#### Parameters

- `kind` (`str`) – the kind of channel the client would like to open (usually "session").
- `chanid` (`int`) – ID of the channel

**Returns** an `int` success or failure code (listed above)

#### `get_allowed_auths` (`username`)

Return a list of authentication methods supported by the server. This list is sent to clients attempting to authenticate, to inform them of authentication methods that might be successful.

The “list” is actually a string of comma-separated names of types of authentication. Possible values are "password", "publickey", and "none".

The default implementation always returns "password".

**Parameters** `username` (`str`) – the username requesting authentication.

**Returns** a comma-separated `str` of authentication types

#### `myt_auth` (`username, password`)

`tardis.apps.sftp.sftp.start_server` (`host=None, port=None, keyfile=None`)

The SFTP\_HOST\_KEY setting is required for configuring SFTP access. The SFTP\_PORT setting defaults to 2200.

See: `tardis/default_settings/sftp.py`

## tardis.apps.sftp.urls module

### tardis.apps.sftp.user\_menu\_modifiers module

`tardis.apps.sftp.user_menu_modifiers.add_ssh_keys_menu_item(request, user_menu)`  
Add a ‘Manage SSH Keys’ item to the user menu

#### Parameters

- `request` (`django.http.HttpRequest`) – an HTTP Request instance
- `user_menu` (`list`) – user menu context to modify

**Returns** user\_menu list

**Return type** list

## tardis.apps.sftp.views module

`tardis.apps.sftp.views.cybderduck_connection_window(request, *args, **kwargs)`

`tardis.apps.sftp.views.sftp_access(request, *args, **kwargs)`

Show dynamically generated instructions on how to connect to SFTP  
:param Request request: HttpRequest  
:return: HttpResponse :rtype: HttpResponse

`tardis.apps.sftp.views.sftp_keys(request, *args, **kwargs)`

Generate an RSA key pair for a user.

Generates a key pair, stores the public part of the key and provides a one time opportunity for the user to download the private part of the key.

**Parameters** `request` (`HttpRequest`) – http request

**Returns** either returns form on GET request or private key download on POST request

**Return type** HttpResponse

## Module contents

### tardis.apps.social\_auth package

#### Subpackages

##### tardis.apps.social\_auth.auth package

#### Submodules

##### tardis.apps.social\_auth.auth.authorisation module

##### tardis.apps.social\_auth.auth.social\_auth module

`tardis.apps.social_auth.auth.social_auth.add_authentication_method(**kwargs)`  
Creates an authentication record for OpenID authenticated user

```
tardis.apps.social_auth.auth.social_auth.add_migration_permission(**kwargs)
    Adds permission to migrate account for OpenID authenticated user

tardis.apps.social_auth.auth.social_auth.add_user_permissions(**kwargs)
    Adds default permission to OpenID authenticated user

tardis.apps.social_auth.auth.social_auth.approve_user_auth(**kwargs)
    Sets approved status to True in user authentication This will add user permissions as well.

tardis.apps.social_auth.auth.social_auth.configure_social_auth_user(**kwargs)
    Applies configuration used for external (non-Django) accounts.

    Adds user to settings.NEW_USER_INITIAL_GROUPS and sets isDjangoAccount to False in their UserProfile,
    so that MyTardis won't allow them to change their password.

tardis.apps.social_auth.auth.social_auth.get_auth_method(authenticatedBackendName)
    Return matching user authentication method from list of authentication methods in settings

tardis.apps.social_auth.auth.social_auth.is_openid_migration_enabled()

tardis.apps.social_auth.auth.social_auth.migrate_user_message(**kwargs)
    Automatically detects if a user has an account with the same email address and prompts user to perform migra-
    tion.

tardis.apps.social_auth.auth.social_auth.requires_admin_approval(authenticationBackend)

tardis.apps.social_auth.auth.social_auth.send_admin_email(**kwargs)
    Sends MyTardis admins an email for approving account
```

## Module contents

### Submodules

#### [tardis.apps.social\\_auth.apps module](#)

```
class tardis.apps.social_auth.apps.SocialAuthConfig(app_name, app_module)
    Bases: tardis.app\_config.AbstractTardisAppConfig

    name = 'tardis.apps.social_auth'
    verbose_name = 'Social Auth'
```

#### [tardis.apps.social\\_auth.default\\_settings module](#)

#### [tardis.apps.social\\_auth.urls module](#)

## Module contents

### Module contents

#### [tardis.default\\_settings package](#)

### Submodules

### tardis.default\_settings.admins module

```
tardis.default_settings.adminsADMINS = []
```

A list of all the people who get code error notifications. When DEBUG=False and AdminEmailHandler is configured in LOGGING (done by default), Django emails these people the details of exceptions raised in the request/response cycle.

Each item in the list should be a tuple of (Full name, email address). Example:

```
[('John', 'john@example.com'), ('Mary', 'mary@example.com')]
```

### tardis.default\_settings.analytics module

### tardis.default\_settings.apps module

```
tardis.default_settings.apps.USER_MENU_MODIFIERS = ['tardis.apps.sftp.user_menu_modifiers.1']
```

A list of methods which can modify the user menu defined in tardis.tardis\_portal.context\_processors.user\_menu\_processor. The modifications will be applied in order, so it is possible for one app to overwrite changes made by another app whose modifier method is earlier in the list.

Each modifier method should take a django.http.HttpRequest object and a list of user menu items, and return a modified list of user menu items.

An example from the SFTP app is below:

```
USER_MENU_MODIFIERS.extend([
    'tardis.apps.sftp.user_menu_modifiers.add_ssh_keys_menu_item'
])
```

### tardis.default\_settings.auth module

```
tardis.default_settings.auth.AUTOGENERATE_API_KEY = False
```

Generate a tastypie API key with user post\_save (tardis/tardis\_portal/models/hooks.py)

```
tardis.default_settings.auth.REGISTERATION_OPEN = True
```

Enable/disable the self-registration link and form in the UI. Note - this does not actually disable the URL endpoints for registration. You must also remove the *registration* app from INSTALLED\_APPS to disable registration.

### tardis.default\_settings.caches module

```
tardis.default_settings.caches.CACHES = {'celery-locks': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
```

change the CACHES setting to memcached if you prefer. Requires additional dependencies.

### tardis.default\_settings.celery\_settings module

### tardis.default\_settings.custom\_views module

```
tardis.default_settings.custom_views.DATASET_VIEWS = []
```

Dataset view overrides ('contextual views') are specified as tuples mapping a Schema namespace to a class-

based view (or view function). See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#dataset-and-experiment-views](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#dataset-and-experiment-views)

e.g.:

```
DATASET_VIEWS = [
    ('http://example.org/schemas/dataset/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomDatasetViewSubclass'),
]
```

`tardis.default_settings.custom_views.EXPERIMENT_VIEWS = []`

Experiment view overrides ('contextual views') are specified as tuples mapping a Schema namespace to a class-based view (or view function). See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#dataset-and-experiment-views](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#dataset-and-experiment-views)

e.g.:

```
EXPERIMENT_VIEWS = [
    ('http://example.org/schemas/expt/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomExptViewSubclass'),
]
```

`tardis.default_settings.custom_views.INDEX_VIEWS = {}`

A custom index page override is defined in as dictionary mapping a class-based view (or view function) to a Django Site, specified by SITE\_ID (an integer) or the domain name of the incoming request. See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#custom-index-view](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#custom-index-view)

e.g.:

```
INDEX_VIEWS = {
    1: 'tardis.apps.my_custom_app.views.MyCustomIndexSubclass',
    'store.example.com': 'tardis.apps.myapp.AnotherCustomIndexSubclass'
}
```

`tardis.default_settings.custom_views.LOGIN_VIEWS = {}`

A custom login page override is defined in as dictionary mapping a class-based view (or view function) to a Django Site, specified by SITE\_ID (an integer) or the domain name of the incoming request. See: [https://mytardis.readthedocs.io/en/develop/apps/contextual\\_views.html#custom-login-view](https://mytardis.readthedocs.io/en/develop/apps/contextual_views.html#custom-login-view)

e.g.:

```
LOGIN_VIEWS = {
    1: 'tardis.apps.my_custom_app.views.MyCustomLoginSubclass',
    'store.example.com': 'tardis.apps.myapp.AnotherCustomLoginSubclass'
}
```

## `tardis.default_settings.database module`

## `tardis.default_settings.debug module`

`tardis.default_settings.debug.ALLOWED_HOSTS = ['*']`

For security reasons this needs to be set to your hostname and/or IP address in production.

`tardis.default_settings.debug.DEBUG = True`

Set to false for production use

`tardis.default_settings.debug.INTERNAL_IPS = ('127.0.0.1',)`

**A list of IP addresses, as strings, that:** Allow the debug() context processor to add some variables to the template context.

### tardis.default\_settings.downloads module

```
tardis.default_settings.downloads.DEFAULT_ARCHIVE_FORMATS = ['tar']
```

Site's preferred archive types, with the most preferred first other available option: 'tgz'. Add to list if desired

```
tardis.default_settings.downloads.DOWNLOAD_URI_TEMPLATES = {}
```

When a file download is requested, by default, MyTardis will create a StreamingHttpResponse to serve the download which requires reading the file from a file-like object. For some storage backends, e.g. S3Boto3Storage provided by the django-storages package, it is more efficient to redirect the request directly to the storage provider.

Or the download request could be handled by an API which is aware of HSM (Hierarchical Storage Management) status for files which could be either on disk or on tape.

The DOWNLOAD\_URI\_TEMPLATES dictionary can be used to specify a URI template (e.g. '/api/v1/s3utils\_replica/{dfo\_id}/download/' which can be used to download a DataFileObject, instead of using the default /api/v1/dataset\_file/[datafile\_id]/download/ endpoint.

For example,

```
DOWNLOAD_URI_TEMPLATES = { 'storages.backends.s3boto3.S3Boto3Storage':  
    '/api/v1/s3utils_replica/{dfo_id}/download/'  
}
```

The '/api/v1/s3utils\_replica/{dfo\_id}/download/' endpoint is provided by the 's3utils' tardis app which needs to be in your INSTALLED\_APPS

### tardis.default\_settings.email module

```
tardis.default_settings.email.DEFAULT_FROM_EMAIL = 'webmaster@localhost'
```

This can be set as : "MyTardis Admins <admins@mytardis.org>"

```
tardis.default_settings.email.EMAIL_HOST = 'localhost'
```

Set this to your local SMTP server, e.g. 'smtp.example.edu' or to a remote SMTP server, e.g. 'smtp.gmail.com'

```
tardis.default_settings.email.EMAIL_HOST_PASSWORD = ''
```

When using a local SMTP server, you probably don't need to authenticate, so you can leave this blank.

If using a remote SMTP server, this can be set to the password used to authenticate.

```
tardis.default_settings.email.EMAIL_HOST_USER = ''
```

When using a local SMTP server, you probably don't need to authenticate, so you can leave this blank.

If using a remote SMTP server, this can be set to the email address used to authenticate, e.g. 'bob@bobmail.com'

```
tardis.default_settings.email.EMAIL_PORT = 25
```

Some SMTP servers require a different port, e.g. 587. Django's default value for this setting is 25.

```
tardis.default_settings.email.EMAIL_USE_TLS = False
```

Some SMTP servers require this to be set to True. Django's default value for this setting is False.

### tardis.default\_settings.filters module

```
tardis.default_settings.filters.FILTERS_TASK_PRIORITY = 4
```

The default RabbitMQ task priority for messages sent to the filters microservice. Priority 4 is slightly less than

the overall default task priority of 5, defined in tardis/default\_settings/celery\_settings.py

`tardis.default_settings.filters.USE_FILTERS = False`

If enabled, a task will be sent to RabbitMQ after a file is saved and verified, requesting post-processing, e.g. extracting metadata from file headers and/or generating thumbnail images.

### **tardis.default\_settings.frontend module**

`tardis.default_settings.frontend.BLEACH_ALLOWED_ATTRIBUTES = {'a': ['href', 'title'], 'ab`

These are the default bleach values and shown here as an example.

`tardis.default_settings.frontend.BLEACH_ALLOWED_TAGS = ['a', 'abbr', 'acronym', 'b', 'block`

These are the default bleach values and shown here as an example.

`tardis.default_settings.frontend.MAX_IMAGES_IN_CAROUSEL = 100`

Max number of images in dataset view's carousel: zero means no limit

`tardis.default_settings.frontend.RENDER_IMAGE_DATASET_SIZE_LIMIT = 0`

Render image dataset size limit: zero means no limit

In order to display a dataset thumbnail image, MyTardis queries the dataset's files for image MIME types. These queries can be very slow for large datasets, making page load times slow. In future versions, the dataset thumbnails will be generated asynchronously (not at response time), but for now, we can set RENDER\_IMAGE\_DATASET\_SIZE\_LIMIT to the maximum number of files a dataset can have for MyTardis to scan it for image files at response time.

`tardis.default_settings.frontend.RENDER_IMAGE_SIZE_LIMIT = 0`

Render image file size limit: zero means no limit

### **tardis.default\_settings.i18n module**

### **tardis.default\_settings.localisation module**

### **tardis.default\_settings.logging module**

### **tardis.default\_settings.middlewares module**

### **tardis.default\_settings.publication module**

### **tardis.default\_settings.search module**

Settings for search

`tardis.default_settings.search.MAX_SEARCH_RESULTS = 100`

Limits the maximum number of search results for each model (Experiment, Dataset and DataFile). The default value of 100 means that a query could potentially return 300 results in total, i.e. 100 experiments, 100 datasets and 100 datafiles.

`tardis.default_settings.search.MIN_CUTOFF_SCORE = 0.0`

Filters results based on this value. The default value of 0.0 means that nothing will be excluded from search results. Set it to any number greater than 0.0 to filter out results.

`tardis.default_settings.search.SINGLE_SEARCH_ENABLED = False`

To enable search:

```
SINGLE_SEARCH_ENABLED = True INSTALLED_APPS += ('django_elasticsearch_dsl',
'tardis.app.search') ELASTICSEARCH_DSL = {
    'default': { 'hosts': os.environ.get('ELASTICSEARCH_URL', 'http://localhost:9200')}
}
} ELASTICSEARCH_DSL_INDEX_SETTINGS = {
    'number_of_shards': 1
}
```

### **tardis.default\_settings.sharing module**

### **tardis.default\_settings.site\_customisations module**

```
tardis.default_settings.site_customisations.SITE_TITLE = 'MyTardis'
customise the title of your site
```

```
tardis.default_settings.site_customisations.SPONSORED_TEXT = None
add text to the footer to acknowledge someone
```

### **tardis.default\_settings.static\_files module**

### **tardis.default\_settings.storage module**

```
tardis.default_settings.storage.CALCULATE_CHECKSUMS_METHODS = {}
A custom method can be provided for calculating checksums for a storage class, e.g.
```

```
CALCULATE_CHECKSUMS_METHODS = {
    'storages.backends.s3boto3.S3Boto3Storage': 'tardis.apps.s3utils.utils.calculate_checksums'
}
```

The DataFileObject class's calculate\_checksums method checks for a storage class match in the CALCULATE\_CHECKSUMS\_METHODS dict, and if one is not found, it calls the classic compute\_checksums method which uses the file\_object to calculate the checksums one chunk at a time. For some storage backends (e.g. S3), representing the file as file-like object with Django's file storage API is not the most efficient way to calculate the checksum.

```
tardis.default_settings.storage.METADATA_STORE_PATH = '/home/docs/checkouts/readthedocs.org
storage path for image paths stored in parameters. Better to set to another location if possible
```

```
tardis.default_settings.storage.REUSE_DATASET_STORAGE_BOX = True
```

If a new DataFile is created in a Dataset whose files are all stored in the same storage box, then the new file will be stored in the same storage box, irrespective of the “default” StorageBoxAttribute.

The mytardis-app-mydata app has its own logic for determining the appropriate storage box for uploads from a MyData instance. When a MyData instance (an “Uploader”) is approved, it will be assigned a storage box which should be used for DataFileObjects created from MyData uploads.

### **tardis.default\_settings.templates module**

## tardis.default\_settings.uploads module

`tardis.default_settings.uploads.UPLOAD_METHOD = False`

Old version: UPLOAD\_METHOD = “uploadify”. This can be changed to an app that provides an upload\_button function, eg. “tardis.apps.filepicker.views.upload\_button” to use a fancy commercial uploader. To use filepicker, please also get an API key at <http://filepicker.io>

## tardis.default\_settings.urls module

### Module contents

`tardis.default_settings.get_git_version()`

## tardis.tardis\_portal package

### Subpackages

#### tardis.tardis\_portal.auth package

##### Submodules

##### tardis.tardis\_portal.auth.authentication module

A module containing helper methods for the manage\_auth\_methods function in views.py.

`tardis.tardis_portal.auth.authentication.add_auth_method(request)`

Add a new authentication method to request.user’s existing list of authentication methods. This method will ask for a confirmation if the user wants to merge two accounts if the authentication method he provided already exists as a method for another user.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`’s new list of authentication methods

**Return type** `HttpResponse`

`tardis.tardis_portal.auth.authentication.edit_auth_method(request)`

Change the local DB (Django) password for `request.user`.

`tardis.tardis_portal.auth.authentication.list_auth_methods(request)`

Generate a list of authentication methods that `request.user` uses to authenticate to the system and send it back in a `HttpResponse`.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The `HttpResponse` which contains `request.user`’s list of authentication methods

**Return type** `HttpResponse`

`tardis.tardis_portal.auth.authentication.merge_auth_method(request)`

Merge the account that the user is logged in as and the account that he provided in the Authentication Form. Merging accounts involve relinking the UserAuthentication table entries, transferring ObjectACL entries to the merged account, changing the Group memberships and deleting the unneeded account.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The HttpResponse which contains request.user's new list of authentication methods

**Return type** HttpResponse

```
tardis.tardis_portal.auth.authentication.remove_auth_method(request)
```

Removes the non-local DB auth method from the UserAuthentication model.

**Parameters** `request` (`Request`) – the HTTP request object

**Returns** The HttpResponse which contains request.user's new list of authentication methods

**Return type** HttpResponse

## tardis.tardis\_portal.auth.authorisation module

Object-level authorisation backend

```
class tardis.tardis_portal.auth.authorisation.ACIAwareBackend
    Bases: object

    app_label = 'tardis_acls'

    authenticate(request)
        do not use this backend for authentication

    get_perm_bool(verb)
        relates ACLs to permissions

    has_perm(user_obj, perm, obj=None)
        main method, calls other methods based on permission type queried

    supports_anonymous_user = True
    supports_object_permissions = True
```

## tardis.tardis\_portal.auth.authservice module

models.py

```
class tardis.tardis_portal.auth.authservice.AuthService(settings=<LazySettings
    "tardis.test_settings">)
```

The AuthService provides an interface for querying the auth(nlz) framework within MyTardis. The auth service works by reading the class path to plugins from the settings file.

**Parameters** `settings` (`django.conf.settings`) – the settings object that contains the list of user and group plugins.

`authenticate(authMethod, **credentials)`

Try and authenticate the user using the auth type he/she specified to use and if authentication didn't work using that

**Parameters**

- `authMethod` (`string`) – the shortname of the auth method.
- `credentials` (`kwargs`) – the credentials as expected by the auth plugin

**Returns** authenticated User or None

**Return type** User or `None`

```
getGroups(user)
```

**Parameters** `user` (`User`) – User

**Returns** a list of tuples containing pluginname and group id

**Return type** `list`

**getGroupsForEntity** (`entity`)

Return a list of the groups an entity belongs to

**Parameters** `entity` (`string`) – the entity to search for, user or group.

**Returns** groups

**Return type** Group

The groups will be returned as a list similar to:

```
[{'name': 'Group 456', 'id': '2'},
 {'name': 'Group 123', 'id': '1'}]
```

**getUser** (`authMethod, user_id, force_user_create=False`)

Return a user model based on the given auth method and user id.

This function is responsible for creating the user within the Django DB and returning the resulting user model.

**getUsernameByEmail** (`authMethod, email`)

Return a username given the auth method and email address of a user.

**get\_or\_create\_user** (`user_obj_or_dict, authMethod=None`)

refactored out for external use by AAF and possibly others

**searchEntities** (`filter`)

Return a list of users and/or groups

**searchGroups** (`**kw`)

basestring `id`: the value of the id to search for basestring `name`: the value of the displayname to search for int `max_results`: the maximum number of elements to return basestring `sort_by`: the attribute the users should be sorted on basestring `plugin`: restrict the search to the specific group provider

returns: a list of users and/or groups rtype: list

**searchUsers** (`filter`)

Return a list of users and/or groups

## tardis.tardis\_portal.auth.decorators module

```
tardis.tardis_portal.auth.decorators.datafile_access_required(f)
```

```
tardis.tardis_portal.auth.decorators.dataset_access_required(f)
```

```
tardis.tardis_portal.auth.decorators.dataset_download_required(f)
```

```
tardis.tardis_portal.auth.decorators.dataset_write_permissions_required(f)
```

```
tardis.tardis_portal.auth.decorators.delete_permissions_required(f)
```

```
tardis.tardis_portal.auth.decorators.experiment_access_required(f)
```

```
tardis.tardis_portal.auth.decorators.experiment_download_required(f)
```

```
tardis.tardis_portal.auth.decorators.experiment_ownership_required(f)
```

A decorator for Django views that validates if a user is an owner of an experiment or ‘superuser’ prior to further

processing the request. Unauthenticated requests are redirected to the login page. If the user making the request satisfies none of these criteria, an error response is returned.

**Parameters** `f` (`types.FunctionType`) – A Django view function

**Returns** A Django view function

**Return type** `types.FunctionType`

```
tardis.tardis_portal.auth.decorators.get_accessible_datafiles_for_user(request)
tardis.tardis_portal.auth.decorators.get_accessible_experiments(request)
tardis.tardis_portal.auth.decorators.get_accessible_experiments_for_dataset(request,
                                                                           dataset_id)
tardis.tardis_portal.auth.decorators.get_owned_experiments(request)
tardis.tardis_portal.auth.decorators.get_shared_experiments(request)
tardis.tardis_portal.auth.decorators.group_ownership_required(f)
```

A decorator for Django views that validates if a user is a group admin or ‘superuser’ prior to further processing the request. Unauthenticated requests are redirected to the login page. If the user making the request satisfies none of these criteria, an error response is returned.

**Parameters** `f` (`types.FunctionType`) – A Django view function

**Returns** A Django view function

**Return type** `types.FunctionType`

```
tardis.tardis_portal.auth.decorators.has_datafile_access(request, datafile_id)
tardis.tardis_portal.auth.decorators.has_datafile_download_access(request,
                                                                datafile_id)
tardis.tardis_portal.auth.decorators.has_dataset_access(request, dataset_id)
tardis.tardis_portal.auth.decorators.has_dataset_download_access(request,
                                                                dataset_id)
tardis.tardis_portal.auth.decorators.has_dataset_ownership(request, dataset_id)
tardis.tardis_portal.auth.decorators.has_dataset_write(request, dataset_id)
tardis.tardis_portal.auth.decorators.has_delete_permissions(request,
                                                               experiment_id)
tardis.tardis_portal.auth.decorators.has_experiment_access(request,
                                                               experiment_id)
tardis.tardis_portal.auth.decorators.has_experiment_download_access(request,
                                                               experiment_id)
tardis.tardis_portal.auth.decorators.has_experiment_ownership(request,
                                                               experiment_id)
tardis.tardis_portal.auth.decorators.has_experiment_write(request,
                                                               experiment_id)
tardis.tardis_portal.auth.decorators.has_read_or_owner_ACL(request,
                                                               experiment_id)
```

Check whether the user has read access to the experiment - this means either they have been granted read access, or that they are the owner.

NOTE: This does not check whether the experiment is public or not, which means even when the experiment is public, this method does not automatically return true.

As such, this method should NOT be used to check whether the user has general read permission.

```
tardis.tardis_portal.auth.decorators.has_write_permissions(request, experiment_id)
tardis.tardis_portal.auth.decorators.is_group_admin(request, *args, **kwargs)
tardis.tardis_portal.auth.decorators.upload_auth(f)
tardis.tardis_portal.auth.decorators.write_permissions_required(f)
```

### **tardis.tardis\_portal.auth.fix\_circular module**

```
tardis.tardis_portal.auth.fix_circular.getGroups(user)
```

### **tardis.tardis\_portal.auth.interfaces module**

```
class tardis.tardis_portal.auth.interfaces.AuthProvider
```

```
authenticate(request)
```

from a request authenticate try to authenticate the user. return a user dict if successful.

```
getUsernameByEmail(email)
```

returns the username (format string) from the auth domain

Implementing this function is optional- it is needed for resolving experiment owner email addresses to usernames during ingestion.

```
get_user(user_id)
```

```
class tardis.tardis_portal.auth.interfaces.GroupProvider
```

```
getGroupById(id)
```

return the group associated with the id

```
getGroups(user)
```

return an iteration of the available groups.

```
getGroupsForEntity(id)
```

return a list of groups associated with a particular entity id

```
searchGroups(**filter)
```

return a list of groups that match the filter

```
class tardis.tardis_portal.auth.interfaces.UserProvider
```

```
getUserById(id)
```

return the user dictionary in the format of:

```
{ "id": 123,
  "first_name": "John",
  "last_name": "Smith",
  "email": "john@example.com" }
```

```
getUsernameByEmail(email)
```

returns the username (format string) from the auth domain needed for resolving experiment owners during ingestion

```
searchUsers (**filter)
    return a list of user descriptions from the auth domain.

    each user is in the format of:
```

```
{"id": 123,
"first_name": "John",
"last_name": "Smith",
"email": "john@example.com"}
```

### tardis.tardis\_portal.auth.ldap\_auth module

#### tardis.tardis\_portal.auth.localdb\_auth module

Local DB Authentication module.

```
class tardis.tardis_portal.auth.localdb_auth.DjangoAuthBackend
    Bases: tardis.tardis_portal.auth.interfaces.AuthProvider
```

Authenticate against Django's Model Backend.

```
authenticate(request)
```

authenticate a user, this expect the user will be using form based auth and the *username* and *password* will be passed in as **POST** variables.

**Parameters** **request** (`django.http.HttpRequest`) – a HTTP Request instance

**Returns** authenticated User

**Return type** User

```
get_user(user_id)
```

```
class tardis.tardis_portal.auth.localdb_auth.DjangoGroupProvider
    Bases: tardis.tardis_portal.auth.interfaces.GroupProvider
```

```
getGroupById(id)
```

return the group associated with the id:

```
{"id": 123,
```

```
    "display": "Group Name",}
```

```
getGroups(user)
```

return an iteration of the available groups.

```
name = u'django_group'
```

```
searchGroups (**filter)
```

```
class tardis.tardis_portal.auth.localdb_auth.DjangoUserProvider
    Bases: tardis.tardis_portal.auth.interfaces.UserProvider
```

```
getUserById(id)
```

return the user dictionary in the format of:

```
{"id": 123,
"first_name": "John",
"last_name": "Smith",
"email": "john@example.com"}
```

```
name = u'django_user'
```

## tardis.tardis\_portal.auth.token\_auth module

token authentication module

```
class tardis.tardis_portal.auth.token_auth.TokenAuthMiddleware(get_response)
Bases: object
```

adds tokens to the user object and the session from a GET query

```
process_request(request)
```

```
class tardis.tardis_portal.auth.token_auth.TokenGroupProvider
```

Bases: *tardis.tardis\_portal.auth.interfaces.GroupProvider*

Transforms tokens into auth groups

```
getGroups(user)
```

```
name = u'token_group'
```

```
searchGroups(**kwargs)
```

return nothing because these are not groups in the standard sense

## tardis.tardis\_portal.auth.utils module

Created on 15/03/2011

@author: gerson

```
tardis.tardis_portal.auth.utils.configure_user(user)
```

Configure a user account that has just been created by adding the user to the default groups and marking it as a not a Django account.

**Parameters** `user` (`User`) – the User instance for the newly created account

**Returns** User profile for user

**Return type** `UserProfile`

```
tardis.tardis_portal.auth.utils.create_user(auth_method, user_id, email= '')
```

```
tardis.tardis_portal.auth.utils.get_or_create_user(auth_method, user_id, email= '')
```

## Module contents

### tardis.tardis\_portal.management package

#### Subpackages

##### tardis.tardis\_portal.management.commands package

#### Submodules

## tardis.tardis\_portal.management.commands.createuser module

Management utility to create regular users.

```
class tardis.tardis_portal.management.commands.createuser.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False)

Bases: django.core.management.base.BaseCommand

add_arguments(parser)
handle(*args, **options)
help = 'Used to create a MyTardis user.'

tardis.tardis_portal.management.commands.createuser.is_valid_email(value)
```

## tardis.tardis\_portal.management.commands.dumpschemas module

Command for dumping soft schema definitions

```
class tardis.tardis_portal.management.commands.dumpschemas.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False)

Bases: django.core.management.base.BaseCommand

add_arguments(parser)
args = '[namespace...]'
handle(*args, **options)
help = 'Dump soft schema definitions. No namespace = dump all schemas'
```

## tardis.tardis\_portal.management.commands.loadschemas module

Command for loading soft schema definitions

```
class tardis.tardis_portal.management.commands.loadschemas.Command(stdout=None,
                                                               stderr=None,
                                                               no_color=False)

Bases: django.core.management.base.BaseCommand

add_arguments(parser)
args = 'schema [schema ...]'
handle(*args, **options)
help = 'Load soft schema definitions'
```

## tardis.tardis\_portal.management.commands.rmxperiment module

Management command to delete the specified experiment and its associated datasets, datafiles and parameters.

The operation is atomic, either the entire experiment is deleted, or nothing.

rmxperiment was introduced due to the Oracle DISTINCT workaround causing sql delete cascading to fail. The current implementation of rmxperiment still relies on some cascading.

---

```
class tardis.tardis_portal.management.commands.rmexperiment.Command(stdout=None,
stderr=None,
no_color=False)
Bases: django.core.management.base.BaseCommand
add_arguments(parser)
args = '<MyTardis Exp ID>'
handle(*args, **options)
help = 'Delete the supplied MyTardis Experiment ID'
```

## Module contents

### Module contents

#### tardis.tardis\_portal.migrations package

##### Submodules

###### tardis.tardis\_portal.migrations.0001\_initial module

```
class tardis.tardis_portal.migrations.0001_initial.Migration(name, app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'contenttypes', u'0002_remove_content_type_name'), (u'auth', u'__first__)]
operations = [<CreateModel fields=[(u'id', <django.db.models.fields.AutoField>), (u'fi
```

###### tardis.tardis\_portal.migrations.0001\_squashed\_0011\_auto\_20160505\_1643 module

```
class tardis.tardis_portal.migrations.0001_squashed_0011_auto_20160505_1643.Migration(name,
app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'contenttypes', u'0002_remove_content_type_name'), (u'auth', u'__fir)
operations = [<CreateModel fields=[(u'id', <django.db.models.fields.AutoField>), (u'fi
replaces = [(u'tardis_portal', u'0001_initial'), (u'tardis_portal', u'0002_auto_201505
tardis.tardis_portal.migrations.0001_squashed_0011_auto_20160505_1643.cast_string_to_integ
```

###### tardis.tardis\_portal.migrations.0002\_auto\_20150528\_1128 module

```
class tardis.tardis_portal.migrations.0002_auto_20150528_1128.Migration(name,
app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0001_initial')]
operations = [<AlterField field=<django.db.models.fields.related.OneToOneField>, name=
```

### tardis.tardis\_portal.migrations.0003\_auto\_20150907\_1315 module

```
class tardis.tardis_portal.migrations.0003_auto_20150907_1315.Migration(name,
                                                                     app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0002_auto_20150528_1128')]
    operations = [AlterField field=<django.db.models.fields.IntegerField>, name=u'data_ty
```

### tardis.tardis\_portal.migrations.0004\_storageboxoption\_value\_type module

```
class tardis.tardis_portal.migrations.0004_storageboxoption_value_type.Migration(name,
                                                                                 app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0003_auto_20150907_1315')]
    operations = [AddField field=<django.db.models.fields.CharField>, name=u'value_type',
```

### tardis.tardis\_portal.migrations.0005\_datafile\_add\_size\_int\_column module

```
class tardis.tardis_portal.migrations.0005_datafile_add_size_int_column.Migration(name,
                                                                                 app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0004_storageboxoption_value_type')]
    operations = [AddField field=<django.db.models.fields.BigIntegerField>, name=u'_size']
tardis.tardis_portal.migrations.0005_datafile_add_size_int_column.cast_string_to_integer(ap
sc
```

### tardis.tardis\_portal.migrations.0006\_datafile\_remove\_size\_string\_column module

```
class tardis.tardis_portal.migrations.0006_datafile_remove_size_string_column.Migration(name
                                                                 app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0005_datafile_add_size_int_column')]
    operations = [RemoveField name=u'size', model_name=u'datafile', RenameField new_name
```

### tardis.tardis\_portal.migrations.0007\_remove\_parameter\_string\_value\_index module

```
class tardis.tardis_portal.migrations.0007_remove_parameter_string_value_index.Migration(name
                                                                 app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0006_datafile_remove_size_string_column')]
    operations = [AlterField field=<django.db.models.fields.TextField>, name=u'string_val
```

**tardis.tardis\_portal.migrations.0008\_string\_value\_partial\_index\_postgres module**

```
class tardis.tardis_portal.migrations.0008_string_value_partial_index_postgres.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0007_remove_parameter_string_value_index')]
    operations = []
```

**tardis.tardis\_portal.migrations.0009\_auto\_20160128\_1119 module**

```
class tardis.tardis_portal.migrations.0009_auto_20160128_1119.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0008_string_value_partial_index_postgres')]
    operations = [<AlterUniqueTogether unique_together=set([(u'name', u'facility')]), name=u'unique_name_facility']]
```

**tardis.tardis\_portal.migrations.0010\_auto\_20160503\_1443 module**

```
class tardis.tardis_portal.migrations.0010_auto_20160503_1443.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0009_auto_20160128_1119')]
    operations = [<AlterField field=<django.db.models.fields.CharField>, name=u'mimetype', name=u'mimetype']]
```

**tardis.tardis\_portal.migrations.0011\_auto\_20160505\_1643 module**

```
class tardis.tardis_portal.migrations.0011_auto_20160505_1643.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0010_auto_20160503_1443')]
    operations = [<AlterField field=<django.db.models.fields.CharField>, name=u'directory', name=u'directory']]
```

**tardis.tardis\_portal.migrations.0012\_userauthentication\_approved module**

```
class tardis.tardis_portal.migrations.0012_userauthentication_approved.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
    dependencies = [(u'tardis_portal', u'0011_auto_20160505_1643')]
    operations = [<AddField field=<django.db.models.fields.BooleanField>, name=u'approved', name=u'approved']]
```

**tardis.tardis\_portal.migrations.0013\_auto\_20181002\_1136 module**

```
class tardis.tardis_portal.migrations.0013_auto_20181002_1136.Migration(name, app_label)
    Bases: django.db.migrations.migration.Migration
```

```
dependencies = [(u'tardis_portal', u'0012_userauthentication_approved')]
operations = [<AlterModelOptions options={u'ordering': (u'name',), u'verbose_name_plus...
```

### tardis.tardis\_portal.migrations.0014\_auto\_20181002\_1154 module

```
class tardis.tardis_portal.migrations.0014_auto_20181002_1154.Migration(name,
    app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0013_auto_20181002_1136')]
operations = [<AlterField field=<django.db.models.fields.BigIntegerField>, name=u'max_...
```

### tardis.tardis\_portal.migrations.0015\_dataset\_created\_time module

```
class tardis.tardis_portal.migrations.0015_dataset_created_time.Migration(name,
    app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0014_auto_20181002_1154')]
operations = [<AddField field=<django.db.models.fields.DateTimeField>, name=u'created_...
```

### tardis.tardis\_portal.migrations.0016\_add\_timestamps module

```
class tardis.tardis_portal.migrations.0016_add_timestamps.Migration(name,
    app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0015_dataset_created_time')]
operations = [<AddField field=<django.db.models.fields.DateTimeField>, name=u'created_...
```

### tardis.tardis\_portal.migrations.0017\_add\_cc\_licenses module

```
class tardis.tardis_portal.migrations.0017_add_cc_licenses.Migration(name,
    app_label)
Bases: django.db.migrations.migration.Migration
dependencies = [(u'tardis_portal', u'0016_add_timestamps'), (u'auth', u'0008_alter_use...
operations = [<RunPython <function forwards_func>, <function reverse_func>>]
```

```
tardis.tardis_portal.migrations.0017_add_cc_licenses.forwards_func(apps,
    schema_editor)
```

```
tardis.tardis_portal.migrations.0017_add_cc_licenses.load_licenses(apps,
    schema_editor)
```

```
tardis.tardis_portal.migrations.0017_add_cc_licenses.remove_licenses(apps,
    schema_editor)
```

```
tardis.tardis_portal.migrations.0017_add_cc_licenses.reverse_func(apps,
    schema_editor)
```

**tardis.tardis\_portal.migrations.0018\_make\_default\_storage\_box\_status\_online module**

```
class tardis.tardis_portal.migrations.0018_make_default_storage_box_status_online.Migration(Bases: django.db.migrations.migration.Migration)
dependencies = [(u'tardis_portal', u'0017_add_cc_licenses')]
operations = [AlterField field=<django.db.models.fields.CharField>, name=u'status', m...
```

**Module contents****tardis.tardis\_portal.models package****Submodules****tardis.tardis\_portal.models.access\_control module**

```
class tardis.tardis_portal.models.access_control.GroupAdmin(*args, **kwargs)
Bases: django.db.models.base.Model
```

GroupAdmin links the Django User and Group tables for group administrators

**Attribute user** a foreign key to the django.contrib.auth.models.User

**Attribute group** a foreign key to the django.contrib.auth.models.Group

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects** = <django.db.models.manager.Manager object>

**user**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.access_control.ObjectACL(*args, **kwargs)
Bases: django.db.models.base.Model
```

The ObjectACL (formerly ExperimentACL) table is the core of the Tardis Authorisation framework

**Attribute pluginId** the name of the auth plugin being used

**Attribute entityId** a foreign key to auth plugins

**Attribute object\_type** a foreign key to ContentType

**Attribute object\_id** the primary key/id of the object\_type

**Attribute canRead** gives the user read access

**Attribute canWrite** gives the user write access

**Attribute canDelete** gives the user delete permission

**Attribute isOwner** the experiment owner flag.

**Attribute effectiveDate** the date when access takes into effect

**Attribute expiryDate** the date when access ceases

**Attribute aclOwnershipType** system-owned or user-owned.

System-owned ACLs will prevent users from removing or editing ACL entries to a particular experiment they own. User-owned ACLs will allow experiment owners to remove/add/edit ACL entries to the experiments they own.

### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**OWNER OWNED** = 1

**SYSTEM OWNED** = 2

### **aclOwnershipType**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **canDelete**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **canRead**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **canWrite**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**content\_object**

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to `ForwardManyToOneDescriptor`) by adding itself as a model attribute.

**content\_type**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**content\_type\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**effectiveDate**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**entityId**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**expiryDate**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get\_aclOwnershipType\_display (\*\*morekwargs)****classmethod get\_effective\_query()****get\_related\_object()**

If possible, resolve the pluginId/entityId combination to a user or group object.

**get\_related\_object\_group()**

If possible, resolve the pluginId/entityId combination to a user or group object.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**isOwner**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**object\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****openidaclmigration\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

### pluginId

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.access_control.UserAuthentication(id, user-
Profile,
user-
name,
authen-
tication-
Method,
ap-
proved)
```

Bases: django.db.models.base.Model

### CHOICES = ()

### exception DoesNotExist

Bases: django.core.exceptions.ObjectDoesNotExist

### exception MultipleObjectsReturned

Bases: django.core.exceptions.MultipleObjectsReturned

### approved

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### authenticationMethod

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### getAuthMethodDescription()

### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### objects = <django.db.models.manager.Manager object>

### save(\*args, \*\*kwargs)

### userProfile

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**userProfile\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**username**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.access_control.UserProfile (*args, **kwargs)
```

Bases: django.db.models.base.Model

UserProfile class is an extension to the Django standard user model.

**Attribute isDjangoAccount** is the user a local DB user

**Attribute user** a foreign key to the django.contrib.auth.models.User

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**ext\_groups****getUserAuthentications()****id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**isDjangoAccount**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**isValidPublicContact()**

Checks if there's enough information on the user for it to be used as a public contact.

Note: Last name can't be required, because people don't necessarily have a last (or family) name.

```
objects = <django.db.models.manager.Manager object>
```

**rapidConnectEduPersonTargetedID**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**user**

Accessor to the related object on the forward side of a one-to-one relation.

In the example:

```
class Restaurant (Model):
    place = OneToOneField(Place, related_name='restaurant')
```

restaurant.place is a ForwardOneToOneDescriptor instance.

**user\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**userauthentication\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
tardis.tardis_portal.models.access_control.create_user_api_key(sender,
                                                               **kwargs)
```

Auto-create ApiKey objects using TastyPie's `create_api_key`

```
tardis.tardis_portal.models.access_control.create_user_profile(sender,
                                                               instance, created,
                                                               **kwargs)
```

### tardis.tardis\_portal.models.datafile module

```
class tardis.tardis_portal.models.datafile.DataFile(*args, **kwargs)
```

Bases: `django.db.models.base.Model`

A DataFile is a record of a file which includes its filename, its size in bytes, its relative directory, and various other meta-data. Each DataFile belongs to a `Dataset` which usually represents the files from one folder on an instrument PC.

The physical copy (or copies) of a file are described by distinct `DataFileObject` records.

**Attribute dataset** The foreign key to the `tardis.tardis_portal.models.Dataset` the file belongs to.

**Attribute filename** The name of the file, excluding the path.

**Attribute size** The size of the file.

**Attribute created\_time** Should be populated with the file's creation time from the instrument PC.

**Attribute modification\_time** Should be populated with the file's last modification time from the instrument PC.

**Attribute mimetype** For example 'application/pdf'

**Attribute md5sum** Digest of length 32, containing only hexadecimal digits

**Attribute sha512sum** Digest of length 128, containing only hexadecimal digits

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**cache\_file()**

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafileparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **dataset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### **dataset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **deleted**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **deleted\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **directory**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **file\_object**

#### **file\_objects**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **filename**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **getParameterSets()**

Return datafile parametersets associated with this datafile.

#### **get\_absolute\_filepath()**

#### **get\_as\_temporary\_file(\*\*kwds)**

Returns a traditional file-system-based file object that is a copy of the original data. The file is deleted when the context is destroyed.

**Parameters** `directory` (`basestring`) – the directory in which to create the temp file  
**Returns** the temporary file object  
**Return type** `NamedTemporaryFile`

**get\_default\_storage\_box()**  
try to guess appropriate box from dataset or use global default

**get\_download\_url()**

**get\_file** (`verified_only=True`)  
Returns the file as a readable file-like object from the best available storage box.  
If `verified_only=False`, the return of files without a verified checksum is allowed, otherwise `None` is returned for unverified files.

**Parameters** `verified_only` (`bool`) – if `False` return files without verified checksums  
**Returns** Python file object  
**Return type** Python File object

**get\_image\_data()**

**get\_mimetype()**

**get\_preferred\_dfo** (`verified_only=True`)

**get\_receiving\_storage\_box()**

**get\_size()**

**get\_view\_url()**

**has\_image()**

**id**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_image()**  
returns `True` if it's an image and not an x-icon and not an img the image/img mimetype is made up though and may need revisiting if there is an official img mimetype that does not refer to diffraction images

**is\_local()**

**is\_online**  
return `False` if a file is on tape. At this stage it checks it returns true for no file objects, because those files are offline through other checks

**is\_public()**

**md5sum**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**mimetype**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**modification\_time**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>**

```

save(*args, **kwargs)
sha512sum
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

size
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

status
    returns information about the status of the file. States are defined in StorageBox

classmethod sum_sizes(datafiles)
    Takes a query set of datafiles and returns their total size.

update_mimetype(mimetype=None, force=False, save=True)

verified
    Return True if at least one DataFileObject is verified

verify(reverify=False)

version
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

class tardis.tardis_portal.models.datafile.DataFileObject(*args, **kwargs)
Bases: django.db.models.base.Model

The physical copy (or copies) of a DataFile are described by distinct DataFileObject records.

Attribute datafile The DataFile record which this DataFileObject is storing a copy of.

Attribute storage_box The StorageBox containing this copy of the file. The StorageBox could represent a directory on a mounted filesystem, or a bucket in an Object Store.

Attribute uri The relative path of the file location within the the StorageBox, e.g. dataset1-12345/file1.txt for a copy of a DataFile with filename file1.txt which belongs to a Dataset with a description of dataset1 and an ID of 12345.

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

apply_filters()

cache_file()

calculate_checksums(compute_md5=True, compute_sha512=False)
    Calculates checksums for a DataFileObject instance

Parameters

- compute_md5 (bool) – whether to compute md5 default=True
- compute_sha512 (bool) – whether to compute sha512, default=True

Returns the checksums as {'md5sum': result, 'sha512sum': result}

Return type dict

```

**copy\_file** (*dest\_box=None*, *verify=True*)

copies verified file to new storage box checks for existing copy triggers async verification if not disabled  
:param StorageBox dest\_box: StorageBox instance :param bool verify: :returns: DataFileObject of copy  
:rtype: DataFileObject

**create\_set\_uri** (*force=False*, *save=False*)

sets the uri as well as building it :param bool force: :param book save: :return: :rtype: basestring

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafile**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**datafile\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**delete\_data()****file\_object**

A set of accessor functions that convert the file information to a standard Python file object for reading and copy the contents of an existing file\_object into the storage backend.

**Returns** a file object

**Return type** Python File object

**get\_full\_path()****get\_next\_by\_created\_time** (\*\*morekwargs)**get\_previous\_by\_created\_time** (\*\*morekwargs)**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**last\_verified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**modified\_time****move\_file** (*dest\_box=None*)

moves a file copies first, then synchronously verifies deletes file if copy is true copy and has been verified

**Parameters** **dest\_box** ([StorageBox](#)) – StorageBox instance

**Returns** moved file dfo

**Return type** [DataFileObject](#)

**objects** = <[django.db.models.manager.Manager](#) object>

**priority**

Default priority for tasks which take this DFO as an argument

**save (\*args, \*\*kwargs)****storage\_box**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**storage\_box\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**storage\_type**

**Returns** storage\_box type

**Return type** StorageBox type constant

**uri**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**verified**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**verify (add\_checksums=True, add\_size=True)**

```
tardis.tardis_portal.models.datafile.compute_checksums(file_object,
                                                       compute_md5=True,
                                                       compute_sha512=False,
                                                       close_file=True)
```

Computes checksums for a python file object

**Parameters**

- **file\_object** (*object*) – Python File object
- **compute\_md5** (*bool*) – whether to compute md5 default=True
- **compute\_sha512** (*bool*) – whether to compute sha512, default=True
- **close\_file** (*bool*) – whether to close the file\_object, default=True

**Returns** the checksums as { ‘md5sum’: result, ‘sha512sum’: result}

**Return type** dict

```
tardis.tardis_portal.models.datafile.delete_dfo(sender, instance, **kwargs)
```

Deletes the actual file / object, before deleting the database record

**tardis.tardis\_portal.models.dataset module**

```
class tardis.tardis_portal.models.dataset.Dataset(*args, **kwargs)
    Bases: django.db.models.base.Model
```

A dataset represents a collection files usually associated with a folder on an instrument PC. Each file within the dataset is represented by a `tardis.tardis_portal.models.DataFile` record. A dataset can appear in one or more `Experiment` records. Access controls are configured at the Experiment level by creating `ObjectACL` records. Each dataset can be associated with an `Instrument` record, but it is possible to create a dataset without specifying an instrument.

**Attribute experiment** A foreign key to the one ore more `Experiment` records which contain this dataset

**Attribute instrument** The foreign key to the instrument that generated this data

**Attribute description** Description of this dataset, which usually corresponds to the folder name on the instrument PC

**Attribute immutable** Whether this dataset is read-only

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafile\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**datasetparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**directory**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**experiments**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### `getParameterSets()`

Return the dataset parametersets associated with this experiment.

#### `get_absolute_url(**kwargs)`

Return the absolute url to the current Dataset

#### `get_all_storage_boxes_used()`

#### `get_datafiles()`

#### `get_download_urls()`

#### `get_edit_url(**kwargs)`

Return the absolute url to the edit view of the current Dataset

#### `get_first_experiment()`

#### `get_images()`

#### `get_path()`

#### `get_size()`

#### `get_thumbnail_url()`

#### `id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### `image`

#### `immutable`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### `instrument`

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

#### `instrument_id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### `is_online`

#### `modified_time`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <tardis.tardis_portal.managers.OracleSafeManager object>
save(force_insert=False, force_update=False, using=None, update_fields=None)
```

## tardis.tardis\_portal.models.experiment module

```
class tardis.tardis_portal.models.experiment.Experiment(*args, **kwargs)
Bases: django.db.models.base.Model
```

An Experiment is a collection of *Dataset* records. A *Dataset* record can appear in multiple Experiment records. Access controls are configured at the Experiment level by creating *ObjectACL* records.

**Attribute url** An optional URL associated with the data collection

**Attribute approved** An optional field indicating whether the collection is approved

**Attribute title** The title of the experiment.

**Attribute description** The description of the experiment.

**Attribute institution\_name** The name of the institution who created the experiment.

**Attribute start\_time** Undocumented

**Attribute end\_time** Undocumented

**Attribute created\_time** Undocumented

**Attribute handle** Undocumented

**Attribute public** Whether the experiment is publicly accessible

**Attribute objects** Default model manager

**Attribute safe** ACL aware model manager

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

PUBLICATION\_DETAILS\_SCHEMA = 'http://www.tardis.edu.au/schemas/publication/details/'

PUBLICATION\_DRAFT\_SCHEMA = 'http://www.tardis.edu.au/schemas/publication/draft/'

PUBLICATION\_SCHEMA\_ROOT = 'http://www.tardis.edu.au/schemas/publication/'

PUBLIC\_ACCESS\_CHOICES = ((1, 'No public access (hidden)'), (25, 'Ready to be released'))

PUBLIC\_ACCESS\_EMBARGO = 25

PUBLIC\_ACCESS\_FULL = 100

PUBLIC\_ACCESS\_METADATA = 50

PUBLIC\_ACCESS\_NONE = 1

**approved**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**created\_by**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**created\_by\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datasets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**end\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**experimentauthor\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**experimentparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**getParameterSets()**

Return the experiment parametersets associated with this experiment.

**get\_absolute\_url(\*\*kwargs)**

Return the absolute url to the current Experiment

**get\_create\_token\_url(\*\*kwargs)**

Return the absolute url to the create token view of the current Experiment

**get\_ct()**

**get\_datafiles()**

**get\_download\_urls()**

**get\_edit\_url(\*\*kwargs)**

Return the absolute url to the edit view of the current Experiment

**get\_groups()**

**get\_images()**

**get\_next\_by\_created\_time(\*\*morekwargs)**

**get\_next\_by\_update\_time(\*\*morekwargs)**

**get\_or\_create\_directory()**

**get\_owners()**

**get\_previous\_by\_created\_time(\*\*morekwargs)**

**get\_previous\_by\_update\_time(\*\*morekwargs)**

**get\_public\_access\_display(\*\*morekwargs)**

**get\_size()**

**handle**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**institution\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_publication()**

**is\_publication\_draft()**

**license**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### license\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### locked

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### objectacl

Accessor to the related objects manager on the one-to-many relation created by GenericRelation.

In the example:

```
class Post(Model):
    comments = GenericRelation(Comment)
```

post.comments is a ReverseGenericManyToOneDescriptor instance.

#### objects = <tardis.tardis\_portal.managers.OracleSafeManager object>

#### public\_access

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### classmethod public\_access\_implies\_distribution(public\_access\_level)

Determines if a level of public access implies that distribution should be allowed, or alternately if it should not be allowed. Used to prevent free-distribution licences for essentially private data, and overly-restrictive licences for public data.

#### public\_download\_allowed()

instance method version of ‘public\_access\_implies\_distribution’

#### safe = <tardis.tardis\_portal.managers.ExperimentManager object>

#### save(\*args, \*\*kwargs)

#### start\_time

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### title

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### token\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**update\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.experiment.ExperimentAuthor(id, experiment,
                                                               author, institution,
                                                               email, order,
                                                               url)
```

Bases: django.db.models.base.Model

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**author**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**email**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**experiment**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**experiment\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**institution**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**order**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
save(*args, **kwargs)
```

**url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## tardis.tardis\_portal.models.facility module

```
class tardis.tardis_portal.models.facility.Facility(*args, **kwargs)
Bases: django.db.models.base.Model
```

Represents a facility that produces data.

Each *Instrument* record must belong to exactly one facility. Many *Instrument* records can be associated with the same facility.

**Attribute name** The name of the facility, e.g. “Test Facility”

**Attribute manager\_group** The group of users who can access the Facility Overview for this facility.

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrument\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**manager\_group**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**manager\_group\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **objects = <django.db.models.manager.Manager object>**

#### **save (\*args, \*\*kwargs)**

tardis.tardis\_portal.models.facility.**facilities\_managed\_by (user)**

Returns a list of facilities managed by a user

tardis.tardis\_portal.models.facility.**is\_facility\_manager (user)**

Returns true if the user manages one or more facilities

## **tardis.tardis\_portal.models.hooks module**

tardis.tardis\_portal.models.hooks.**post\_save\_experiment (sender, \*\*kwargs)**

tardis.tardis\_portal.models.hooks.**post\_save\_experiment\_parameter (sender, \*\*kwargs)**

tardis.tardis\_portal.models.hooks.**post\_save\_experimentauthor (sender, \*\*kwargs)**

tardis.tardis\_portal.models.hooks.**publish\_public\_expt\_rifcs (experiment)**

## **tardis.tardis\_portal.models.instrument module**

**class** tardis.tardis\_portal.models.instrument.**Instrument (\*args, \*\*kwargs)**

Bases: django.db.models.base.Model

Represents an instrument belonging to a facility that produces data

### **exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

### **exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

### **created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **dataset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

### **facility**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### **facility\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **getParameterSets()**

Return the instrument parametersets associated with this instrument.

#### **id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **instrumentparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **modified\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **objects = <django.db.models.manager.Manager object>**

#### **save(\*args, \*\*kwargs)**

## **tardis.tardis\_portal.models.jti module**

### **class tardis.tardis\_portal.models.jti.JTI(id, jti, created\_time)**

Bases: `django.db.models.base.Model`

#### **exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

#### **exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

#### **created\_time**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **get\_next\_by\_created\_time(\*\*morekwargs)**

#### **get\_previous\_by\_created\_time(\*\*morekwargs)**

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**jti**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

### tardis.tardis\_portal.models.license module

```
class tardis.tardis_portal.models.license.License(*args, **kwargs)
```

Bases: django.db.models.base.Model

Represents a licence for experiment content.

Instances should provide enough detail for both researchers to select the licence, and for the users of their data to divine correct usage of experiment content.

(Non-US developers: We're using US spelling in the code.)

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

**allows\_distribution**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**experiment\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

```
classmethod get_none_option_license()
```

```
classmethod get_suitable_licenses(public_access_method=None)
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**image\_url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**internal\_description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**is\_active**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**objects = <django.db.models.manager.Manager object>****url**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**tardis.tardis\_portal.models.parameters module**

```
class tardis.tardis_portal.models.parameters.DatafileParameter(id, name,  
                         string_value,  
                         numerical_value,  
                         datetime_value,  
                         link_id, link_ct,  
                         parameterset)
```

Bases: *tardis.tardis\_portal.models.parameters.Parameter*

**exception DoesNotExist**

Bases: *django.core.exceptions.ObjectDoesNotExist*

**exception MultipleObjectsReturned**

Bases: *django.core.exceptions.MultipleObjectsReturned*

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**link\_gfk**

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to `ForwardManyToOneDescriptor`) by adding itself as a model attribute.

**name**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### parameter\_type = 'Datafile'

#### parameterset

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### parameterset\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.DatafileParameterSet(id, schema,
                                                               datafile)
```

Bases: *tardis.tardis\_portal.models.parameters.ParameterSet*

#### exception DoesNotExist

Bases: *django.core.exceptions.ObjectDoesNotExist*

#### exception MultipleObjectsReturned

Bases: *django.core.exceptions.MultipleObjectsReturned*

#### datafile

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### datafile\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### datafileparameter\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**parameter\_class**

alias of [DatafileParameter](#)

**schema**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**storage\_box**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class tardis.tardis_portal.models.parameters.DatasetParameter(id, name,
                                                               string_value,
                                                               numerical_value,
                                                               datetime_value,
                                                               link_id, link_ct,
                                                               parameterset)
```

Bases: `tardis.tardis_portal.models.parameters.Parameter`

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### **link\_gfk**

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to `ForwardManyToOneDescriptor`) by adding itself as a model attribute.

### **name**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### **parameter\_type = 'Dataset'**

### **parameterset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### **parameterset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.DatasetParameterSet(id, schema,
                                                               dataset)
```

Bases: `tardis.tardis_portal.models.parameters.ParameterSet`

### **exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

### **exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

### **dataset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

### **dataset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **datasetparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

#### parameter\_class

alias of `DatasetParameter`

#### schema

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### storage\_box

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```
class tardis.tardis_portal.models.parameters.ExperimentParameter(id, name,
                                                               string_value,
                                                               numeri-
                                                               cal_value,
                                                               date-
                                                               time_value,
                                                               link_id,
                                                               link_ct, pa-
                                                               rameterset)
```

Bases: `tardis.tardis_portal.models.parameters.Parameter`

#### exception DoesNotExist

Bases: `django.core.exceptions.ObjectDoesNotExist`

#### exception MultipleObjectsReturned

Bases: `django.core.exceptions.MultipleObjectsReturned`

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **link\_gfk**

Provide a generic many-to-one relation through the `content_type` and `object_id` fields.

This class also doubles as an accessor to the related object (similar to ForwardManyToOneDescriptor) by adding itself as a model attribute.

### **name**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **parameter\_type = 'Experiment'**

### **parameterset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

### **parameterset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

### **save(\*args, \*\*kwargs)**

```
class tardis.tardis_portal.models.parameters.ExperimentParameterSet(id,
                                                                     schema,
                                                                     experiment)
```

Bases: `tardis.tardis_portal.models.parameters.ParameterSet`

### **exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

### **exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

### **experiment**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### experiment\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### experimentparameter\_set

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

#### parameter\_class

alias of `ExperimentParameter`

#### schema

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### storage\_box

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

`class tardis.tardis_portal.models.parameters.FreeTextSearchField(id, parameter_name)`

Bases: `django.db.models.base.Model`

#### exception DoesNotExist

Bases: `django.core.exceptions.ObjectDoesNotExist`

```
exception MultipleObjectsReturned
Bases: django.core.exceptions.MultipleObjectsReturned
```

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

#### parameter\_name

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### parameter\_name\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.InstrumentParameter(id, name,
                                                               string_value,
                                                               numeri-
                                                               cal_value,
                                                               date-
                                                               time_value,
                                                               link_id,
                                                               link_ct, pa-
                                                               rameterset)
```

Bases: tardis.tardis\_portal.models.parameters.Parameter

#### exception DoesNotExist

Bases: django.core.exceptions.ObjectDoesNotExist

#### exception MultipleObjectsReturned

Bases: django.core.exceptions.MultipleObjectsReturned

#### id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### link\_ct

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### link\_gfk

Provide a generic many-to-one relation through the content\_type and object\_id fields.

This class also doubles as an accessor to the related object (similar to ForwardManyToOneDescriptor) by adding itself as a model attribute.

**name**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**parameter\_type = 'Instrument'****parameterset**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**parameterset\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.InstrumentParameterSet(id,
                                                                     schema,
                                                                     instru-
                                                                     ment)
```

Bases: *tardis.tardis\_portal.models.parameters.ParameterSet*

**exception DoesNotExist**

Bases: *django.core.exceptions.ObjectDoesNotExist*

**exception MultipleObjectsReturned**

Bases: *django.core.exceptions.MultipleObjectsReturned*

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrument**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**instrument\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**objects** = <`django.db.models.manager.Manager` object>

**parameter\_class**

alias of `InstrumentParameter`

**schema**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**storage\_box**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

pizza.toppings and topping.pizzas are ManyToManyDescriptor instances.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**class** tardis.tardis\_portal.models.parameters.Parameter(\*args, \*\*kwargs)

Bases: `django.db.models.base.Model`

**class Meta**

```
abstract = False
app_label = 'tardis_portal'
ordering = ['name']
```

**datetime\_value**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**get()**

**link\_ct**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### link\_ct\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### link\_gfk

Provide a generic many-to-one relation through the content\_type and object\_id fields.

This class also doubles as an accessor to the related object (similar to ForwardManyToOneDescriptor) by adding itself as a model attribute.

#### link\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### link\_url

##### name

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

#### name\_id

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### numerical\_value

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### objects

#### parameter\_type = 'Abstract'

#### set\_value(value)

Sets the parameter value, converting into the appropriate data type. Deals with date/time strings that are timezone naive or aware, based on the USE\_TZ setting.

**Parameters** `value` (`basestring`) – a string (or string-like) repr of the value

**Raises** `SuspiciousOperation` –

#### string\_value

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.ParameterName(id, schema, name,
                                                          full_name, units,
                                                          data_type, immutable,
                                                          comparison_type,
                                                          is_searchable,
                                                          choices, order)
```

Bases: `django.db.models.base.Model`

**CONTAINS\_COMPARISON** = 8

**DATETIME** = 6

**exception DoesNotExist**  
Bases: `django.core.exceptions.ObjectDoesNotExist`

**EXACT\_VALUE\_COMPARISON** = 1

**FILENAME** = 5

**GREATER\_THAN\_COMPARISON** = 4

**GREATER\_THAN\_EQUAL\_COMPARISON** = 5

**JSON** = 8

**LESS\_THAN\_COMPARISON** = 6

**LESS\_THAN\_EQUAL\_COMPARISON** = 7

**LINK** = 4

**LONGSTRING** = 7

**exception MultipleObjectsReturned**  
Bases: `django.core.exceptions.MultipleObjectsReturned`

**NOT\_EQUAL\_COMPARISON** = 2

**NUMERIC** = 1

**RANGE\_COMPARISON** = 3

**STRING** = 2

**URL** = 3

**choices**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**comparison\_type**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**data\_type**  
A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**datafileparameter\_set**  
Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**datasetparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**experimentparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**freetextsearchfield\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**full\_name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
getUniqueShortName()
get_comparison_type_display(**morekwargs)
get_data_type_display(**morekwargs)
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**immutable**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparameter\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**isDateTime()**

**isFilename()**

**isLink()**

**isLongString()**

**isNumeric()**

**isString()**

**isURL()**

**is\_json()**

**is\_searchable**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**natural\_key()**

**objects** = `<tardis.tardis_portal.managers.ParameterNameManager object>`

**order**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**schema**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**schema\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**units**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.parameters.ParameterSet(*args, **kwargs)
Bases: django.db.models.base.Model, tardis.tardis_portal.models.parameters.ParameterSetManagerMixin
```

```

class Meta

    abstract = False
    app_label = 'tardis_portal'
    ordering = ['id']
    parameter_class = None
    save(*args, **kwargs)

schema

```

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```

class Child(Model) :
    parent = ForeignKey(Parent, related_name='children')

```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

#### **schema\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **storage\_box**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```

class Pizza(Model) :
    toppings = ManyToManyField(Topping, related_name='pizzas')

```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

```

class tardis.tardis_portal.models.parameters.ParameterSetManagerMixin(parameterset=None,
    par-
    en-
    tOb-
    ject=None,
    schema=None)

```

Bases: `tardis.tardis_portal.ParameterSetManager`.`ParameterSetManager`

for clarity's sake and for future extension this class makes `ParameterSetManager` local to this file. At the moment its only function is increasing the line count

```

class tardis.tardis_portal.models.parameters.Schema(id, namespace, name, type, sub-
    type, immutable, hidden)

```

Bases: `django.db.models.base.Model`

**DATAFILE** = 3

**DATASET** = 2

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**EXPERIMENT** = 1

**INSTRUMENT** = 5  
**exception MultipleObjectsReturned**  
    Bases: `django.core.exceptions.MultipleObjectsReturned`

**NONE** = 4  
**exception UnsupportedType**(msg)  
    Bases: `exceptions.Exception`

**datafileparameterset\_set**  
    Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**datasetparameterset\_set**

    Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**experimentparameterset\_set**

    Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):  
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**get\_type\_display(\*\*morekwargs)**

**hidden**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**immutable**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparameterset\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**namespace**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**natural\_key()**

```
objects = <tardis.tardis_portal.managers.SchemaManager object>
```

**parametername\_set**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by create\_forward\_many\_to\_many\_manager() defined below.

**subtype**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## tardis.tardis\_portal.models.storage module

```
class tardis.tardis_portal.models.storage.StorageBox(*args, **kwargs)
```

Bases: django.db.models.base.Model

table that holds storage boxes of any type. to extend to new types, add fields if necessary

Attribute **max\_size** max size in bytes

**BUNDLE** = 6

**CACHE** = 3

**DISK** = 1

```
exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

TAPE = 2
TEMPORARY = 4
TYPES = {'bundle': 6, 'cache': 3, 'disk': 1, 'receiving': 4, 'tape': 2}
TYPE_UNKNOWN = 5
```

**attributes**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**autocache**

Whether to automatically copy data into faster storage

**Returns** True if data should be automatically cached

**Return type** bool

**cache\_box**

Get cache box if set up

**child\_boxes**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

parent.children is a ReverseManyToOneDescriptor instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**copy\_files(dest\_box=None)****copy\_to\_master()****classmethod create\_local\_box(location=None)****datafileparametersets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **datasetparametersets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **description**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **django\_storage\_class**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

#### **experimentparametersets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **file\_objects**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

#### **classmethod get\_default\_storage(location=None, user=None)**

gets default storage box or get local storage box with given base location or create one if it doesn't exist.

policies: Have a StorageBoxAttribute: key='default', value=True find a storage box where location is DEFAULT\_STORAGE\_BASE\_DIR create a default storage box at DEFAULT\_STORAGE\_BASE\_DIR lowest id storage box is default no storage box defined, use hard coded default for now TODO: consider removing this

Would be nice: get largest free space one, test for authorisation

#### **get\_initialised\_storage\_instance()**

`get_options_as_dict()`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**instrumentparametersets**

Accessor to the related objects manager on the forward and reverse sides of a many-to-many relation.

In the example:

```
class Pizza(Model):
    toppings = ManyToManyField(Topping, related_name='pizzas')
```

`pizza.toppings` and `topping.pizzas` are `ManyToManyDescriptor` instances.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**master\_box**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via `ForwardOneToOneDescriptor` subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**master\_box\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**max\_size**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`move_files(dest_box=None)`

`move_to_master()`

**name**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

`objects = <django.db.models.manager.Manager object>`

`offline_types = [2]`

`online_types = [3, 1, 4, 6]`

**options**

Accessor to the related objects manager on the reverse side of a many-to-one relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`parent.children` is a `ReverseManyToOneDescriptor` instance.

Most of the implementation is delegated to a dynamically defined manager class built by `create_forward_many_to_many_manager()` defined below.

**priority**

Default priority for tasks which take this box as an argument

**status**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**storage\_type**

```
type_order = [3, 6, 1, 2, 4, 5]
```

```
class tardis.tardis_portal.models.storage.StorageBoxAttribute(*args, **kwargs)
Bases: django.db.models.base.Model
```

Can hold attributes/metadata about different storage locations.

**Attribute key** The key used to look up the attribute (e.g. “type”).

**Attribute value** The value of the attribute e.g. “cache”.

The “type” key has three values support by the core MyTardis code: “permanent”, “receiving” and “cache”.

Adding an attribute with key “type” and value “permanent” preserves the default behaviour of a storage box, i.e. it is equivalent to not adding the attribute.

Adding an attribute with key “type” and value “receiving” means that the storage box will be treated as a staging area which receives files intended to be transferred to a permanent storage box. If a storage box has the “type: receiving” attribute, it must link to a permanent storage box (via its master\_box foreign key).

Adding an attribute with key “type” and value “cache” means that the storage box will be used to copy data from slow-access storage to fast-access storage. If a storage box has the “type: cache” attribute, it must link to a permanent storage box (via its master\_box foreign key).

**exception DoesNotExist**

Bases: `django.core.exceptions.ObjectDoesNotExist`

**exception MultipleObjectsReturned**

Bases: `django.core.exceptions.MultipleObjectsReturned`

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**key**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**storage\_box**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

`child.parent` is a `ForwardManyToOneDescriptor` instance.

**storage\_box\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**value**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
class tardis.tardis_portal.models.storage.StorageBoxOption(*args, **kwargs)
```

Bases: django.db.models.base.Model

holds the options passed to the storage class defined in StorageBox. key->value store with support for typed values through pickling when value\_type is set to ‘pickle’

**exception DoesNotExist**

Bases: django.core.exceptions.ObjectDoesNotExist

**exception MultipleObjectsReturned**

Bases: django.core.exceptions.MultipleObjectsReturned

```
PICKLE = 'pickle'
```

```
STRING = 'string'
```

```
TYPE_CHOICES = (('string', 'String value'), ('pickle', 'Pickled value'))
```

```
get_value_type_display(**morekwargs)
```

**id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**key**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

```
objects = <django.db.models.manager.Manager object>
```

**storage\_box**

Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

In the example:

```
class Child(Model):
    parent = ForeignKey(Parent, related_name='children')
```

child.parent is a ForwardManyToOneDescriptor instance.

**storage\_box\_id**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**unpickled\_value****value**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**value\_type**

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

**tardis.tardis\_portal.models.token module**

```
class tardis.tardis_portal.models.token.Token (id, token, experiment, expiry_date, user)
    Bases: django.db.models.base.Model

exception DoesNotExist
    Bases: django.core.exceptions.ObjectDoesNotExist

exception MultipleObjectsReturned
    Bases: django.core.exceptions.MultipleObjectsReturned

experiment
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:
    

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')


    child.parent is a ForwardManyToOneDescriptor instance.

experiment_id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

expiry_date
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

get_next_by_expiry_date (**morekwargs)
get_previous_by_expiry_date (**morekwargs)

get_session_expiry()
    A token login should expire at the earlier of a) tomorrow at 4am b) the (end of) the token's expiry date

    It is the responsibility of token_auth to set the session expiry

id
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

is_expired()

objects = <tardis.tardis_portal.managers.OracleSafeManager object>

save_with_random_token()

token
    A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

user
    Accessor to the related object on the forward side of a many-to-one or one-to-one (via ForwardOneToOneDescriptor subclass) relation.

    In the example:
    

class Child(Model):
    parent = ForeignKey(Parent, related_name='children')


    child.parent is a ForwardManyToOneDescriptor instance.
```

### `user_id`

A wrapper for a deferred-loading field. When the value is read from this object the first time, the query is executed.

## Module contents

`models/__init__.py`

## `tardis.tardis_portal.publish` package

### Subpackages

#### `tardis.tardis_portal.publish.provider` package

### Submodules

#### `tardis.tardis_portal.publish.provider.rifcsprovider` module

```
class tardis.tardis_portal.publish.provider.rifcsprovider.RifCsProvider
Bases: object

can_publish(experiment)
get_rifcs_context(experiment)
get_template(experiment)
is_schema_valid(experiment)
```

## Module contents

### Submodules

#### `tardis.tardis_portal.publish.publishservice` module

```
class tardis.tardis_portal.publish.publishservice.PublishService(providers, experiment)

get_context()
get_template()
manage_rifcs(oaipath)
```

## Module contents

## `tardis.tardis_portal.storage` package

### Submodules

## tardis.tardis\_portal.storage.file\_system module

```
class tardis.tardis_portal.storage.file_system.MyTardisLocalFileSystemStorage(location=None,  
                                base_url=None)  
Bases: django.core.files.storage.FileSystemStorage
```

Simply changes the FileSystemStorage default store location to the MyTardis file store location. Makes it easier to migrate 2.5 installations.

### Module contents

```
class tardis.tardis_portal.storage.DummyStorage  
Bases: django.core.files.storage.Storage
```

Does nothing except serve as a place holder for Storage classes not implemented yet

## tardis.tardis\_portal.templatetags package

### Submodules

#### tardis.tardis\_portal.templatetags.approved\_user\_tags module

```
tardis.tardis_portal.templatetags.approved_user_tags.check_if_user_not_approved(request)  
Custom template filter to identify whether a user account is approved.
```

```
tardis.tardis_portal.templatetags.approved_user_tags.get_matching_authmethod(backend)
```

#### tardis.tardis\_portal.templatetags.basiccomparisonfilters module

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.gt(value, arg)  
Returns a boolean of whether the value is greater than the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.gte(value, arg)  
Returns a boolean of whether the value is greater than or equal to the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_gt(value,  
                     arg)  
Returns a boolean of whether the value's length is greater than the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_gte(value,  
                     arg)  
Returns a boolean of whether the value's length is greater than or equal to the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_lt(value,  
                     arg)  
Returns a boolean of whether the value's length is less than the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.length_lte(value,  
                     arg)  
Returns a boolean of whether the value's length is less than or equal to the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.lt(value, arg)  
Returns a boolean of whether the value is less than the argument.
```

```
tardis.tardis_portal.templatetags.basiccomparisonfilters.lte(value, arg)  
Returns a boolean of whether the value is less than or equal to the argument.
```

## tardis.tardis\_portal.templatetags.bleach\_tag module

```
tardis.tardis_portal.templatetags.bleach_tag.bleach_value(value)
```

## tardis.tardis\_portal.templatetags.capture module

```
class tardis.tardis_portal.templatetags.capture.CaptureNode(nodelist, varname)
```

Bases: django.template.base.Node

```
    render(context)
```

```
tardis.tardis_portal.templatetags.capture.capture(parser, token)
```

```
    {% capture as [foo] %}
```

## tardis.tardis\_portal.templatetags.dataset\_tags module

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_datafiles_badge(dataset=None,  
                           count=None)
```

Displays an badge with the number of datafiles for this experiment

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_experiments_badge(dataset)
```

Displays an badge with the number of datasets for this experiment

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_size_badge(dataset=None,  
                           size=None)
```

Displays an badge with the total size of the files in this experiment

```
tardis.tardis_portal.templatetags.dataset_tags.dataset_tiles(experiment,      in-  
                           clude_thumbnails)
```

## tardis.tardis\_portal.templatetags.dynurl module

```
class tardis.tardis_portal.templatetags.dynurl.DynUrlNode(*args)
```

Bases: django.template.base.Node

```
    render(context)
```

```
tardis.tardis_portal.templatetags.dynurl.dynurl(parser, token)
```

## tardis.tardis\_portal.templatetags.experiment\_tags module

```
tardis.tardis_portal.templatetags.experiment_tags.experiment_authors(experiment,  
                           **kwargs)
```

Displays an experiment's authors in an experiment list view

```
tardis.tardis_portal.templatetags.experiment_tags.experiment_badges(experiment,  
                           **kwargs)
```

Displays badges for an experiment for displaying in an experiment list view

```
tardis.tardis_portal.templatetags.experiment_tags.experiment_browse_item(experiment,  
                           **kwargs)
```

Displays an experiment for a browsing view.

```
tardis.tardis_portal.templatetags.experiment_tags.experiment_datafiles_badge(experiment)
```

Displays an badge with the number of datafiles for this experiment

```
tardis.tardis_portal.templatetags.experiment_tags.experiment_datasets_badge(experiment)
    Displays an badge with the number of datasets for this experiment

tardis.tardis_portal.templatetags.experiment_tags.experiment_download_link(experiment,
    **kwargs)
    Displays a download link for an experiment in a list view

tardis.tardis_portal.templatetags.experiment_tags.experiment_last_updated_badge(experiment)

tardis.tardis_portal.templatetags.experiment_tags.experiment_public_access_badge(experiment)
    Displays an badge the level of public access for this experiment

tardis.tardis_portal.templatetags.experiment_tags.experiment_size_badge(experiment)
    Displays an badge with the total size of the files in this experiment
```

### **tardis.tardis\_portal.templatetags.experimentstats module**

```
tardis.tardis_portal.templatetags.experimentstats.experiment_file_count(value)
```

### **tardis.tardis\_portal.templatetags.facility\_tags module**

```
tardis.tardis_portal.templatetags.facility_tags.check_if_facility_manager(request)
    Custom template filter to identify whether a user is a facility manager.
```

### **tardis.tardis\_portal.templatetags.feed module**

```
tardis.tardis_portal.templatetags.feed.todatetime(value)
```

### **tardis.tardis\_portal.templatetags.formfieldfilters module**

This module holds filters that can be used in postprocessing a form field.

@author: Gerson Galang

```
tardis.tardis_portal.templatetags.formfieldfilters.parametername_form(value)
    Removes all values of arg from the given string

tardis.tardis_portal.templatetags.formfieldfilters.sanitize_html(html,
    bad_tags=['body'])
    Removes identified malicious HTML content from the given string.

tardis.tardis_portal.templatetags.formfieldfilters.size(value, actualSize)
    Add the size attribute to the text field.
```

### **tardis.tardis\_portal.templatetags.lookupfilters module**

```
tardis.tardis_portal.templatetags.lookupfilters.get_item(dictionary, key)
    Returns a value from a dictionary.
```

## tardis.tardis\_portal.templatetags.pagination module

```
tardis.tardis_portal.templatetags.pagination.pagination(data_list, paginator,  
page_num, query_string)
```

Generates the series of links to the pages in a paginated list.

```
tardis.tardis_portal.templatetags.pagination.paginator_number(data_list, paginator,  
page_num, query_string,  
page_index)
```

Generates an individual page index link in a paginated list.

## tardis.tardis\_portal.templatetags.xmldate module

```
tardis.tardis_portal.templatetags.xmldate.toxmldatetime(value)
```

### Module contents

#### tardis.tardis\_portal.tests package

##### Subpackages

##### tardis.tardis\_portal.tests.api package

###### Submodules

###### tardis.tardis\_portal.tests.api.test\_auth module

Testing authentication and authorization in the Tastypie-based MyTardis REST API

```
class tardis.tardis_portal.tests.api.test_auth.ACLAuthorizationTest(methodName='runTest')
```

Bases: django.test.testcases.TestCase

```
class tardis.tardis_portal.tests.api.test_auth.MyTardisAuthenticationTest(methodName='runTest')
```

Bases: tardis.tardis\_portal.tests.api.MyTardisResourceTestCase

```
    test_apikey_authentication()
```

```
    test_bad_credentials()
```

###### tardis.tardis\_portal.tests.api.test\_datafile\_metadata\_resources module

Testing the DatafileParameter and DatafileParameterSet resources in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_datafile_metadata_resources.DatafileParameterReso  
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

```
class tardis.tardis_portal.tests.api.test_datafile_metadata_resources.DatafileParameterSet  
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

## tardis.tardis\_portal.tests.api.test\_datafile\_resource module

Testing the DataFile resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_datafile_resource.DataFileResourceTest (methodName='r
Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_create_df_for_staging()
test_download_file()
    Re-run the upload test in order to create a verified file to download - it will be verified immediately because
    CELERY_ALWAYS_EAGER is True in test_settings.py
    Then download the file, check the HTTP status code and check the file content.

test_post_single_file()
test_shared_fs_many_files()
    tests sending many files with known permanent location (useful for Australian Synchrotron ingestions)
test_shared_fs_single_file()
```

## tardis.tardis\_portal.tests.api.test\_dataset\_metadata\_resources module

Testing the DatasetParameter and DatasetParameterSet resources in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_dataset_metadata_resources.DatasetParameterResou
Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

class tardis.tardis_portal.tests.api.test_dataset_metadata_resources.DatasetParameterSetRes
Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_create_dataset_pset()
    Test creating a dataset parameter set
test_create_dataset_pset_no_auth()
    Test attempting to create a dataset parameter set without access
test_post_dataset_with_params()
    Test creating a dataset with metadata
```

## tardis.tardis\_portal.tests.api.test\_dataset\_resource module

Testing the Dataset resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_dataset_resource.DatasetResourceTest (methodName='r
Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_get_dataset_files()
```

```
test_get_dataset_filter_instrument()
test_get_dataset_no_instrument()
test_get_dataset_with_instrument()
test_post_dataset()
```

### tardis.tardis\_portal.tests.api.test\_experiment\_metadata\_resources module

Testing the ExperimentParameter and ExperimentParameterSet resources in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_experiment_metadata_resources.ExperimentParameterTest
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

class tardis.tardis_portal.tests.api.test_experiment_metadata_resources.ExperimentParameterSetTest
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

### tardis.tardis\_portal.tests.api.test\_experiment\_resource module

Testing the Experiment resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_experiment_resource.ExperimentResourceTest(methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    test_get_experiment()
    test_get_experiment_author()
    test_post_experiment()
```

### tardis.tardis\_portal.tests.api.test\_facility\_resource module

Testing the Facility resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_facility_resource.FacilityResourceTest(methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    test_get_facility_by_id()
    test_get_facility_by_manager_group_id()
        This type of query can be used to iterate through a user's groups, and use each group's id to determine which facilities a user manages, i.e. a way to obtain the functionality implemented by facilities_managed_by() via the API
    test_get_facility_by_name()
```

### tardis.tardis\_portal.tests.api.test\_group\_resource module

Testing the Group resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_group_resource.GroupResourceTest(methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    test_get_group_by_id()
```

```
test_get_group_by_name()
```

### tardis.tardis\_portal.tests.api.test\_instrument\_resource module

Testing the Instrument resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_instrument_resource.InstrumentResourceTest(methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    test_get_instrument_by_id()
    test_get_instrument_by_name()
    test_post_instrument()
    test_rename_instrument()
    test_unauthorized_instrument_access_attempt()
```

### tardis.tardis\_portal.tests.api.test\_replica\_resource module

Testing the Replica resource in MyTardis's Tastypie-based REST API

“Replica” was the old name for what is now known as a DataFileObject in MyTardis. The API v1 endpoint is still /api/v1/replica/

```
class tardis.tardis_portal.tests.api.test_replica_resource.ReplicaResourceTest(methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase
```

### tardis.tardis\_portal.tests.api.test\_schema\_resource module

Testing the Schema resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_schema_resource.SchemaResourceTest(methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_get_schema_by_id()
    test_get_schema_by_namespace()
```

### tardis.tardis\_portal.tests.api.test\_serializer module

Testing the serializer in the Tastypie-based MyTardis REST API

```
class tardis.tardis_portal.tests.api.test_serializer.SerializerTest(methodName='runTest')
    Bases: django.test.testcases.TestCase

    test_debug_serializer()
    test_pretty_serializer()
```

## tardis.tardis\_portal.tests.api.test\_storagebox\_resources module

Testing the StorageBox resources in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_storagebox_resources.StorageBoxAttributeResourceTest
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

        test_get_storage_box_attr_list_from_box_id()

class tardis.tardis_portal.tests.api.test_storagebox_resources.StorageBoxOptionResourceTest
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

        test_get_storage_box_option_by_id()
        test_get_storage_box_option_list_from_box_id()

class tardis.tardis_portal.tests.api.test_storagebox_resources.StorageBoxResourceTest (method)
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

        test_get_storage_box_by_id()
```

## tardis.tardis\_portal.tests.api.test\_user\_resource module

Testing the User resource in MyTardis's Tastypie-based REST API

```
class tardis.tardis_portal.tests.api.test_user_resource.UserResourceTest (methodName='runTest')
    Bases: tardis.tardis_portal.tests.api.MyTardisResourceTestCase

        test_get_user_by_id()
        test_get_user_by_username()
```

## Module contents

Testing the tastypie-based mytardis api

```
class tardis.tardis_portal.tests.api.MyTardisResourceTestCase (methodName='runTest')
    Bases: tastypie.test.ResourceTestCaseMixin, django.test.testcases.TestCase

    abstract class without tests to combine common settings in one place

    get_admin_credentials()
    get_apikey_credentials()
    get_credentials()
    setUp()
        Hook method for setting up the test fixture before exercising it.
```

## tardis.tardis\_portal.tests.auth package

### Module contents

## tardis.tardis\_portal.tests.management package

### Submodules

### tardis.tardis\_portal.tests.management.test\_collectstatic module

```
class tardis.tardis_portal.tests.management.test_collectstatic.CollectstaticTest (methodName='')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_collectstatic()
```

### tardis.tardis\_portal.tests.management.test\_createuser module

```
class tardis.tardis_portal.tests.management.test_createuser.CreateUserTestCase (methodName='r')
    Bases: django.test.testcases.TestCase

    testInteractive()
        Just test that we can run ./manage.py createuser without any runtime exceptions by mocking the raw_input
        username and email entry

    testNoInput()
        Just test that we can run ./manage.py createuser --username testuser1 --email testuser1@example.com
        --noinput without any runtime exceptions
```

### tardis.tardis\_portal.tests.management.test\_dumpschemas module

```
class tardis.tardis_portal.tests.management.test_dumpschemas.DumpSchemasTestCase (methodName='')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    testDumpSchemas()
        Just test that we can run ./manage.py dumpschemas without any runtime exceptions
```

### tardis.tardis\_portal.tests.management.test\_loadschemas module

```
class tardis.tardis_portal.tests.management.test_loadschemas.LoadSchemasTestCase (methodName='')
    Bases: django.test.testcases.TestCase

    testLoadSchemas()
        Test that we can run ./manage.py loadschemas tardis/tardis_portal/fixtures/jeol_metadata_schema.json
```

### tardis.tardis\_portal.tests.management.test\_rmexperiment module

```
class tardis.tardis_portal.tests.management.test_rmexperiment.RmExperimentTestCase (methodName='')
    Bases: django.test.testcases.TestCase

    testList()
```

```
testRemove()
```

## Module contents

This package contains tests relating to management commands, i.e. command-line tools invoked with manage.py

### tardis.tardis\_portal.tests.views package

#### Submodules

##### tardis.tardis\_portal.tests.views.test\_auth\_views module

test\_auth\_views.py

Tests for view methods relating to users, groups, access controls and authorization

```
class tardis.tardis_portal.tests.views.test_auth_views.ManageAccountTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    test_manage_account (**keywargs)

class tardis.tardis_portal.tests.views.test_auth_views.RightsTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    test_rights_require_valid_owner()

class tardis.tardis_portal.tests.views.test_auth_views.UserGroupListsTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_get_group_list()
    test_get_user_list()

class tardis.tardis_portal.tests.views.test_auth_views.UserListTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    User lists are used for autocompleting the user-to-share-with field when granting access to an experiment

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_get_user_list()
```

##### tardis.tardis\_portal.tests.views.test\_contextual\_views module

test\_contextual\_views.py

Tests for view methods supplying context data to templates

```
class tardis.tardis_portal.tests.views.test_contextual_views.ContextualViewTest (methodName='')
Bases: django.test.testcases.TestCase

setUp()
    setting up essential objects, copied from tests above

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_details_display()
    test display of view for an existing schema and no display for an undefined one.
```

### tardis.tardis\_portal.tests.views.test\_experiment\_views module

test\_experiment\_views.py

Tests for view methods relating to experiments

```
class tardis.tardis_portal.tests.views.test_experiment_views.ExperimentTestCase (methodName='')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_create_and_edit (**kwargs)
test_dataset_json()
```

### tardis.tardis\_portal.tests.views.test\_template\_contexts module

test\_template\_contexts.py

Tests for view methods supplying context data to templates

```
class tardis.tardis_portal.tests.views.test_template_contexts.ExperimentListsTest (methodName='')
Bases: django.test.testcases.TestCase

setUp()
    setting up essential objects, copied from tests above

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_mydata_view (**kwargs)
    Test My Data view

test_shared_view (**kwargs)
    Test Shared view

class tardis.tardis_portal.tests.views.test_template_contexts.ViewTemplateContextsTest (methodName='')
Bases: django.test.testcases.TestCase

setUp()
    setting up essential objects, copied from tests above

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_dataset_view (**kwargs)
    test some context parameters for a dataset view
```

```
test_experiment_view(**keywargs)
    test some template context parameters for an experiment view
```

## tardis.tardis\_portal.tests.views.test\_upload\_views module

test\_upload\_views.py

Tests for view methods relating to uploads

```
class tardis.tardis_portal.tests.views.test_upload_views.UploadTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_file_upload()
    test_upload_complete()
```

## Module contents

Tests for view methods in tardis/tardis\_portal/views/

## Submodules

### tardis.tardis\_portal.tests.ldap\_ldif module

### tardis.tardis\_portal.tests.slapd module

Utilities for starting up a test slapd server and talking to it with ldapsearch/ldapadd.

```
class tardis.tardis_portal.tests.slapd.Slapd
    Controller class for a slapd instance, OpenLDAP's server.
```

This class creates a temporary data store for slapd, runs it on a private port, and initialises it with a top-level dc and the root user.

When a reference to an instance of this class is lost, the slapd server is shut down.

```
PATH_LDAPADD = None
PATH_LDAPSEARCH = None
PATH_SCHEMA_DIR = '/home/docs/checkouts/readthedocs.org/user_builds/mytardis/checkouts'
PATH_SLAPD = None
PATH_SLAPTEST = None
PATH_TMPDIR = '/tmp/tmpLcbxcC'
TEST_UTILS_DIR = '/home/docs/checkouts/readthedocs.org/user_builds/mytardis/checkouts/'

@classmethod def check_paths():
    Checks that the configured executable paths look valid. If they don't, then logs warning messages (not errors).
```

---

```

configure (cfg)
    Appends slapd.conf configuration lines to cfg. Also re-initializes any backing storage. Feel free to subclass and override this method.

get_address ()
get_dn_suffix ()
get_root_dn ()
get_root_password ()
get_tmpdir ()
get_url ()

ldapadd (ldif, extra_args=[])
    Runs ldapadd on this slapd instance, passing it the ldif content

ldapsearch (base=None, filter='(objectClass=*)', attrs=[], scope='sub', extra_args=[])

restart ()
    Restarts the slapd server; ERASING previous content. Starts the server even if isn't already running.

set_debug ()
set_dn_suffix (dn)
set_port (port)
set_root_cn (cn)
set_root_password (pw)
set_slapd_debug_level (level)
set_tmpdir (path)
start ()
    Starts the slapd server process running, and waits for it to come up.

started ()
    This method is called when the LDAP server has started up and is empty. By default, this method adds the two initial objects, the domain object and the root user object.

stop ()
    Stops the slapd server, and waits for it to terminate

wait ()
    Waits for the slapd process to terminate by itself.

tardis.tardis_portal.tests.slapd.delete_directory_content (path)
tardis.tardis_portal.tests.slapd.find_available_tcp_port (host='127.0.0.1')
tardis.tardis_portal.tests.slapd.mkdirs (path)
    Creates the directory path unless it already exists

tardis.tardis_portal.tests.slapd.quote (s)
    Quotes the " and characters in a string and surrounds with “...”

tardis.tardis_portal.tests.slapd.which (executable)

```

## tardis.tardis\_portal.tests.test\_authentication module

Created on 19/01/2011

```
class tardis.tardis_portal.tests.test_authentication.AuthenticationTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

testManageAuthMethods (**kwargs)
testSimpleAuthenticate()
test_djangoauth()
```

## tardis.tardis\_portal.tests.test\_authorisation module

```
class tardis.tardis_portal.tests.test_authorisation.ObjectACLTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testCantEditLockedExperiment (**kwargs)
testChangeUserPermissions (**kwargs)
testOwnedExperiments()
testReadAccess (**kwargs)
testWriteAccess (**kwargs)
urls = 'tardis.urls'
```

## tardis.tardis\_portal.tests.test\_authservice module

```
class tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

testAuthenticate()
testGetGroupsForEntity()
testGroupProvider()
testGroupSearch()
testInitialisation()

class tardis.tardis_portal.tests.test_authservice.MockAuthProvider
```

```

authenticate(request)

class tardis.tardis_portal.tests.test_authservice.MockGroupProvider
    Bases: tardis.tardis_portal.auth.interfaces.GroupProvider

        getGroupById(id)
        getGroups(user)
        getGroupsForEntity(id)
        searchGroups(**filter)

class tardis.tardis_portal.tests.test_authservice.MockRequest
    Bases: django.http.request.HttpRequest

        setPost(field, value)

class tardis.tardis_portal.tests.test_authservice.MockSettings
    Bases: object

```

### tardis.tardis\_portal.tests.test\_copy\_move module

test\_copy\_move.py

Test copying and moving a file to another storage box

```

class tardis.tardis_portal.tests.test_copy_move.CopyMoveTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

        Test copying and moving files between storage boxes

        setUp()
            Hook method for setting up the test fixture before exercising it.

        tearDown()
            Hook method for deconstructing the test fixture after testing it.

        test_cache()
            Test caching a file from a slow-access storage box

        test_copy()
            Test copying a file to another storage box

        test_move()
            Test moving a file to another storage box

```

### tardis.tardis\_portal.tests.test\_download module

```

class tardis.tardis_portal.tests.test_download.DownloadTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

        setUp()
            Hook method for setting up the test fixture before exercising it.

        tearDown()
            Hook method for deconstructing the test fixture after testing it.

        testDatasetFile()

        testDownload(**keywargs)

```

```
testView(**keywargs)
tardis.tardis_portal.tests.test_download.get_size_and_sha512sum(testfile)
```

### tardis.tardis\_portal.tests.test\_download\_apikey module

```
class tardis.tardis_portal.tests.test_download_apikey.ApiKeyDownloadTestCase (methodName='runTest')
Bases: tastypie.test.ResourceTestCaseMixin, django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_download_apikey()
```

### tardis.tardis\_portal.tests.test\_facility\_overview module

Tests relating to facility overview

```
class tardis.tardis_portal.tests.test_facility_overview.FacilityOverviewTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_facility_overview_datafile_list()
test_facility_overview_experiments()
    Despite the name of the test_facility_overview_experiments method, it actually returns a JSON list of
    datasets (not experiments)
```

### tardis.tardis\_portal.tests.test\_forms module

test\_models.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.test_forms.RightsFormTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_ensures_suitable_license()
test_needs_confirmation()
```

### tardis.tardis\_portal.tests.test\_iiif module

```
class tardis.tardis_portal.tests.test_iiif.ExtraTestCases (methodName='runTest')
Bases: django.test.testcases.TestCase

As per: http://library.stanford.edu/iiif/image-api/compliance.html

setUp()
    Hook method for setting up the test fixture before exercising it.
```

```
testImageCacheControl()
testImageHasEtags()
testInfoHasEtags()

class tardis.tardis_portal.tests.test_iiif.Level0TestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

As per: http://library.stanford.edu/iiif/image-api/compliance.html

setUp()
    Hook method for setting up the test fixture before exercising it.

testCanGetInfoAsJSON()
testCanGetInfoAsXML()
testCanGetOriginalImage()

class tardis.tardis_portal.tests.test_iiif.Level1TestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

As per: http://library.stanford.edu/iiif/image-api/compliance.html

setUp()
    Hook method for setting up the test fixture before exercising it.

testCanGetJpegFormat()
testHandleRegions()
testHandleRotation()
testHandleSizing()

class tardis.tardis_portal.tests.test_iiif.Level2TestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

As per: http://library.stanford.edu/iiif/image-api/compliance.html

setUp()
    Hook method for setting up the test fixture before exercising it.

testCanGetRequiredFormats()
testHandleSizing()
```

## tardis.tardis\_portal.tests.test\_ldap module

```
class tardis.tardis_portal.tests.test_ldap.LDAPErrorTest (methodName='runTest')
Bases: django.test.testcases.TestCase

test_search()

class tardis.tardis_portal.tests.test_ldap.LDAPTest (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_authenticate()
```

```
test_getgroupbyid()
test_getgroups()
test_getgroupsforentity()
test_getuserbyid()
test_search()
test_searchgroups()
```

### tardis.tardis\_portal.tests.test\_models module

test\_models.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.test_models.ModelTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

test_authors()
test_create_user_automatically_generate_api_key()
test_datafile(**kwargs)
test_dataset()
test_deleting_dfo_without_uri()
test_experiment()
test_instrument()
test_parameter()
```

### tardis.tardis\_portal.tests.test\_parameters module

test\_parameters.py

```
class tardis.tardis_portal.tests.test_parameters.ParametersTestCase (methodName='runTest')
Bases: django.test.testcases.TestCase

Tests for the different parameter types, defined in the tardis.tardis_portal.models.parameters.ParameterName
class:

NUMERIC, STRING, URL, LINK, FILENAME, DATETIME, LONGSTRING and JSON

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_experiment_parameter_get()
    Test the Parameter class's get() method which should return an appropriate string representation of the
    parameter which depends on the parameter's data type:

    NUMERIC, STRING, URL, LINK, FILENAME, DATETIME, LONGSTRING or JSON
```

**test\_image\_filename\_parameters()**

When a FILENAME parameter refers to a thumbnail image file, MyTardis can generate a HTML for displaying that image.

This method tests the generation of the image HTML

**test\_link\_urls()**

Test URLs generated for parameters which link to MyTardis model records

**test\_permissions\_checks()**

Test permissions checks, used by tardis.tardis\_portal.auth.authorisation

## tardis.tardis\_portal.tests.test\_parametersets module

test\_parametersets.py <http://docs.djangoproject.com/en/dev/topics/testing/>

**class** tardis.tardis\_portal.tests.test\_parametersets.**EditParameterSetTestCase** (*methodName*='runTests')

Bases: django.test.testcases.TestCase

**setUp()**

Hook method for setting up the test fixture before exercising it.

**tearDown()**

Hook method for deconstructing the test fixture after testing it.

**test\_add\_datafile\_params()****test\_add\_dataset\_params()****test\_add\_experiment\_params()****test\_edit\_datafile\_params()****test\_edit\_dataset\_params()****test\_edit\_experiment\_params()**

**class** tardis.tardis\_portal.tests.test\_parametersets.**ParameterSetManagerTestCase** (*methodName*='runTests')

Bases: django.test.testcases.TestCase

**setUp()**

Hook method for setting up the test fixture before exercising it.

**tearDown()**

Hook method for deconstructing the test fixture after testing it.

**test\_existing\_parameterset()****test\_link\_parameter\_type()**

Test that Parameter.link\_gfk (GenericForeignKey) is correctly assigned after using Parameter.set\_value(some\_url) for a LINK Parameter.

**test\_link\_parameter\_type\_extra()****test\_new\_parameterset()****test\_parameterset\_as\_string()****test\_tz\_aware\_date\_handling()**

Ensure that dates are handling in a timezone-aware way.

**test\_tz\_naive\_date\_handling()**

Ensure that dates are handling in a timezone-aware way.

**test\_unresolvable\_link\_parameter()**

Test that LINK Parameters that can't be resolved to a model (including non-URL values) still work.

**tardis.tardis\_portal.tests.test\_publishservice module**

```
class tardis.tardis_portal.tests.test_publishservice.MockRifCsProvider
    Bases: tardis.tardis_portal.publish.provider.rifcsprovider.RifCsProvider

    get_beamline(experiment)
    get_license_uri(experiment)
    get_rifcs_context(experiment)
    get_template(experiment)
        tardis.test_settings adds this to the template dirs: tardis/tardis_portal/tests/rifcs/
    is_schema_valid(experiment)

class tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    testContext()
    testInitialisation()
    testInitialisationNoProvider()
    testManageRifCsCheckContent()
    testManageRifCsCreateAndRemove()
```

**tardis.tardis\_portal.tests.test\_storage module**

test\_storage.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.test_storage.ModelTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.

    tearDown()
        Hook method for deconstructing the test fixture after testing it.

    test_get_receiving_box()
    test_storageboxoption()
```

**tardis.tardis\_portal.tests.test\_tar\_download module**

```
class tardis.tardis_portal.tests.test_tar_download.TarDownloadTestCase(methodName='runTest')
    Bases: django.test.testcases.TestCase

    setUp()
        Hook method for setting up the test fixture before exercising it.
```

```
tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_tar_experiment_download()
```

### tardis.tardis\_portal.tests.test\_tasks module

```
class tardis.tardis_portal.tests.test_tasks.BackgroundTaskTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    As per: http://library.stanford.edu/iiif/image-api/compliance.html

setUp()
    Hook method for setting up the test fixture before exercising it.

testLocalFile()

test_wrong_size_verification()
```

### tardis.tardis\_portal.tests.test\_tokens module

```
test_tokens.py

class tardis.tardis_portal.tests.test_tokens.FrozenTime (*args, **kwargs)
```

```
    classmethod freeze_time (time)

    classmethod now()

class tardis.tardis_portal.tests.test_tokens.TokenTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

setUp()
    Hook method for setting up the test fixture before exercising it.

tearDown()
    Hook method for deconstructing the test fixture after testing it.

test_create_token (**keywargs)

test_default_expiry()

test_get_session_expiry()

test_get_session_expiry_expired_token()

test_get_session_expiry_near_expiry()

test_is_expired()

test_retrieve_access_list_tokens()

test_save_with_random_token()

test_save_with_random_token_failures()

test_save_with_random_token_gives_up()

test_token_delete (**keywargs)

urls = 'tardis.tardis_portal.tests.urls'
```

## tardis.tardis\_portal.tests.tests module

tests.py <http://docs.djangoproject.com/en/dev/topics/testing/>

```
class tardis.tardis_portal.tests.UserInterfaceTestCase (methodName='runTest')
    Bases: django.test.testcases.TestCase

    test_login()
    test_root (**kwargs)
    test_urls (**kwargs)
    test_urls_with_some_content (**kwargs)
tardis.tardis_portal.tests.suite()
```

## tardis.tardis\_portal.tests.urls module

### Module contents

#### tardis.tardis\_portal.views package

##### Submodules

##### tardis.tardis\_portal.views.ajax\_actions module

views that perform some action and don't return anything very useful

##### tardis.tardis\_portal.views.ajax\_json module

views that return JSON data

```
tardis.tardis_portal.views.ajax_json.retrieve_licenses (request)
```

##### tardis.tardis\_portal.views.ajax\_pages module

views that return HTML that is injected into pages

```
tardis.tardis_portal.views.ajax_pages.experiment_public_access_badge (request,
    experi-
    ment_id)
```

```
tardis.tardis_portal.views.ajax_pages.retrieve_owned_exps_list (request, *args,
    **kwargs)
```

```
tardis.tardis_portal.views.ajax_pages.retrieve_shared_exps_list (request, *args,
    **kwargs)
```

##### tardis.tardis\_portal.views.authentication module

views that have to do with authentication

```
tardis.tardis_portal.views.authentication.create_user (request, *args, **kwargs)
```

```
tardis.tardis_portal.views.authentication.login(request, *args, **kwargs)
    handler for login page

tardis.tardis_portal.views.authentication.logout(request)

tardis.tardis_portal.views.authentication.manage_auth_methods(request,      *args,
                                                               **kwargs)
    Manage the user's authentication methods using AJAX.

tardis.tardis_portal.views.authentication.manage_user_account(request,      *args,
                                                               **kwargs)

tardis.tardis_portal.views.authentication.rcauth(*args, **kwargs)
```

## **tardis.tardis\_portal.views.authorisation module**

views that have to do with authorisations

```
tardis.tardis_portal.views.authorisation.create_group(*args, **kwargs)

tardis.tardis_portal.views.authorisation.manage_groups(request, *args, **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_access_list_group_READONLY(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_access_list_user_READONLY(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_group_list(request,      *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_group_list_by_user(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_group_userlist_READONLY(request,
                                                               *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.retrieve_user_list(request,      *args,
                                                               **kwargs)

tardis.tardis_portal.views.authorisation.share(request, experiment_id)
    Choose access rights and licence.

tardis.tardis_portal.views.authorisation.token_delete(request, *args, **kwargs)
```

## **tardis.tardis\_portal.views.facilities module**

views relevant for facilities and the facility view

```
tardis.tardis_portal.views.facilities.dataset_aggregate_info(dataset)

tardis.tardis_portal.views.facilities.datetime_to_us(dt)
    The datetime objects are kept as None if they aren't set, otherwise they're converted to milliseconds so AngularJS can format them nicely.
```

```
tardis.tardis_portal.views.facilities.facility_overview_data_count(request,  
                                *args,  
                                **kwargs)  
    returns the total number of datasets for pagination in json format  
  
tardis.tardis_portal.views.facilities.facility_overview_datafile_list(dataset)  
  
tardis.tardis_portal.views.facilities.facility_overview_dataset_detail(request,  
                                *args,  
                                **kwargs)  
  
tardis.tardis_portal.views.facilities.facility_overview_experiments(request,  
                                *args,  
                                **kwargs)  
    json facility datasets  
  
tardis.tardis_portal.views.facilities.facility_overview_facilities_list(request,  
                                *args,  
                                **kwargs)  
    json list of facilities managed by the current user
```

### tardis.tardis\_portal.views.images module

views that return images or route to images

```
tardis.tardis_portal.views.images.load_datafile_image(request, parameter_id)  
tardis.tardis_portal.views.images.load_dataset_image(request, parameter_id)  
tardis.tardis_portal.views.images.load_experiment_image(request, parameter_id)  
tardis.tardis_portal.views.images.load_image(request, *args, **kwargs)
```

### tardis.tardis\_portal.views.machine module

views that return data useful only to other machines (but not JSON)

```
tardis.tardis_portal.views.machine.site_settings(request)
```

### tardis.tardis\_portal.views.pages module

views that render full pages

```
class tardis.tardis_portal.views.pages.DatasetView(**kwargs)  
    Bases: django.views.generic.base.TemplateView  
  
    find_custom_view_override(request, dataset)  
        Determines if any custom view overrides have been defined in settings.DATASET_VIEWS and returns  
        the view function if a match to one the schemas for the dataset is found. (DATASET_VIEWS is a list of  
(schema_namespace, view_function) tuples).
```

#### Parameters

- **request** –
- **dataset** –

#### Returns

#### Return type

---

```
get(request, *args, **kwargs)
```

View an existing dataset.

This default view can be overriden by defining a dictionary DATASET\_VIEWS in settings.

#### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **args** (`list`) –
- **kwargs** (`dict`) –

**Returns** The Django response object

**Return type** `django.http.HttpResponse`

```
get_context_data(request, dataset, **kwargs)
```

Prepares the values to be passed to the default dataset view, respecting authorization rules. Returns a dict of values (the context).

#### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **dataset** (`tardis.tardis_portal.models.dataset.Dataset`) – the Dataset model instance
- **kwargs** (`dict`) –

**Returns** A dictionary of values for the view/template.

**Return type** `dict`

```
template_name = 'tardis_portal/view_dataset.html'
```

```
class tardis.tardis_portal.views.pages.ExperimentView(**kwargs)
```

Bases: `django.views.generic.base.TemplateView`

```
find_custom_view_override(request, experiment)
```

```
get(request, *args, **kwargs)
```

View an existing experiment.

This default view can be overriden by defining a dictionary EXPERIMENT\_VIEWS in settings.

#### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP Request instance
- **args** (`list`) –
- **kwargs** (`dict`) – In kwargs: param int experiment\_id: the ID of the experiment

**Returns** an `HttpResponse`

**Return type** `django.http.HttpResponse`

```
get_context_data(request, experiment, **kwargs)
```

Prepares the values to be passed to the default experiment view, respecting authorization rules. Returns a dict of values (the context).

#### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **experiment** (`tardis.tardis_portal.models.experiment.Experiment`) – the experiment model instance

- **kwargs** (*dict*) – kwargs

**Returns** A dictionary of values for the view/template.

**Return type** *dict*

```
template_name = 'tardis_portal/view_experiment.html'

class tardis.tardis_portal.views.pages.IndexView(**kwargs)
    Bases: django.views.generic.base.TemplateView
```

**get** (*request*, \**args*, \*\**kwargs*)

The index view, intended to render the front page of the MyTardis site listing recent experiments.

This default view can be overridden by defining a dictionary INDEX\_VIEWS in settings which maps SITE\_ID's or domain names to an alternative view function (similar to the DATASET\_VIEWS or EXPERIMENT\_VIEWS overrides).

**Parameters**

- **request** (*django.http.HttpRequest*) – a HTTP request object
- **args** (*list*) –
- **kwargs** (*dict*) –

**Returns** The Django response object

**Return type** *django.http.HttpResponse*

**get\_context\_data** (\**args*, \*\**kwargs*)

```
template_name = 'tardis_portal/index.html'
```

```
tardis.tardis_portal.views.pages.about(request)
```

```
tardis.tardis_portal.views.pages.add_dataset(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.pages.create_experiment(request, *args, **kwargs)
```

Create a new experiment view.

**Parameters**

- **request** (*django.http.HttpRequest*) – a HTTP Request instance
- **template\_name** (*string*) – the path of the template to render

**Returns** an *HttpResponse*

**Return type** *django.http.HttpResponse*

```
tardis.tardis_portal.views.pages.edit_dataset(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.pages.facility_overview(request, *args, **kwargs)
```

summary of experiments in a facility

```
tardis.tardis_portal.views.pages.healthz(request)
```

returns that the server is alive

```
tardis.tardis_portal.views.pages.my_data(request, *args, **kwargs)
```

show owned data with credential-based access

```
tardis.tardis_portal.views.pages.public_data(request)
```

list of public experiments

```
tardis.tardis_portal.views.pages.shared(request, *args, **kwargs)
```

show shared data with credential-based access

```
tardis.tardis_portal.views.pages.site_routed_view(request, _default_view,
                                              _site_mappings, *args, **kwargs)
```

Allows a view to be overridden based on the Site (eg domain) for the current request. Takes a default fallback view (\_default\_view) and a dictionary mapping Django Sites (domain name or int SITE\_ID) to views. If the current request matches a Site in the dictionary, that view is used instead of the default.

The intention is to define {site: view} mappings in settings.py, and use this wrapper view in urls.py to allow a single URL to be routed to different views depending on the Site in the request.

#### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP request object
- **\_default\_view** (`types.FunctionType` / `str`) – The default view if no Site in \_site\_mappings matches the current Site.
- **\_site\_mappings** (`dict`) – A dictionary mapping Django sites to views (sites are specified as either a domain name str or int SITE\_ID).
- **args** –
- **kwargs** –

**Returns** A view function

**Return type** `types.FunctionType`

```
tardis.tardis_portal.views.pages.stats(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.pages.use_rapid_connect(fn)
```

A decorator that adds AAF Rapid Connect settings to a get\_context\_data method.

**Parameters** **fn** (`types.FunctionType`) – A get\_context\_data function/method.

**Returns** A get\_context\_data function that adds RAPID\_CONNECT\_\* keys to its output context.

**Return type** `types.FunctionType`

```
tardis.tardis_portal.views.pages.user_guide(request)
```

## tardis.tardis\_portal.views.parameters module

views to do with metadata, parameters etc. Mostly ajax page inclusions

```
tardis.tardis_portal.views.parameters.add_datafile_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.add_dataset_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.add_experiment_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.add_par(request, parentObject, otype, stype)
```

```
tardis.tardis_portal.views.parameters.edit_datafile_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.edit_dataset_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.edit_experiment_par(request, *args, **kwargs)
```

```
tardis.tardis_portal.views.parameters.edit_parameters(request, parameterSet, otype)
```

## tardis.tardis\_portal.views.upload module

views for uploading files via HTTP

```
tardis.tardis_portal.views.upload.upload_complete(request, template_name='tardis_portal/upload_complete.html')
```

The ajax-loaded result of a file being uploaded

### Parameters

- **request** (`django.http.HttpRequest`) – a HTTP Request instance
- **template\_name** (`string`) – the path of the template to render

**Returns** an `HttpResponse`

**Return type** `django.http.HttpResponse`

## tardis.tardis\_portal.views.utils module

helper functions used by other views

```
class tardis.tardis_portal.views.utils.HttpResponseMethodNotAllowed(*args, **kwargs)
Bases: django.http.response.HttpResponse
status_code = 303

class tardis.tardis_portal.views.utils.HttpResponseSeeAlso(redirect_to, *args, **kwargs)
Bases: django.http.response.HttpResponseRedirect
status_code = 303

tardis.tardis_portal.views.utils.feedback(request)
tardis.tardis_portal.views.utils.get_dataset_info(dataset, include_thumbnail=False, exclude=None)
tardis.tardis_portal.views.utils.remove_csrf_token(request)
```

rather than fixing the form code that loops over all POST entries indiscriminately, I am removing the csrf token with this hack. This is only required in certain form code and can be removed should this ever be fixed

## Module contents

importing all views files here, so that any old code will work as expected, when importing from `tardis.tardis_portal.views`

## Submodules

### tardis.tardis\_portal.ParameterSetManager module

```
class tardis.tardis_portal.ParameterSetManager(ParameterSetManager(parameterset=None, parentObject=None, schema=None))
Bases: object
```

---

```

blank_param = None
delete_all_params()
delete_params(parname)
get_param(parname, value=False)
get_params(parname, value=False)
get_schema()
new_param(parname, value, fullparname=None)
parameters = None
parameterset = None
set_param(parname, value, fullparname=None, example_value=None)
set_param_list(parname, value_list, fullparname=None)
set_params_from_dict(params_dict)

```

## tardis.tardis\_portal.admin module

```

class tardis.tardis_portal.admin.DataFileObjectInline(parent_model, admin_site)
    Bases: django.contrib.admin.options.TabularInline

    extra = 0
    form
        alias of DataFileObjectInlineForm
    media
    model
        alias of tardis.tardis_portal.models.datafile.DataFileObject

class tardis.tardis_portal.admin.DataFileObjectInlineForm(data=None, files=None,
    auto_id=u'id_%s', prefix=None, initial=None,
    error_class=<class 'django.forms.utils.ErrorList'>,
    label_suffix=None,
    empty_permitted=False,
    instance=None,
    use_required_attribute=None)
    Bases: django.forms.models.ModelForm

    class Meta

        fields = '__all__'
        model
            alias of tardis.tardis_portal.models.datafile.DataFileObject
        widgets = {'uri': <django.forms.widgets.TextInput object>}
        base_fields = {'datafile': <django.forms.models.ModelChoiceField object>, 'last_verified'}
        declared_fields = {}
        media

```

```
class tardis.tardis_portal.admin.DatafileAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

form
    alias of DatafileAdminForm

inlines = [<class 'tardis.tardis_portal.admin.DataFileObjectInline'>]

media

search_fields = ['filename', 'id']

class tardis.tardis_portal.admin.DatafileAdminForm(data=None, files=None,
                                                    auto_id=u'id_%s', prefix=None,
                                                    initial=None, error_class=<class
                                                    'django.forms.utils.ErrorList'>,
                                                    label_suffix=None,
                                                    empty_permitted=False,
                                                    instance=None,
                                                    use_required_attribute=None)
Bases: django.forms.models.ModelForm

class Meta

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.datafile.DataFile

    widgets = {'directory': <django.forms.widgets.TextInput object>}

base_fields = {'created_time': <django.forms.fields.DateTimeField object>, 'dataset': None}

declared_fields = {}

media

class tardis.tardis_portal.admin.DatasetAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

media

search_fields = ['description', 'id']

class tardis.tardis_portal.admin.ExperimentAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

inlines = [<class 'tardis.tardis_portal.admin.ObjectACLIInline'>]

media

search_fields = ['title', 'id']

class tardis.tardis_portal.admin.ExperimentParameterInline(parent_model, admin_site)
Bases: django.contrib.admin.options.TabularInline

extra = 0

formfield_overrides = {<class 'django.db.models.fields.TextField'>: {'widget': <class
    media

model
    alias of tardis.tardis_portal.models.parameters.ExperimentParameter
```

```

class tardis.tardis_portal.admin.ExperimentParameterSetAdmin(model,      ad-
                                                               min_site)
    Bases: django.contrib.admin.options.ModelAdmin

    inlines = [<class 'tardis.tardis_portal.admin.ExperimentParameterInline'>]

    media

class tardis.tardis_portal.admin.FacilityAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    media

    search_fields = ['name']

class tardis.tardis_portal.admin.FreeTextSearchFieldAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    media

class tardis.tardis_portal.admin.InstrumentAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    media

    search_fields = ['name']

class tardis.tardis_portal.admin.InstrumentParameterInline(parent_model,     ad-
                                                               min_site)
    Bases: django.contrib.admin.options.TabularInline

    extra = 0

    media

    model
        alias of tardis.tardis_portal.models.parameters.InstrumentParameter

class tardis.tardis_portal.admin.InstrumentParameterSetAdmin(model,      ad-
                                                               min_site)
    Bases: django.contrib.admin.options.ModelAdmin

    inlines = [<class 'tardis.tardis_portal.admin.InstrumentParameterInline'>]

    media

class tardis.tardis_portal.admin.ObjectACLAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

    list_display = ['__str__', 'pluginId', 'entityId', 'canRead', 'canWrite', 'canDelete',
                    media

    search_fields = ['content_type', 'object_id']

class tardis.tardis_portal.admin.ObjectACLInline(parent_model, admin_site)
    Bases: django.contrib.contenttypes.admin.GenericTabularInline

    extra = 0

    media

    model
        alias of tardis.tardis_portal.models.access_control.ObjectACL

class tardis.tardis_portal.admin.ParameterNameAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin

```

```
media
search_fields = ['name', 'schema_id']

class tardis.tardis_portal.admin.ParameterNameInline(parent_model, admin_site)
    Bases: django.contrib.admin.options.TabularInline
    extra = 0

media
model
    alias of tardis.tardis_portal.models.parameters.ParameterName

class tardis.tardis_portal.admin.SchemaAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
    inlines = [<class 'tardis.tardis_portal.admin.ParameterNameInline'>]

media
search_fields = ['name', 'namespace']

class tardis.tardis_portal.admin.StorageBoxAdmin(model, admin_site)
    Bases: django.contrib.admin.options.ModelAdmin
    form
        alias of StorageBoxForm
    inlines = [<class 'tardis.tardis_portal.admin.StorageBoxOptionInline'>, <class 'tardis
media
search_fields = ['name']

class tardis.tardis_portal.admin.StorageBoxAttributeInline(parent_model,      ad-
min_site)
    Bases: django.contrib.admin.options.TabularInline
    extra = 0

form
    alias of StorageBoxAttributeInlineForm

media
model
    alias of tardis.tardis_portal.models.storage.StorageBoxAttribute

class tardis.tardis_portal.admin.StorageBoxAttributeInlineForm(data=None,
    files=None,
    auto_id=u'id_%s',
    pre-
fix=None,    ini-
tial=None,    er-
ror_class=<class
    'django.forms.utils.ErrorList'>,
    la-
bel_suffix=None,
    empty_permitted=False,
    instance=None,
    use_required_attribute=None)
Bases: django.forms.models.ModelForm
```

```

class Meta

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.storage.StorageBoxAttribute

    widgets = {'key': <django.forms.widgets.TextInput object>, 'value': <django.forms.

    base_fields = {'key': <django.forms.fields.CharField object>, 'storage_box': <django.

    declared_fields = {}

    media

class tardis.tardis_portal.admin.StorageBoxForm(data=None, files=None,
                                                auto_id=u'id_%s', prefix=None,
                                                initial=None, error_class=<class
                                                'django.forms.utils.ErrorList'>,
                                                label_suffix=None,
                                                empty_permitted=False,
                                                instance=None,
                                                use_required_attribute=None)

Bases: django.forms.models.ModelForm

class Meta

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.storage.StorageBox

    widgets = {'description': <django.forms.widgets.TextInput object>, 'django_storage_.

    base_fields = {'description': <django.forms.fields.CharField object>, 'django_storage_.

    declared_fields = {}

    media

class tardis.tardis_portal.admin.StorageBoxOptionInline(parent_model, ad-
                                                       min_site)
Bases: django.contrib.admin.options.TabularInline

extra = 0

form
    alias of StorageBoxOptionInlineForm

media

model
    alias of tardis.tardis_portal.models.storage.StorageBoxOption
```

```
class tardis.tardis_portal.admin.StorageBoxOptionInlineForm(data=None,
    files=None,
    auto_id=u'id_%s',
    prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None, empty_permitted=False, instance=None, use_required_attribute=None)

Bases: django.forms.models.ModelForm

class Meta:

    fields = '__all__'

    model
        alias of tardis.tardis_portal.models.storage.StorageBoxOption

    widgets = {'key': <django.forms.widgets.TextInput object>, 'value': <django.forms.widgets.Textarea object>}

    base_fields = {'key': <django.forms.fields.CharField object>, 'storage_box': <django.forms.fields.ModelChoiceField object>}

    declared_fields = {}

    media

class tardis.tardis_portal.admin.UserAuthenticationAdmin(model, admin_site)
Bases: django.contrib.admin.options.ModelAdmin

media

search_fields = ['username', 'authenticationMethod', 'userProfile__user__username']
```

## tardis.tardis\_portal.api module

RESTful API for MyTardis models and data. Implemented with Tastypie.

```
class tardis.tardis_portal.api.ACLAuthorization
Bases: tastypie.authorization.Authorization

Authorisation class for Tastypie.

create_detail(object_list, bundle)
create_list(object_list, bundle)
delete_detail(object_list, bundle)
delete_list(object_list, bundle)
read_detail(object_list, bundle)
read_list(object_list, bundle)
update_detail(object_list, bundle)

Latest TastyPie requires update_detail permissions to be able to create objects. Rather than duplicating code here, we'll just use the same authorization rules we use for create_detail.

update_list(object_list, bundle)
```

```

class tardis.tardis_portal.api.DataFileResource (api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    filtering = {'dataset': 2, 'directory': ('exact', 'startswith'), 'filename': ('e
    object_class
        alias of tardis.tardis_portal.models.datafile.DataFile
    ordering = ['id', 'filename', 'modification_time']
    queryset
    resource_name = 'dataset_file'
    base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'datafile': <
    declared_fields = {'datafile': <tastypie.fields.FileField object>, 'dataset': <tasty
    deserialize(request, data, format=None)
        from https://github.com/toastdriven/django-tastypie/issues/42 modified to deserialize json sent via POST.
        Would fail if data is sent in a different format. uses a hack to get back pure json from request.POST

    download_file(request, **kwargs)
        curl needs the -J switch to get the filename right auth needs to be added manually here

    hydrate(bundle)
    obj_create(bundle, **kwargs)
        Creates a new DataFile object from the provided bundle.data dict.
        If a duplicate key error occurs, responds with HTTP Error 409: CONFLICT

    post_list(request, **kwargs)
    prepend_urls()
    put_detail(request, **kwargs)
        from https://github.com/toastdriven/django-tastypie/issues/42

    temp_url = None
    verify_file(request, **kwargs)
        triggers verification of file, e.g. after non-POST upload complete

class tardis.tardis_portal.api.DatafileParameterResource (api_name=None)
Bases: tardis.tardis_portal.api.ParameterResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.parameters.DatafileParameter
    queryset
    base_fields = {'datetime_value': <tastypie.fields.DateTimeField object>, 'id': <tas
    declared_fields = {'parameterset': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.DatafileParameterSetResource (api_name=None)
Bases: tardis.tardis_portal.api.ParameterSetResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

```

```
object_class
    alias of tardis.tardis_portal.models.parameters.DatafileParameterSet

queryset
base_fields = {'datafile': <tastypie.fields.ForeignKey object>, 'id': <tastypie.fields.IntegerField object>}
declared_fields = {'datafile': <tastypie.fields.ForeignKey object>, 'parameters': <tastypie.fields.DictField object>}

class tardis.tardis_portal.api.DatasetParameterResource(api_name=None)
Bases: tardis.tardis_portal.api.ParameterResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

object_class
    alias of tardis.tardis_portal.models.parameters.DatasetParameter

queryset
base_fields = {'datetime_value': <tastypie.fields.DateTimeField object>, 'id': <tastypie.fields.IntegerField object>}
declared_fields = {'parameterset': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.DatasetParameterSetResource(api_name=None)
Bases: tardis.tardis_portal.api.ParameterSetResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

object_class
    alias of tardis.tardis_portal.models.parameters.DatasetParameterSet

queryset
base_fields = {'dataset': <tastypie.fields.ForeignKey object>, 'id': <tastypie.fields.IntegerField object>}
declared_fields = {'dataset': <tastypie.fields.ForeignKey object>, 'parameters': <tastypie.fields.DictField object>}

class tardis.tardis_portal.api.DatasetResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

always_return_data = True

filtering = {'description': ('exact',), 'directory': ('exact',), 'experiments': ('exact',)}

object_class
    alias of tardis.tardis_portal.models.dataset.Dataset

ordering = ['id', 'description']

queryset
base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'description': 'string'}
declared_fields = {'experiments': <tastypie.fieldsToManyField object>, 'instrument': 'string'}

get_datafiles(request, **kwargs)
prepend_urls()

class tardis.tardis_portal.api.ExperimentAuthorResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource
```

API for ExperimentAuthors

```

class Meta
    Bases: tardis.tardis_portal.api.Meta

    always_return_data = True

    filtering = {'author': ('exact', 'iexact'), 'email': ('exact', 'iexact'), 'experi...}

    object_class
        alias of tardis.tardis_portal.models.experiment.ExperimentAuthor

    ordering = ['id', 'author', 'email', 'order']

    queryset

    base_fields = {'author': <tastypie.fields.CharField object>, 'email': <tastypie.field...}

    declared_fields = {'experiment': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.ExperimentParameterResource(api_name=None)
    Bases: tardis.tardis_portal.api.ParameterResource

    class Meta
        Bases: tardis.tardis_portal.api.Meta

        object_class
            alias of tardis.tardis_portal.models.parameters.ExperimentParameter

        queryset

        base_fields = {'datetime_value': <tastypie.fields.DateTimeField object>, u'id': <tastypie.f...}

        declared_fields = {'parameterset': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.ExperimentParameterSetResource(api_name=None)
    Bases: tardis.tardis_portal.api.ParameterSetResource

    API for ExperimentParameterSets

    class Meta
        Bases: tardis.tardis_portal.api.Meta

        object_class
            alias of tardis.tardis_portal.models.parameters.ExperimentParameterSet

        queryset

        base_fields = {'experiment': <tastypie.fields.ForeignKey object>, u'id': <tastypie.f...}

        declared_fields = {'experiment': <tastypie.fields.ForeignKey object>, 'parameters': ...}

class tardis.tardis_portal.api.ExperimentResource(api_name=None)
    Bases: tardis.tardis_portal.api.MyTardisModelResource

    API for Experiments also creates a default ACL and allows ExperimentParameterSets to be read and written.

    TODO: catch duplicate schema submissions for parameter sets

    class Meta
        Bases: tardis.tardis_portal.api.Meta

        always_return_data = True

        filtering = {'id': ('exact',), 'title': ('exact',)}

        object_class
            alias of tardis.tardis_portal.models.experiment.Experiment

        ordering = ['id', 'title', 'created_time', 'update_time']

```

```
        queryset
base_fields = {'approved': <tastypie.fields.BooleanField object>, 'created_by': <tastypie.fields.ForeignKey object>,
declared_fields = {'created_by': <tastypie.fields.ForeignKey object>, 'parameter_sets': <tastypie.fields.ManyToManyField object>,
dehydrate(bundle)
hydrate_m2m(bundle)
create ACL before any related objects are created in order to use ACL permissions for those objects.
obj_create(bundle, **kwargs)
    experiments need at least one ACL to be available through the ExperimentManager (Experiment.safe)
    Currently not tested for failed db transactions as sqlite does not enforce limits.
class tardis.tardis_portal.api.FacilityResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource
class Meta
    Bases: tardis.tardis_portal.api.Meta
    always_return_data = True
    filtering = {'id': ('exact',), 'manager_group': 2, 'name': ('exact',)}
    object_class
        alias of tardis.tardis_portal.models.facility.Facility
    ordering = ['id', 'name']
    queryset
base_fields = {'created_time': <tastypie.fields.DateTimeField object>, u'id': <tastypie.fields.IntegerField object>,
declared_fields = {'manager_group': <tastypie.fields.ForeignKey object>}
class tardis.tardis_portal.api.GroupResource(api_name=None)
Bases: tastypie.resources.ModelResource
class Meta
    authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
    authorization
        Authorisation class for Tastypie.
    filtering = {'id': ('exact',), 'name': ('exact',)}
    object_class
        alias of django.contrib.auth.models.Group
    queryset
base_fields = {u'id': <tastypie.fields.IntegerField object>, 'name': <tastypie.fields.CharField object>,
declared_fields = {}
class tardis.tardis_portal.api.InstrumentResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource
class Meta
    Bases: tardis.tardis_portal.api.Meta
    always_return_data = True
    filtering = {'facility': 2, 'id': ('exact',), 'name': ('exact',)}
```

```

object_class
    alias of tardis.tardis_portal.models.instrument.Instrument

ordering = ['id', 'name']

queryset

base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'facility': <...>}

declared_fields = {'facility': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.LocationResource (api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

object_class
    alias of tardis.tardis_portal.models.storage.StorageBox

queryset

base_fields = {'description': <tastypie.fields.CharField object>, 'django_storage_cla...'}

declared_fields = {}

class tardis.tardis_portal.api.MyTardisAuthentication
Bases: object

custom tastypie authentication that works with both anonymous use and a number of available auth mechanisms.

get_identifier (request)
is_authenticated (request, **kwargs)
    handles backends explicitly so that it can return False when credentials are given but wrong and return Anonymous User when credentials are not given or the session has expired (web use).

class tardis.tardis_portal.api.MyTardisModelResource (api_name=None)
Bases: tastypie.resources.ModelResource

class Meta

    authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
    authorization
        Authorisation class for Tastypie.
    object_class = None
    serializer = <tardis.tardis_portal.api.PrettyJSONSerializer object>
    base_fields = {u'resource_uri': <tastypie.fields.CharField object>}
    declared_fields = {}

class tardis.tardis_portal.api.ObjectACLResource (api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta

    authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>
    authorization
        Authorisation class for Tastypie.

```

```
filtering = {'entityId': ('exact',), 'pluginId': ('exact',)}
```

**object\_class**  
alias of `tardis.tardis_portal.models.access_control.ObjectACL`

```
ordering = ['id']
```

**queryset**

```
base_fields = {'aclOwnershipType': <tastypie.fields.IntegerField object>, 'canDelete': <tastypie.fields.BooleanField object>}
```

```
declared_fields = {'content_object': <tastypie.contrib.contenttypes.fields.GenericForeignKey object>}
```

```
hydrate(bundle)
```

```
class tardis.tardis_portal.api.ParameterNameResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource
```

**class Meta**  
Bases: `tardis.tardis_portal.api.Meta`

```
filtering = {'schema': 2}
```

**object\_class**  
alias of `tardis.tardis_portal.models.parameters.ParameterName`

**queryset**

```
base_fields = {'choices': <tastypie.fields.CharField object>, 'comparison_type': <tastypie.constants.ComparisonType object>}
```

```
declared_fields = {'schema': <tastypie.fields.ForeignKey object>}
```

```
class tardis.tardis_portal.api.ParameterResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource
```

**base\_fields** = {'name': <tastypie.fields.ForeignKey object>, u'resource\_uri': <tastypie.fields.CharField object>}

```
declared_fields = {'name': <tastypie.fields.ForeignKey object>, 'value': <tastypie.fields.CharField object>}
```

```
hydrate(bundle)
```

sets the parametername by uri or name if untyped value is given, set value via parameter method, otherwise use modelresource automatisms

```
class tardis.tardis_portal.api.ParameterSetResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource
```

```
base_fields = {u'resource_uri': <tastypie.fields.CharField object>, 'schema': <tastypie.fields.ForeignKey object>}
```

```
declared_fields = {'schema': <tastypie.fields.ForeignKey object>}
```

```
hydrate_schema(bundle)
```

```
class tardis.tardis_portal.api.PrettyJSONSerializer(formats=None, content_types=None, date_time_formatting=None)
Bases: tastypie.serializers.Serializer
```

```
json_indent = 2
```

```
to_json(data, options=None)
```

```
class tardis.tardis_portal.api.ReplicaResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource
```

**class Meta**  
Bases: `tardis.tardis_portal.api.Meta`

```
filtering = {'url': ('exact', 'startswith'), 'verified': ('exact',))}
```

```

object_class
    alias of tardis.tardis_portal.models.datafile.DataFileObject

ordering = ['id']

queryset

base_fields = {'created_time': <tastypie.fields.DateTimeField object>, 'datafile': <...>}

declared_fields = {'datafile': <tastypie.fields.ForeignKey object>}

dehydrate(bundle)

hydrate(bundle)

class tardis.tardis_portal.api.SchemaResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    filtering = {'id': ('exact',), 'namespace': ('exact',)}

object_class
    alias of tardis.tardis_portal.models.parameters.Schema

ordering = ['id']

queryset

base_fields = {'hidden': <tastypie.fields.BooleanField object>, u'id': <tastypie.fields...

declared_fields = {}

class tardis.tardis_portal.api.StorageBoxAttributeResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

object_class
    alias of tardis.tardis_portal.models.storage.StorageBoxAttribute

ordering = ['id']

queryset

base_fields = {u'id': <tastypie.fields.IntegerField object>, 'key': <tastypie.fields...

declared_fields = {'storage_box': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.StorageBoxOptionResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

object_class
    alias of tardis.tardis_portal.models.storage.StorageBoxOption

ordering = ['id']

queryset

accessible_keys = ['location']

base_fields = {u'id': <tastypie.fields.IntegerField object>, 'key': <tastypie.fields...

```

```
declared_fields = {'storage_box': <tastypie.fields.ForeignKey object>}

class tardis.tardis_portal.api.StorageBoxResource(api_name=None)
Bases: tardis.tardis_portal.api.MyTardisModelResource

class Meta
    Bases: tardis.tardis_portal.api.Meta

    object_class
        alias of tardis.tardis_portal.models.storage.StorageBox

    ordering = ['id']

    queryset

    base_fields = {'attributes': <tastypie.fieldsToManyField object>, 'description': <t...}

    declared_fields = {'attributes': <tastypie.fieldsToManyField object>, 'options': <t...}

class tardis.tardis_portal.api.UserResource(api_name=None)
Bases: tastypie.resources.ModelResource

class Meta

    allowed_methods = ['get']

    authentication = <tardis.tardis_portal.api.MyTardisAuthentication object>

    authorization
        Authorisation class for Tastypie.

    fields = ['username', 'first_name', 'last_name', 'email']

    filtering = {'email': ('iexact',), 'username': ('exact',)}

    object_class
        alias of django.contrib.auth.models.User

    queryset

    serializer = <tardis.tardis_portal.api.PrettyJSONSerializer object>

base_fields = {'email': <tastypie.fields.CharField object>, 'first_name': <tastypie...}

declared_fields = {'groups': <tastypie.fields.ManyToManyField object>}

dehydrate(bundle)
use cases:
```

```
public user:
anonymous:
    name, uri, email, id
authenticated:
other user:
    name, uri, email, id [, username if facility manager]
same user:
    name, uri, email, id, username
private user:
anonymous:
    none
authenticated:
other user:
    name, uri, id [, username, email if facility manager]
```

(continues on next page)

(continued from previous page)

```
same user:  
    name, uri, email, id, username
```

## tardis.tardis\_portal.constants module

constants.py

@author: Gerson Galang

## tardis.tardis\_portal.context\_processors module

```
tardis.tardis_portal.context_processors.global_contexts(request)
tardis.tardis_portal.context_processors.google_analytics(request)
    adds context for portal_template.html
tardis.tardis_portal.context_processors.registration_processor(request)
tardis.tardis_portal.context_processors.single_search_processor(request)
tardis.tardis_portal.context_processors.user_details_processor(request)
tardis.tardis_portal.context_processors.user_menu_processor(request)
```

## tardis.tardis\_portal.creativecommonshandler module

Creative Commons Handler

A wrapper for creative commons interactions on a ParameterSet

```
class tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler(experiment_id=None,
    create=True)

experiment_id = None
get_or_create_cc_parameterset(create=True)
    Gets the creative commons parameterset for the experiment :param create: If true, creates a new parameterset object to hold the cc license if one doesn't exist :type create: boolean :return: The parameter-set manager for the cc parameterset :rtype: tardis.tardis_portal.ParameterSetManager.
    ParameterSetManager

has_cc_license()
    Returns True if there's a cc license parameterset for the experiment
    Return type boolean

psm = None
save_license(request)
    Saves a license parameterset with the POST variables from the creative commons form :param request: a
    HTTP Request instance :type request: django.http.HttpRequest
    schema = 'http://www.tardis.edu.au/schemas/creative_commons/2011/05/17'
```

## tardis.tardis\_portal.deprecations module

Deprecation warnings

**exception** `tardis.tardis_portal.deprecations.RemovedInMyTardis42Warning`

Bases: `exceptions.DeprecationWarning`

Used to raise warnings about deprecated functionality.

Usage:

```
import warnings

warnings.warn(
    "This method will be removed in MyTardis 4.2. ",
    "Please use method2 instead.",
    RemovedInMyTardis42Warning
)
```

**exception** `tardis.tardis_portal.deprecations.RemovedInMyTardis43Warning`

Bases: `exceptions.PendingDeprecationWarning`

Used to raise warnings about deprecated functionality.

Usage:

```
import warnings

warnings.warn(
    "This method will be removed in MyTardis 4.3. ",
    "Please use method2 instead.",
    RemovedInMyTardis43Warning
)
```

## tardis.tardis\_portal.download module

download.py

**class** `tardis.tardis_portal.download.UncachedTarStream(mapped_file_objs, filename, do_gzip=False, buffer_size=131072, comp_level=6, http_buffersize=65535)`

Bases: `tarfile.TarFile`

Stream files into a compressed tar stream on the fly

`close_gzip()`

`compress(buf)`

`compute_size()`

`get_response(tracker_data=None)`

`make_tar()`

main tar generator. until python 3 needs to be in one function because ‘yield’s don’t bubble up.

`prepare_output(uc_buf, remainder)`

`tarinfo_for_df(df, name)`

```
tardis.tardis_portal.download.classic_mapper(rootdir)
tardis.tardis_portal.download.download_api_key(request, *args, **kwargs)
tardis.tardis_portal.download.download_datafile(request, datafile_id)
tardis.tardis_portal.download.get_download_organizations()
tardis.tardis_portal.download.make_mapper(organization, rootdir)
tardis.tardis_portal.download.streaming_download_datafiles(request)
    takes string parameter “comptype” for compression method. Currently implemented: “tgz” and “tar”. The datafiles to be downloaded are selected using “datafile”, “dataset” or “url” parameters. An “expid” parameter may be supplied for use in the download archive name. If “url” is used, the “expid” parameter is also used to limit the datafiles to be downloaded to a given experiment.
tardis.tardis_portal.download.view_datafile(request, datafile_id)
```

## tardis.tardis\_portal.email module

```
tardis.tardis_portal.email.build_template_html(template_filename, context)
tardis.tardis_portal.email.build_template_text(template_filename, context)
tardis.tardis_portal.email.email_user(subject, template_filename, context, user)
```

## tardis.tardis\_portal.errors module

Created on 02/09/2010

```
exception tardis.tardis_portal.errors.ParameterChoicesFormatError(msg)
    Bases: exceptions.Exception

exception tardis.tardis_portal.errors.SearchQueryTypeUnprovidedError(msg)
    Bases: exceptions.Exception

exception tardis.tardis_portal.errors.UnsupportedSearchQueryTypeError(msg)
    Bases: exceptions.Exception
```

## tardis.tardis\_portal.fields module

```
class tardis.tardis_portal.fields.MultiValueCommaSeparatedField(fields=(),
    *args,
    **kwargs)
Bases: django.forms.fields.MultiValueField

compress(data_list)
```

## tardis.tardis\_portal.forms module

forms module

```
class tardis.tardis_portal.forms.AddUserPermissionsForm(data=None, files=None,
    auto_id=u'id_%s', prefix=None, initial=None,
    error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None,
    empty_permitted=False, field_order=None,
    use_required_attribute=None, renderer=None)
Bases: django.forms.forms.Form

base_fields = {'authMethod': <django.forms.fields.CharField object>, 'autocomp_user': <django.forms.fields.CharField object>}

declared_fields = {'authMethod': <django.forms.fields.CharField object>, 'autocomp_us... media

class tardis.tardis_portal.forms.CreateUserPermissionsForm(data=None, files=None,
    auto_id=u'id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None,
    empty_permitted=False, field_order=None, use_required_attribute=None, renderer=None)
Bases: tardis.tardis_portal.forms.RegistrationForm

base_fields = {'authMethod': <django.forms.fields.CharField object>, 'email': <django.forms.fields.CharField object>}

declared_fields = {'authMethod': <django.forms.fields.CharField object>, 'email': <django.forms.fields.CharField object>}

media

class tardis.tardis_portal.forms.DatasetForm(data=None, files=None,
    auto_id=u'id_%s', prefix=None, initial=None, error_class=<class 'django.forms.utils.ErrorList'>, label_suffix=None,
    empty_permitted=False, instance=None, use_required_attribute=None)
Bases: django.forms.models.ModelForm

class Meta

    fields = ['description', 'directory', 'instrument']

    model
        alias of tardis.tardis_portal.models.dataset.Dataset

base_fields = {'description': <django.forms.fields.CharField object>, 'directory': <django.forms.fields.CharField object>}

declared_fields = {'description': <django.forms.fields.CharField object>}

media
```

```

class tardis.tardis_portal.forms.ExperimentAuthor (data=None, files=None,
auto_id=u'id_%s', prefix=None,
initial=None, error_class=<class
'django.forms.utils.ErrorList'>,
label_suffix=None,
empty_permitted=False,
instance=None,
use_required_attribute=None)
Bases: django.forms.models.ModelForm

class Meta

    fields = ['author', 'institution', 'email', 'order', 'url']
    model
        alias of tardis.tardis_portal.models.experiment.ExperimentAuthor
    base_fields = {'author': <django.forms.fields.CharField object>, 'email': <django.forms.fields.EmailField object>}
    declared_fields = {}

    media

class tardis.tardis_portal.forms.ExperimentForm (data=None, files=None,
auto_id=%s, prefix=None, initial=None, error_class=<class
'django.forms.utils.ErrorList'>,
label_suffix=':',
empty_permitted=False, instance=None, extra=0)
Bases: django.forms.models.ModelForm

This handles the complex experiment forms.

All internal datasets forms are prefixed with dataset_, and all internal dataset file fields are prefixed with file_. These are parsed out of the post data and added to the form as internal lists.

class FullExperiment (**kwargs)
Bases: UserDict.UserDict

This is a dict wrapper that store the values returned from the tardis.tardis_portal.forms.ExperimentForm.save() function. It provides a convience method for saving the model objects.

    save_m2m()
        {'experiment': experiment, 'experiment_authors': experiment_authors, 'authors': authors, 'datasets': datasets, 'datafiles': datafiles}

class Meta

    fields = ('title', 'institution_name', 'description')
    model
        alias of tardis.tardis_portal.models.experiment.Experiment
    base_fields = {'description': <django.forms.fields.CharField object>, 'institution_name': <django.forms.fields.CharField object>}
    declared_fields = {'url': <django.forms.fields.CharField object>}

```

**is\_valid()**

Test the validity of the form, the form may be invalid even if the error attribute has no contents. This is because the returnd value is dependent on the validity of the nested forms.

This validity also takes into account forign keys that might be dependent on an unsaved model.

**Returns** validity

**Return type** bool

**media****save (commit=True)**

```
class tardis.tardis_portal.forms.ImportParamsForm(data=None, files=None,
                                                 auto_id=u'id_%s', prefix=None,
                                                 initial=None, error_class=<class
                                                 'django.forms.utils.ErrorList'>,
                                                 label_suffix=None,
                                                 empty_permitted=False,
                                                 field_order=None,
                                                 use_required_attribute=None,
                                                 renderer=None)
```

Bases: django.forms.Form

```
base_fields = {'params': <django.forms.fields.FileField object>, 'password': <django
declared_fields = {'params': <django.forms.fields.FileField object>, 'password': <dj
media
```

```
class tardis.tardis_portal.forms.LoginForm(*args, **kwargs)
Bases: django.contrib.auth.forms.AuthenticationForm
```

```
base_fields = {'password': <django.forms.fields.CharField object>, 'username': <djan
declared_fields = {'password': <django.forms.fields.CharField object>, 'username': <
media
```

```
class tardis.tardis_portal.forms.ManageAccountForm(data=None, files=None,
                                                 auto_id=u'id_%s', prefix=None,
                                                 initial=None, error_class=<class
                                                 'django.forms.utils.ErrorList'>,
                                                 label_suffix=None,
                                                 empty_permitted=False,
                                                 instance=None,
                                                 use_required_attribute=None)
```

Bases: django.forms.ModelForm

Form for changing account details.

**class Meta**

```
fields = ('first_name', 'last_name', 'email')
model
alias of django.contrib.auth.models.User
base_fields = {'email': <django.forms.fields.EmailField object>, 'first_name': <djan
declared_fields = {}
media
```

```

class tardis.tardis_portal.forms.ManageGroupPermissionsForm(data=None,
files=None,
auto_id=u'id_%s',
prefix=None, initial=None, error_class=<class
'django.forms.utils.ErrorList'>,
label_suffix=None,
empty_permitted=False,
field_order=None,
use_required_attribute=None,
renderer=None)
```

Bases: django.forms.Form

```

base_fields = {'adduser': <django.forms.fields.CharField object>, 'admin': <django.f
```

```

declared_fields = {'adduser': <django.forms.fields.CharField object>, 'admin': <djan
```

```

media
```

```

class tardis.tardis_portal.forms.NoInput(attrs=None)
Bases: django.forms.widgets.Widget
```

```

media
```

```

render(name, value, attrs=None)
```

```

class tardis.tardis_portal.forms.RegisterExperimentForm(data=None, files=None,
auto_id=u'id_%s', prefix=None, initial=None,
error_class=<class
'django.forms.utils.ErrorList'>,
label_suffix=None,
empty_permitted=False,
field_order=None,
use_required_attribute=None,
renderer=None)
```

Bases: django.forms.Form

```

base_fields = {'experiment_owner': <django.forms.fields.CharField object>, 'from_url':
```

```

declared_fields = {'experiment_owner': <django.forms.fields.CharField object>, 'from_
```

```

media
```

```

class tardis.tardis_portal.forms.RegistrationForm(data=None, files=None,
auto_id=u'id_%s', prefix=None,
initial=None, error_class=<class
'django.forms.utils.ErrorList'>,
label_suffix=None,
empty_permitted=False,
field_order=None,
use_required_attribute=None,
renderer=None)
```

Bases: django.forms.Form

Form for registering a new user account.

Validates that the requested username is not already in use, and requires the password to be entered twice to catch typos.

Subclasses should feel free to add any additional validation they need, but should avoid defining a `save()` method – the actual saving of collected user data is delegated to the active registration backend.

```
base_fields = {'email': <django.forms.fields.EmailField object>, 'password1': <django.forms.fields.CharField object>}
```

`clean()`

Verify that the values entered into the two password fields match. Note that an error here will end up in `non_field_errors()` because it doesn't apply to a single field.

`clean_username()`

Validate that the username is alphanumeric and is not already in use.

```
declared_fields = {'email': <django.forms.fields.EmailField object>, 'password1': <django.forms.fields.CharField object>}
```

`media`

`save(**kwargs)`

```
class tardis.tardis_portal.forms.RightsForm(data=None, files=None,
                                              auto_id=u'id_%s', prefix=None,
                                              initial=None, error_class=<class 'django.forms.utils.ErrorList'>,
                                              label_suffix=None,
                                              empty_permitted=False, instance=None,
                                              use_required_attribute=None)
```

Bases: `django.forms.models.ModelForm`

Form for changing public access and licence.

`class Meta`

```
fields = ('public_access', 'license', 'legal_text')
```

`model`

alias of `tardis.tardis_portal.models.experiment.Experiment`

```
widgets = {'license': <django.forms.widgets.HiddenInput object>}
```

```
base_fields = {'legal_text': <django.forms.fields.CharField object>, 'license': <django.forms.fields.CharField object>}
```

`clean()`

```
declared_fields = {'legal_text': <django.forms.fields.CharField object>}
```

`media`

```
class tardis.tardis_portal.forms.StaticField(required=True, widget=None,
                                              label=None, initial=None,
                                              help_text=u'', error_messages=None,
                                              show_hidden_initial=False, validators=(),
                                              localize=False, disabled=False,
                                              label_suffix=None)
```

Bases: `django.forms.fields.Field`

`clean(value)`

`widget`

alias of `NoInput`

`tardis.tardis_portal.forms.createLinkedUserAuthenticationForm(authMethods)`

Create a `LinkedUserAuthenticationForm` and use the contents of `authMethods` to the list of options in the drop-down menu for `authenticationMethod`.

---

```
tardis.tardis_portal.forms.create_datafile_add_form(schema, parentObject, request=None)
tardis.tardis_portal.forms.create_parameterset_edit_form(parameterset, request=None)
tardis.tardis_portal.forms.getAuthMethodChoices()
tardis.tardis_portal.forms.save_datafile_add_form(schema, parentObject, request)
tardis.tardis_portal.forms.save_datafile_edit_form(parameterset, request)
```

### **tardis.tardis\_portal.iiif module**

```
tardis.tardis_portal.iiif.compliance_header(f)
tardis.tardis_portal.iiif.compute_etag(request, datafile_id, *args, **kwargs)
tardis.tardis_portal.iiif.download_image(request, *args, **kwargs)
tardis.tardis_portal.iiif.download_info(request, *args, **kwargs)
```

### **tardis.tardis\_portal.logging\_middleware module**

```
class tardis.tardis_portal.logging_middleware.LoggingMiddleware(get_response)
Bases: object

process_exception(request, exception)
process_response(request, response)

tardis.tardis_portal.logging_middleware.get_client_ip(request)
```

### **tardis.tardis\_portal.managers module**

managers.py

```
class tardis.tardis_portal.managers.ExperimentManager
Bases: tardis.tardis_portal.managers.OracleSafeManager
```

Implements a custom manager for the Experiment model which checks the authorisation rules for the requesting user first

To make this work, the request must be passed to all class functions. The username and the group memberships are then resolved via the user.userprofile.ext\_groups and user objects.

The *tardis.tardis\_portal.auth.AuthService* is responsible for filling the *request.groups* object.

**all**(*user*)

Returns all experiments a user - either authenticated or anonymous - is allowed to see and search

**Parameters** *user* (*User*) – a User instance

**Returns** QuerySet of Experiments

**Return type** QuerySet

**external\_users**(*experiment\_id*)

returns a list of groups which have external ACL rules

**Parameters** *experiment\_id* (*int*) – the ID of the experiment to be edited

**Returns** list of groups with external ACLs

**Return type** list

**get** (*user, experiment\_id*)

Returns an experiment under the consideration of the ACL rules Raises PermissionDenied if the user does not have access.

**Parameters**

- **user** (*User*) – a User instance
- **experiment\_id** (*int*) – the ID of the experiment to be edited

**Returns** Experiment

**Return type** Experiment

**Raises** PermissionDenied –

**group\_acls\_system\_owned** (*experiment\_id*)

Returns a list of ACL rules associated with this experiment.

**Parameters** **experiment\_id** (*int*) – the ID of the experiment

**Returns** QuerySet of system-owned ACLs for experiment

**Return type** QuerySet

**group\_acls\_user\_owned** (*experiment\_id*)

Returns a list of ACL rules associated with this experiment.

**Parameters** **experiment\_id** (*int*) – the ID of the experiment

**Returns** QuerySet of ACLs

**Return type** QuerySet

**owned** (*user*)

Return all experiments which are owned by a particular user, including those shared with a group of which the user is a member.

**Parameters** **user** (*User*) – a User instance

**Returns** QuerySet of Experiments owned by user

**Return type** QuerySet

**owned\_and\_shared** (*user*)

**owned\_by\_group** (*group*)

Return all experiments that are owned by a particular group

**owned\_by\_user** (*user*)

Return all experiments which are owned by a particular user id

**Parameters** **user** (*User*) – a User Object

**Returns** QuerySet of Experiments owned by user

**Return type** QuerySet

**owned\_by\_user\_id** (*userId*)

Return all experiments which are owned by a particular user id

**Parameters** **userId** (*int*) – a User ID

**Returns** QuerySet of Experiments owned by user id

**Return type** QuerySet

**public**()

**shared**(*user*)

**system\_owned\_groups**(*experiment\_id*)

returns a list of system-owned groups which have ACL rules associated with this experiment

**Parameters** **experiment\_id**(*string*) – the ID of the experiment to be edited

**Returns** system owned groups for experiment

**Return type** QuerySet

**user\_acls**(*experiment\_id*)

Returns a list of ACL rules associated with this experiment.

**Parameters** **experiment\_id**(*string*) – the ID of the experiment

**Returns** QuerySet of ACLs

**Return type** QuerySet

**user\_owned\_groups**(*experiment\_id*)

returns a list of user owned-groups which have ACL rules associated with this experiment

**Parameters** **experiment\_id**(*int*) – the ID of the experiment to be edited

**Returns** QuerySet of non system Groups

**Return type** QuerySet

**users**(*experiment\_id*)

Returns a list of users who have ACL rules associated with this experiment.

**Parameters** **experiment\_id**(*int*) – the ID of the experiment

**Returns** QuerySet of Users with experiment access

**Return type** QuerySet

**class** tardis.tardis\_portal.managers.**OracleSafeManager**

Bases: django.db.models.manager.Manager

Implements a custom manager which automatically defers the retrieval of any TextField fields on calls to get\_queryset. This is to avoid the known issue that ‘distinct’ calls on query\_sets containing TextFields fail when Oracle is being used as the backend.

**get\_queryset**()

Returns a new QuerySet object. Subclasses can override this method to easily customize the behavior of the Manager.

**class** tardis.tardis\_portal.managers.**ParameterNameManager**

Bases: django.db.models.manager.Manager

**get\_by\_natural\_key**(*namespace, name*)

**class** tardis.tardis\_portal.managers.**SchemaManager**

Bases: django.db.models.manager.Manager

**get\_by\_natural\_key**(*namespace*)

## tardis.tardis\_portal.rfc3339 module

The function `rfc3339` formats dates according to the [RFC 3339](#). `rfc3339` tries to have as much as possible sensible defaults.

`tardis.tardis_portal.rfc3339.rfc3339(date, utc=False, use_system_timezone=True)`

Return a string formatted according to the [RFC 3339](#). If called with `utc=True`, it normalizes `date` to the UTC date. If `date` does not have any timezone information, uses the local timezone:

```
>>> date = datetime.datetime(2008, 4, 2, 20)
>>> rfc3339(date, utc=True, use_system_timezone=False)
'2008-04-02T20:00:00Z'
>>> rfc3339(date)
'2008-04-02T20:00:00...'
```

If called with `use_system_time=False` don't use the local timezone and consider the offset to UTC to be zero:

```
>>> rfc3339(date, use_system_timezone=False)
'2008-04-02T20:00:00+00:00'
```

`date` must be a `datetime.datetime`, `datetime.date` or a timestamp as returned by `time.time()`:

```
>>> rfc3339(0, utc=True, use_system_timezone=False)
'1970-01-01T00:00:00Z'
>>> rfc3339(datetime.date(2008, 9, 6), use_system_timezone=False)
'2008-09-06T00:00:00+00:00'
>>> rfc3339('foo bar')
Traceback (most recent call last):
...
TypeError: expected datetime, got str instead
```

## tardis.tardis\_portal.shortcuts module

**class** `tardis.tardis_portal.shortcuts.RestfulExperimentParameterSet`(`schema_func`,  
`form_cls`)

Bases: `object`

Helper class which enables a Backbone.sync-compatible interface to be created for a `ExperimentParameterSet` just by specifying a function which provides the schema and a form.

(A function for the schema is required rather than the actual schema, as to run unit tests effectively the object needs to be able to create the schema after instantiation.)

For UI consistency, it's best to make sure the schema has `hidden == true`.

### `schema`

Use schema function to get the schema.

### `view_functions`

`tardis.tardis_portal.shortcuts.get_experiment_referer(request, dataset_id)`

`tardis.tardis_portal.shortcuts.redirect_back_with_error(request, message)`

`tardis.tardis_portal.shortcuts.render_error_message(request, message, status=400)`

Render a simple text error message in a generic error page. Any newlines are turned into <br>.

`tardis.tardis_portal.shortcuts.render_response_index(request, *args, **kwargs)`

`tardis.tardis_portal.shortcuts.render_to_file(template, filename, context)`

```
tardis.tardis_portal.shortcuts.return_response_error(request)
tardis.tardis_portal.shortcuts.return_response_error_message(request,      redirect_path, context)
tardis.tardis_portal.shortcuts.return_response_not_found(request)
```

## tardis.tardis\_portal.signals module

## tardis.tardis\_portal.tasks module

## tardis.tardis\_portal.util module

```
tardis.tardis_portal.util.get_filesystem_safe_dataset_name(dataset)
```

Given a Dataset, return a filesystem safe string representing the dataset. Useful for filenames for dataset downloads, maybe URLs.

**Parameters** `dataset` ([tardis.tardis\\_portal.models.dataset.Dataset](#)) – A Dataset object.

**Returns** A filesystem safe string as a Dataset name.

**Return type** basestring

```
tardis.tardis_portal.util.get_filesystem_safe_experiment_name(experiment)
```

Given an Experiment, return a filesystem safe string representing the experiment. Useful for filenames for experiment downloads, maybe URLs.

**Parameters** `experiment` ([tardis.tardis\\_portal.models.experiment.Experiment](#)) – A Experiment object.

**Returns** A filesystem safe string as a Experiment name.

**Return type** basestring

```
tardis.tardis_portal.util.get_local_time(dt)
```

Ensure datetime is timezone-aware and in local time.

If the USE\_TZ setting in the current dev version of Django comes in, this *should* keep providing correct behaviour.

```
tardis.tardis_portal.util.get_utc_time(dt)
```

Ensure datetime is timezone-aware and in UTC time.

If the USE\_TZ setting in the current dev version of Django comes in, this *should* keep providing correct behaviour.

```
tardis.tardis_portal.util.render_mustache(template_name, data)
```

```
tardis.tardis_portal.util.render_public_access_badge(experiment)
```

```
tardis.tardis_portal.util.split_path(p)
```

## tardis.tardis\_portal.widgets module

```
class tardis.tardis_portal.widgets.CommaSeparatedInput(attrs=None)
```

Bases: `django.forms.widgets.TextInput`

**media**

```
    render(name, value, attrs=None, renderer=None)
    value_from_datadict(data, files, name)

class tardis.tardis_portal.widgets.Label(attrs=None)
Bases: django.forms.widgets.Widget

    media

    render(name, value, attrs=None)
        tag = 'label'

class tardis.tardis_portal.widgets.Span(attrs=None)
Bases: tardis.tardis_portal.widgets.Label

    media

    tag = 'span'
```

## tardis.tardis\_portal.xmlwriter module

```
    class tardis.tardis_portal.xmlwriter.XMLWriter

        static write_template_to_dir(dest_dir, dest_filename, template_path, context)

            Parameters
            • dest_dir (string) – The directory to store the resulting document in
            • dest_filename (string) – The name of the file to be output
            • template_path (string) – The relative path to the Django template to be rendered
            • context (django.template.context.Context) – The Context object (dictionary of variables for template output)

            Returns The full path to the created file

            Return type string

        static write_template_to_file(prefix_dir, objectprefix, uniqueid, templatepath, context)

            Parameters
            • prefix_dir (string) – The subdirectory off of the OAI_DOCS_PATH to store the resulting document in
            • objectprefix (string) – The name prefix of the resulting file. Files are output in the format prefix-uniqueid.xml
            • uniqueid (string) – The unique ID of the file to be output
            • templatepath (string) – The relative path to the Django template to be rendered
            • context (django.template.context.Context) – The Context object (dictionary of variables for template output)

            Returns The full path to the created file

            Return type string

        static write_xml_to_file(prefix_dir, objectprefix, uniqueid, xmlstring)

            Parameters
```

- **prefix\_dir** (*string*) – The subdirectory off of the OAI\_DOCS\_PATH to store the resulting document in
- **objectprefix** (*string*) – The name prefix of the resulting file. Files are output in the format prefix-uniqueid.xml
- **uniqueid** (*string*) – The unique ID of the file to be output
- **xmlstring** (*string*) – The relative path to the Django template to be rendered

**Returns** The full path to the created file

**Return type** string

```
tardis.tardis_portal.xmlwriter.logger = <logging.Logger object>
XML Writer
```

A set of static methods for writing xml files.

## Module contents

importing all views files here, so that any old code will work as expected, when importing from tardis.tardis\_portal.views

models/\_\_init\_\_.py

## tardis.urls package

### Submodules

[tardis.urls.accounts module](#)

[tardis.urls.ajax module](#)

[tardis.urls.api module](#)

[tardis.urls.core module](#)

[tardis.urls.datafile module](#)

[tardis.urls.dataset module](#)

[tardis.urls.display module](#)

[tardis.urls.download module](#)

[tardis.urls.experiment module](#)

[tardis.urls.facility module](#)

[tardis.urls.group module](#)

## tardis.urls.token module

### Module contents

#### Submodules

#### tardis.app\_config module

```
class tardis.app_config.AbstractTardisAppConfig(app_name, app_module)
Bases: django.apps.config.AppConfig
```

All MyTardis app configuration classes should extend this abstract class to have their APIs and URLs automatically added to URL routing.

```
app_dependencies = []
```

```
tardis.app_config.check_app_dependencies(app_configs, **kwargs)
```

Checks currently installed apps for dependencies required by installed apps as defined by the app\_dependencies attribute of the AppConfig object, if present.

##### Parameters

- **app\_configs** (*AppConfig*) – a list of app\_configs to check, or None for all apps to be checked
- **kwargs** (*list of args*) – unknown list of args

**Returns** a list of unsatisfied dependencies

**Return type** list of strings

```
tardis.app_config.format_app_name_for_url(name)
```

```
tardis.app_config.get_tardis_apps()
```

Gets a list of tuples where the first element is the app name, and the second is the module path

**Returns** a list of tardis apps

**Return type** list of apps

```
tardis.app_config.is_tardis_app(app_config)
```

Determines whether the installed app is a MyTardis app

**Parameters** **app\_config** (*AppConfig*) – the AppConfig object of an installed app

**Returns** True if the app is a MyTardis app, False otherwise

**Return type** bool

## tardis.celery module

### tardis.test\_on\_mysql\_settings module

### tardis.test\_on\_postgresql\_settings module

### tardis.test\_settings module

```
tardis.test_settings.get_all_tardis_apps()
```

## tardis.views module

`tardis.views.error_handler(request, **kwargs)`

### Module contents

importing all views files here, so that any old code will work as expected, when importing from `tardis.tardis_portal.views`

`models/__init__.py`

## 11.4 Documentation for included Apps

### 11.4.1 Apps and Contextual Views

#### Introduction

In order to better represent specific data types and facilities, MyTardis allows apps to override the default views for Experiments, Datasets, DataFile metadata, and the main index and login pages. The following sections detail settings and requirements of apps to make this happen.

#### Datafile Views

##### Rationale

By default there exists an option to show the metadata of individual DataFile s in the default Dataset view. Some kinds of files allow for rich and useful visualisation and/or processing. For this purpose there exist contextual views, views that are available depending on the type of file they refer to.

##### User Guide

A default installation has no contextual views. To enable them a few steps are needed:

- an app needs to be installed either in `tardis/apps/`, or the app's configuration must subclass `AbstractTardisAppConfig` thereby enabling autodetection. `AbstractTardisAppConfig` replaces  `AppConfig` as described in these [django docs](#).
- DataFile s need to be manually or automatically tagged with a schema that identifies them as viewable with a particular view. Filters are a convenient way to do this. See below for an example.
- settings need to be added to `settings.py`. A list called `DATAFILE_VIEWS` holds a tuple for each available view. The first entry of the tuple is a schema namespace and is matched against all schemas attached to the DataFile. If a match occurs, a link to the url given as second entry of the tuple is added to the Datafile Detail section of the default Dataset view and loaded via AJAX on demand. Example:

```
DATAFILE_VIEWS = [("http://example.org/schemas/datafile/my_awesome_schema",
                  "/apps/my-awesome-app/view"), ]
```

Currently, the default view is always DataFile metadata. This can be changed, for example, by developing a custom Dataset view, which is explained in the following section.

## Dataset and Experiment Views

### Rationale

For some specific uses the data available can be presented and/or processed in useful ways. MyTardis allows views for Experiments and Datasets to be overridden by apps on a per-schema basis, allowing custom views for specific data types. The example that this feature was built for are single-image and many-image datasets from the Australian Synchrotron. Single images can be displayed large and for a many-image dataset it is more useful to show a couple of example images taken at regular intervals not from the beginning of the set of files. These different datasets can be detected via their schema namespace and displayed differently.

### User Guide

Akin to DataFile contextual views, Dataset and Experiment contextual views rely on matching a specific schema namespace in an attached ParameterSet.

Existing schemas can be used, or a special schema intended only for tagging an Experiment or Dataset for contextual view override can be attached (via an otherwise empty ParameterSet).

**Dataset and Experiment contextual views are configured in settings by** associating a schema namespace with a class-based view (or view function).

Unlike DataFile contextual views which inject content into the DOM via an AJAX call, these contextual views override the entire page.

Example:

```
DATASET_VIEWS = [
    ('http://example.org/schemas/dataset/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomDatasetViewSubclass'),
]

EXPERIMENT_VIEWS = [
    ('http://example.org/schemas/expt/my_awesome_schema',
     'tardis.apps.my_awesome_app.views.CustomExptViewSubclass'),
]
```

## Custom Index View

### Rationale

Specific sites or facilities often want to display a custom index page that presents recently ingested experiments in a way which is more meaningful for their particular domain or application. MyTardis support overriding the index page (/) on a per-domain or per-Site basis.

### User Guide

Example:

```
INDEX_VIEWS = {
    1: 'tardis.apps.my_custom_app.views.MyCustomIndexSubclass',
    'facility.example.org': 'tardis.apps.myapp.AnotherCustomIndexSubclass'
}
```

A custom view override is defined in settings as dictionary mapping a class-based view (or view function) to a Django Site. A Site is specified by SITE\_ID (an integer) or the domain name of the incoming request.

Developers creating custom contextual index views are encouraged to subclass `tardis.tardis_portal.views.pages.IndexView`.

## Custom Login View

### Rationale

Specific sites or facilities may want to display a custom login page that which is more meaningful to their particular domain or application. MyTardis supports overriding the login page (/login) on a per-domain or per-Site basis.

### User Guide

Example:

```
LOGIN_VIEWS = {
    1: 'tardis.apps.my_custom_app.views.MyCustomLoginViewClass',
    'facility.example.org': 'tardis.apps.myapp.AnotherCustomLoginViewClass'
}
```

A custom view override is defined in settings as dictionary mapping a class-based view (or view function) to a Django Site. A Site is specified by SITE\_ID (an integer) or the domain name of the incoming request.

For an example MyTardis app which provides a login view, see <https://github.com/mytardis/mytardis-aaf-google-login>

### Good practice for app developers

In order to benefit from future bug and security fixes in core MyTardis, app developers are strongly encouraged to override `IndexView`, `DatasetView` and `ExperimentView` (from `tardis.tardis_portal.pages`) when creating custom contextual views.

The default and well-tested `index.html`, `login.html`, `view_dataset.html` and `view_experiment.html` templates can be used as a basis for these custom contextual views.

New versions may change the default templates and view functions. If you copy and paste parts for your application, please check with each upgrade that you are still using up to date code.

## 11.4.2 OAI-PMH Producer

### Using to provide RIF-CS

Minimal providers for Dublin Core and RIF-CS are included in the app.

To enable the app, include `tardis.apps.oaipmh` in `settings.INSTALLED_APPS`.

Your OAI-PMH query endpoint will be on: <http://mytardis-example.com/apps/oaipmh/>

## Implementing your own providers

To allow multiple metadata formats (and types within them) the `tardis.apps.oaipmh.server.ProxyingServer` handles all requests and proxies them to the providers specified in settings `OAIPMH_PROVIDERS`.

You should extend `tardis.apps.oaipmh.provider.base.BaseProvider` or one of the existing providers if you wish to extend the functionality in a site-specific way.

**class** `tardis.apps.oaipmh.provider.base.BaseProvider(site)`

A base provider which roughly implements the PyOAI interface for OAI-PMH servers.

Extend this if you're writing your own provider for a new type or a different metadata format.

**getRecord** (`metadataPrefix, identifier`)

Get a record for a metadataPrefix and identifier.

### Parameters

- **metadataPrefix** (`string`) – identifies metadata set to retrieve
- **identifier** (`string`) –
  - repository-unique identifier of record

### Raises

- **oaipmh.error.CannotDisseminateFormatError** – if metadataPrefix is unknown or not supported by identifier.
- **oaipmh.error.IdDoesNotExistError** – if identifier is unknown or illegal.

**Returns** a header, metadata, about tuple describing the record.

**identify()**

Retrieve information about the repository.

Returns an Identify object describing the repository.

**listIdentifiers** (`metadataPrefix, set=None, from_=None, until=None`)

Get a list of header information on records.

### Parameters

- **metadataPrefix** (`string`) – identifies metadata set to retrieve
- **set** (`string`) – set identifier; only return headers in set
- **from** (`datetime`) – only retrieve headers from **from\_** date forward (in naive UTC)
- **until** (`datetime`) – only retrieve headers with dates up to and including until date (in naive UTC)

### Raises

- **error.CannotDisseminateFormatError** – if metadataPrefix is not supported by the repository.
- **error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of headers.

**listMetadataFormats** (`identifier=None`)

List metadata formats supported by repository or record.

**Parameters** **identifier** (`string`) – identify record for which we want to know all supported metadata formats. If absent, list all metadata formats supported by repository.

**Raises**

- **error.IdDoesNotExistError** – if record with identifier does not exist.
- **error.NoMetadataFormatsError** – if no formats are available for the indicated record.

**Returns** an iterable of metadataPrefix, schema, metadataNamespace tuples (each entry in the tuple is a string).

**listRecords** (*metadataPrefix*, *set=None*, *from\_=None*, *until=None*)

Get a list of header, metadata and about information on records.

**Parameters**

- **metadataPrefix** (*string*) – identifies metadata set to retrieve
- **set** (*string*) – set identifier; only return records in set
- **from** (*datetime*) – only retrieve records from *from\_* date forward (in naive UTC)
- **until** (*datetime*) – only retrieve records with dates up to and including *until* date (in naive UTC)

**Raises**

- **oaipmh.error.CannotDisseminateFormatError** – if metadataPrefix is not supported by the repository.
- **oaipmh.error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of header, metadata, about tuples.

**listSets** ()

Get a list of sets in the repository.

**Raises** **error.NoSetHierarchyError** – if the repository does not support sets.

**Returns** an iterable of setSpec, setName tuples (strings).

**writeMetadata** (*element*, *metadata*)

Create XML elements under the given element, using the provided metadata.

Should avoid doing any model-lookups, as they should be done when creating the metadata.

**Parameters**

- **element** (*lxml.etree.Element*) – element to put all content under (as SubElements)
- **metadata** (*oaipmh.common.Metadata*) – metadata to turn into XML

**Raises** **NotImplementedError** – not implemented

**class** *tardis.apps.aoipmh.server.ProxyingServer* (*providers*)

**getRecord** (*metadataPrefix*, *identifier*)

Get a record for a metadataPrefix and identifier.

**Raises**

- **oaipmh.error.CannotDisseminateFormatError** – if no provider returns a result, but at least one provider responds with *oaipmh.error.CannotDisseminateFormatError* (meaning the identifier exists)

- `oaipmh.error.IdDoesNotExistError` – if all providers fail with `oaipmh.error.IdDoesNotExistError`

**Returns** first successful provider response

**Return type** response

#### `identify()`

Retrieve information about the repository.

**Returns** an `oaipmh.common.Identify` object describing the repository.

**Return type** `oaipmh.common.Identify`

#### `listIdentifiers(metadataPrefix, **kwargs)`

Lists identifiers from all providers as a single set.

**Raises**

- `error.CannotDisseminateFormatError` – if `metadataPrefix` is not supported by the repository.
- `error.NoSetHierarchyError` – if a set is provided, as the repository does not support sets.

**Returns** a `set`. Set of headers.

**Return type** set

#### `listMetadataFormats(**kwargs)`

List metadata formats from all providers in a single set.

**Raises**

- `error.IdDoesNotExistError` – if record with identifier does not exist.
- `error.NoMetadataFormatsError` – if no formats are available for the indicated record, but it does exist.

**Returns** a *frozense*t of `metadataPrefix`, schema, `metadataNamespace` tuples (each entry in the tuple is a string).

**Return type** `frozense`t

#### `listRecords(metadataPrefix, **kwargs)`

Lists records from all providers as a single set.

**Raises**

- `error.CannotDisseminateFormatError` – if `metadataPrefix` is not supported by the repository.
- `error.NoSetHierarchyError` – if a set is provided, as the repository does not support sets.

**Returns** a `set`. Set of header, metadata, about tuples.

**Return type** set

#### `listSets()`

List sets.

**Raises** `oaipmh.error.NoSetHierarchyError` – because set hierarchies are currently not implemented

### 11.4.3 MyTardis Social Authentication

#### Overview

The MyTardis social auth app allows MyTardis deployments to accept logins using OAuth and OpenID Connect. It builds on the [Python social auth package](#), and uses the [Django social auth app](#).

#### Usage

To enable the app, include `social_django` and `tardis.apps.social_auth` in `settings.INSTALLED_APPS`:

```
INSTALLED_APPS += (
    'social_django',
    'tardis.apps.social_auth',
)
```

#### Adding backends

You will need to add authentication backends that you want to enable. To enable Google authentication add following `AUTHENTICATION_BACKENDS` to `settings.py`

```
AUTHENTICATION_BACKENDS += (
    'social_core.backends.open_id.OpenIdAuth',
    'social_core.backends.google.GoogleOpenId',
    'social_core.backends.google.GoogleOAuth2',
)
```

To enable Australian Access federation(AAF) OpenID connect Provider(OIDC) authentication add following `AUTHENTICATION_BACKENDS` to `settings.py`

```
AUTHENTICATION_BACKENDS += (
    'tardis.apps.social_auth.auth.authorisation-AAFOpenId',
)
```

#### Adding authentication providers

You will need add authentication providers that you want to enable.

```
AUTH_PROVIDERS += (
    ('Google', 'Google',
     'social_core.backends.google.GoogleOAuth2'),
    ('AAF', 'AAF',
     'tardis.apps.social_auth.auth.authorisation-AAFOpenId'),
)
```

#### Adding Exception Middleware

You may want to add exception middleware provided by `python-social-auth`. To do this add following to `settings.py`

```
MIDDLEWARE += (
    'social_django.middleware.SocialAuthExceptionMiddleware',
)
```

### Adding Context Processor

You will need to add following context processor to *settings.py*

```
TEMPLATES[0]['OPTIONS']['context_processors'].extend([
    'social_django.context_processors.backends',
    'social_django.context_processors.login_redirect'])
```

### Application setup

Once the application is enabled and installed define the following settings to enable authentication behaviour.

```
SOCIAL_AUTH_AAF_PIPELINE = (
    'social_core.pipeline.social_auth.social_details',
    'social_core.pipeline.social_auth.social_uid',
    'social_core.pipeline.social_auth.social_user',
    'social_core.pipeline.user.get_username',
    'social_core.pipeline.user.create_user',
    'tardis.apps.social_auth.auth.social_auth.configure_social_auth_user',
    'tardis.apps.social_auth.auth.social_auth.add_authentication_method',
    'tardis.apps.social_auth.auth.social_auth.approve_user_auth',
    'tardis.apps.social_auth.auth.social_auth.add_user_permissions',
    'social_core.pipeline.social_auth.associate_user',
    'social_core.pipeline.social_auth.load_extra_data',
    'social_core.pipeline.user.user_details',
)
```

```
SOCIAL_AUTH_GOOGLE_OAUTH2_PIPELINE = (
    'social_core.pipeline.social_auth.social_details',
    'social_core.pipeline.social_auth.social_uid',
    'social_core.pipeline.social_auth.social_user',
    'social_core.pipeline.user.get_username',
    'social_core.pipeline.user.create_user',
    'tardis.apps.social_auth.auth.social_auth.configure_social_auth_user',
    'tardis.apps.social_auth.auth.social_auth.add_authentication_method',
    'social_core.pipeline.social_auth.associate_user',
    'social_core.pipeline.social_auth.load_extra_data',
    'social_core.pipeline.user.user_details',
    'tardis.apps.social_auth.auth.social_auth.send_admin_email',
)
```

Get key and secrets from the OIDC provider that you want to enable and add following settings.

```
SOCIAL_AUTH_URL_NAMESPACE_BEGIN = 'social:begin',
SOCIAL_AUTH_GOOGLE_OAUTH2_KEY = 'Get this from Google'
SOCIAL_AUTH_GOOGLE_OAUTH2_SECRET = 'Get this from Google'
SOCIAL_AUTH_AAF_KEY = 'Get this from AAF'
SOCIAL_AUTH_AAF_SECRET = 'Get this from AAF'
SOCIAL_AUTH_AAF_AUTH_URL = 'Get this from AAF'
```

(continues on next page)

(continued from previous page)

```
SOCIAL_AUTH_AAF_TOKEN_URL = 'Get this from AAF'  
SOCIAL_AUTH_AAF_USER_INFO_URL = 'Get this from AAF'
```

To override MyTardis's default login page (Username / Password) with a more appropriate page for AAF and Google authentication, you can use <https://github.com/mytardis/mytardis-aaf-google-login>

## 11.5 Releases

### 11.5.1 4.1.3

- Update the https-proxy-agent version in package-lock.json to avoid having “npm install” display “found 1 high severity vulnerability”.

### 11.5.2 4.1.2

- Allow .jsx files to be included in assets/js/tardis\_portal/ and ensure that they won't be linted using the jQuery ESLint configuration
- Switch back to the official version of the pyoai dependency

### 11.5.3 4.1.1

- Fix Python 3 bug with string encoding in deep download mapper which affected directory names in SFTP interface.

### 11.5.4 4.1

- Added React search components and django-elasticsearch-dsl backend
- Removed post-save filters middleware, replaced with microservice architecture
- Added RabbitMQ task priorities support, dropped support for Redis as a broker
- Upgraded Bootstrap CSS framework from v2.3.2 to v3.4.1
- Added Python 3 support
- Added webpack to collect static assets (JS / CSS), supporting ES6, JSX etc.
- Annotated storage box related tasks with their storage box name, visible in “celery inspect active”
- Added task for clearing Django sessions
- Added timestamps (created and modified) in facility and instrument models
- Updated built-in Creative Commons licenses to v4
- Added django-storages and boto3 to requirements to support S3 storage boxes and storing static assets in S3
- Improved efficiency of checksums and downloads for files in S3 storage
- COMPUTE\_SHA512 now defaults to False. COMPUTE\_MD5 still defaults to True.
- Legal text for publishing can now be specified in settings
- Now using Dataset created\_time in facility overview instead of experiment created time

- Added a new setting to prevent large datasets (many files) from being scanned for image files at page load time
- API v1's instrument resource now allows any authenticated user to list the instrument names, which is used in the new search interface
- The ExperimentAuthor model now exposed in API v1
- MyTardis no longer tries to guess an appropriate storage box for new DataFileObjects unless REUSE\_DATASET\_STORAGE\_BOX is True
- Improved BDD test coverage, now measuring template coverage with django-coverage-plugin
- Bug fixes (GitHub Issue numbers below) - Fixed #1503 - Fixed #1568 - Removed bob@bobmail.com from default ADMINS, fixing #1613 - Fixed #1664 - Fixed #1708 - Fixed #1857 - Fixed #1853 - Fixed concatenated messages issue in user sharing and group sharing dialogs - Fixed #1790 - Fixed truncated TAR download issue with unverified files - Fixed sharing with AAF/Google issue - Fixed some broken Font Awesome icons

## 11.5.5 4.0.2

- Upgraded Django to 1.11.23
- Upgraded vulnerable dependencies of JS dev dependencies
- Fixed #1844 (remove a hard-coded LDAP attribute)

## 11.5.6 4.0.1

- Removed anzsrc\_codes tardis app which contained a potentially insecure dependency (rdflib)
- Added created\_time and modified\_time fields in the Instrument and Facility models
- Updated Python and Javascript dependencies which had vulnerabilities reported since the v4.0 release.
- Fixed token authentication (#1531, 615d9df)
- Fixed some Font Awesome icons (1ac549d)
- Fixed an incomplete database migration for the Dataset created\_time field. This fix is included in the tardis/tardis\_portal/migrations/0016\_add\_timestamps.py migration which also adds the created\_time and modified\_time fields to the Instrument and Facility models (ec238b4)
- Removed hard-coded LDAP attributes (#1664, 96a0fbf)
- Fixed issue with get\_accessible\_datafiles\_for\_user potentially returning an empty list instead of an empty QuerySet (a13cefcc)
- Fixed issue with Add/Save Experiment Metadata - added a form attribute to the Save button. (fd2393a)
- In S3 storage documentation, removed reference to old fork of django-storages. (f0c62d5)
- Fixed issue where MyTardis could try to verify SHA512 sums even when COMPUTE\_SHA512 was set to False (#1419, 1da1b3b)
- In S3 storage documentation, removed reference to old fork of django-storages. (f0c62d5)
- Fixed issue where MyTardis could try to verify SHA512 sums even when COMPUTE\_SHA512 was set to False (#1419, 1da1b3b)
- Fixed issue where downloading a TAR of a dataset including unverified files could result in a “Truncated tar archive” error (#1425, b4fa17c)
- Fixed issue where MyTardis tried to retrieve thumbnail images for non-image files, resulting in 404 errors (e261065)

- Fixed issue where failing to set ADMINS in tardis/settings.py could cause MyTardis to attempt to send emails to [bob@bobmail.com](mailto:bob@bobmail.com) (#1613, f8ed6dd)
- Fixed issue where Facility Overview's "Load more" button was enabled while content was still loading. (a28a253)

### 11.5.7 4.0

- Django 1.11
- jQuery 3.3.1
- Improved test coverage
- Continuous Integration tests run against Ubuntu 18.04 (MyTardis v3.x used 14.04)
- ChromeDriver is used for BDD (Behaviour Driven Development) tests
- Social Auth, including AAF and Google Auth via OpenID Connect
- Migrating user accounts from LDAP or localdb to OpenID Connect
- Customizable user menu
- Using message.level\_tag instead of message.tags in portal\_template, so that extra tags can be added to Django messages without interfering with the Bootstrap alert class.
- My Data page (which previously contained Owned and Shared experiments) has been split into two pages - "My Data" and "Shared" - Each page loads thumbnails asynchronously for faster initial page load time - An improved pagination widget allows for a very large number of pages.
- Index page's thumbnails are loaded asynchronously for faster initial page load time.
- Login page can be replaced with a site-specific page
- SFTP can now be used with keys instead of passwords
- Upgraded Bootstrap from 2.0.4 to 2.3.2 (further upgrades coming soon)
- Fixed some bugs in single search
- jQuery code is being moved out of HTML templates and into JS files which can be linted (with ESLint) and tested (with QUnit).
- **Removed old broken code and unnecessary code which is duplicated in other repositories.**
  - Import via staging with jsTree
  - Uploadify
- **Updated or removed (as appropriate) some out-of-date JS dependencies bundled within the MyTardis repository**
  - Most JS dependences are installed by npm now, so we can run security checks with npm audit
- manage.py can now be used instead of mytardis.py and mytardis.py will soon be deprecated
- New support\_email setting can be used in email templates or HTML templates.
- Updating loadschemas management command for Django 1.11 and adding test for it
- Updated the dumpschemas management command for Django 1.11 and added a test for it

- **Bug fixes (GitHub Issue numbers below)** Fixed #243. Bug in tardis\_acls.change\_experiment permissions check Fixed #516 - only show “Add files” button if user has permission to upload files Fixed #636 Fixed #637 - “()” is added to “Author” line every time an experiment is edited Fixed #779 Fixed #868 Fixed #893 Fixed #988 Fixed #1083 Fixed #1185
- Added docs on X-Forwarded-Proto HTTP header for HTTPS deployments
- Added docs on configuring services in systemd or supervisor
- Removed password length restriction in linked user authentication form
- Removed settings\_changeme - use default\_settings instead
- Removed backslash from set of characters used to generate secret key.
- Removed django-celery - it is no longer necessary to run Celery via Django
- Improved forwards compatibility with Python 3, but we’re not fully Python 3 compatible yet.
- Switched to PEP 328 relative imports
- Tests no longer require the unmaintained “compare” module
- Added a default value for DATA\_UPLOAD\_MAX\_MEMORY\_SIZE (required by Django 1.10+) to default settings
- Removed some unused dependencies, e.g. PyYAML
- Removed the createmysuperuser which is no longer needed
- Removed the checkhashes management command
- Removed the diffraction image filter
- Removed the backupdb management command
- Removed the old publication form - a new publication workflow is coming soon.

## 11.5.8 3.9

- Added deprecation warnings for functionality which will be removed in 4.0
- Added INTERNAL\_IPS to default settings for template debugging on localhost
- Disabled the old publication forms app in default settings, and ensured that MyTardis didn’t attempt to access its static content when disabled
- Removed apps code from ExperimentView’s get\_context\_data which assumed that each app would provide a views module with an index
- Fixed a bug where creating a group which already existed gave a 500 error
- Fixed a bug where non-ASCII characters in experiment names could break SFTP
- Made dataset thumbnails optional - disabling them can improve page load times
- Fixed a bug which had made it difficult to delete a DataFileObject without a URI from the Django shell
- Fixed a bug which made search indexing fail when there were users with non-ASCII characters in their first or last name

## 11.5.9 3.8.1

- Fix regression in Push To app

### 11.5.10 3.8

- Refactored settings
- Added pagination to My Data view
- BDD tests using behave and phantomjs
- Added download MD5 checksum buttons to Dataset View
- Add *autocaching* task that allows data from a StorageBox to be cached to another StorageBox
- Re-wrote user documentation and switched to hosting docs on RTD
- Switched to using NPM to manage JS deps.
- Facility and instrument are now visible on Experiment and dataset views - thanks @avrjk
- Added setting that allows datasets ordered by id on the Experiment page.
- Added setting to make sha512 checksums optional.

### 11.5.11 3.7 - 17 March 2016

- DataFile size is now a BigInteger field
- New settings for customisations, contextual view overrides (eg INDEX\_VIEWS).
- A new AbstractTardisAppConfig class that all new tardis apps should subclass
- Third-party tardis app dependency checking
- Removed database index from Parameter.string\_value to allow longer strings in Postgres. Migrations add a Postgres partial index for string\_values shorter than 256 characters.
- Changed constraints on the instrument model; facility and instrument name are now unique together
- changed method tasks to task functions, pre-empting the removal of methods tasks in new celery versions
- RESTful API now supports ordering, e.g. &order\_by=-title, for Experiments, Datasets and DataFiles.
- Allowed groups to be ‘owners’ of an Experiment. Enforce rule in views for web UI requiring every Experiment to have at least one user owner.
- Registration support updated for latest django-registration-redux package
- Speed-ups for dataset view page loading for datasets with large numbers of images. The carousel is now limited to a maximum of 100 preview images.
- Reorganised and updated documentation

### 11.5.12 3.6 - 16 March 2015

- removed legacy operations files (foreman, apache, uwsgi, etc)
- moved CI from Travis CI to Semaphore app
- removed buildout build system and setup.py dependency management
- build instructions in build.sh, using requirements.txt for dependencies now
- gunicorn instead of uwsgi
- updated Django to version 1.6.10

- removed migrations app
- renamed `Dataset_File` to `DataFile`
- `DataFile` have a `deleted` and a `version` flag, for upcoming support of these features.
- verifying files does not have side-effects anymore
- renamed `Author_Experiment` to `ExperimentAuthor`
- an `ExperimentAuthor` can now have an email and or a URL
- recoded `Replica` and `Location` as `DataFileObject` with associated `StorageBox`, based on the Django File API
- API v1 got some additions, largely or fully backwards-compatible
- a publication workflow app, guided publication of data
- download data via SFTP using a built-in SFTP server
- removed most traces of METS
- AAF authentication support
- parameters that can store a generic foreign key (link to any database object)
- new models `Instrument` and `Facility`
- basic support for SquashFS archives as `StorageBox`. Probably requires installation-specific code such as what is used at the [Australian Synchrotron](#).
- error pages are no normal-sized
- new view “Facility Overview”, for facility administrators to have overview over data.
- “MyData” includes owned and shared data
- safely allowing HTML in descriptions now. Achieved by “bleaching” of tags
- stats page faster through DB-server-side aggregation
- layout improvements
- pep8 and pylint improvements
- bug fixes

### 11.5.13 3.5 - 26 August 2013

- REST API
- REST API keys
- Authorisation now supports object-level permissions
- Front page overview
- Contextual views for Datafiles, Datasets and Experiments
- Backwards incompatible database changes
- Replica multi file location support
- Migration of replicas
- Streaming downloads
- Django 1.5

- REDIS option for celery queue
- auto-verify files
- provisional directory support
- Pylint testing on Travis CI
- Some error pages are now functional
- optionally upload comfortably with Filepicker.io
- Experiment view page load speedup
- Removed ancient XML ingest format.

### 11.5.14 3.0 - unreleased

- Twitter Bootstrap
- javascript templates
- backbone.js rendering of datasets
- UI for transferring datasets
- bpython shell
- celery queue

### 11.5.15 2.0 - Unreleased

- Auth/Auth redesign [Gerson, Uli, Russel]
  - Authorisation. Support for several pluggable authorisation plugins (Django internal, LDAP, VBL). The added AuthService middleware provides a mechanism to query all available auth modules to determine what group memberships a users has.
  - Alternative authorisation. Rule based experiment access control engine was implemented with the following access attributes for individual users and groups: canRead, canWrite, canDelete, isOwner. Additionally, a time stamp can be specified for each access rule.

Further information can be found at the wiki: [Authorisation Engine design](#)

- Metadata Editing [Steve, Grischa]
- New METS parser & METS exporter [Gerson]
- Dist/Buildout infrastructure [Russell]
- Through the web creation and editing of experiments [Steve, Russell]
- Through the web upload of files [Steve]
- Download protocol handler [Russel, Uli]
- Logging framework [Uli]
- Django 1.3

### 11.5.16 1.07 - 01/06/2010

- Publish to tardis.edu.au interface created, though not implemented, pending legal text

### **11.5.17 1.06 - 15/03/2010**

- Parameter import interface for creation of new parameter/schema definitions
- iPhone Interface

### **11.5.18 1.05 - 01/03/2010**

- Images as parameters supported
- Data / metadata transfer from synchrotron is now ‘threaded’ using asynchronous web service transfers.

### **11.5.19 1.0 - 01/02/2010**

- MyTardis created from existin MyTardis python / django codebase
- Allows private data to be stored
- Open key/value parameter model, replacing current crystallography one
- Internal data store for data
- LDAP Login
- Pagination of files
- Creation of synchrotron-tardis from MyTardis codebase including specific code for the VBL login service and data transfer to MyTardis deployments.
- Web server changed to apache and mod\_wsgi

### **11.5.20 0.5 - 2009**

- Re-wrote federated index (python / django)
- Federated stores are now simple web server based with optional FTP access
- Runs on Jython / Tomcat

### **11.5.21 0.1 - 2007**

- Federated index (php) running on Apache HTTP Server
- Crystallography data deposition and packaging tools for Fedora Commons (java swing desktop)
- Search Interface via web

# CHAPTER 12

---

## Indices and tables

---

- genindex
- modindex
- search



---

## Python Module Index

---

### t

tardis, 239  
tardis.analytics, 76  
tardis.analytics.apps, 75  
tardis.analytics.ga, 75  
tardis.analytics.tracker, 75  
tardis.app\_config, 238  
tardis.apps, 117  
tardis.apps.deep\_storage\_download\_mapper, 76  
tardis.apps.deep\_storage\_download\_mapper.mapper, 86  
tardis.apps.deep\_storage\_download\_mapper.urls, 86  
tardis.apps.dl\_mapper\_df\_dir\_only, 77  
tardis.apps.dl\_mapper\_df\_dir\_only.mapper, 84  
tardis.apps.dl\_mapper\_df\_dir\_only.urls, 77  
tardis.apps.filepicker, 77  
tardis.apps.filepicker.filepicker\_settings, 77  
tardis.apps.filepicker.urls, 77  
tardis.apps.filepicker.utils, 77  
tardis.apps.filepicker.views, 77  
tardis.apps.oaipmh, 84  
tardis.apps.oaipmh.models, 82  
tardis.apps.oaipmh.provider, 80  
tardis.apps.oaipmh.provider.base, 78  
tardis.apps.oaipmh.provider.experiment, 79  
tardis.apps.oaipmh.server, 82  
tardis.apps.oaipmh.tests, 82  
tardis.apps.oaipmh.tests.provider, 82  
tardis.apps.oaipmh.tests.provider.test\_base, 80  
tardis.apps.oaipmh.tests.provider.test\_experiment, 81  
tardis.apps.oaipmh.tests.test\_oai, 82  
tardis.apps.oaipmh.urls, 84  
tardis.apps.oaipmh.views, 84  
tardis.appsopenid\_migration, 90  
tardis.appsopenid\_migration.apps, 85  
tardis.appsopenid\_migration.context\_processors, 86  
tardis.appsopenid\_migration.default\_settings, 86  
tardis.appsopenid\_migration.email\_text, 86  
tardis.appsopenid\_migration.forms, 86  
tardis.appsopenid\_migration.migration, 86  
tardis.appsopenid\_migration.urls, 86  
tardis.appsopenid\_migration.migrations, 84  
tardis.appsopenid\_migration.migrations.0001\_initial, 84  
tardis.appsopenid\_migration.models, 87  
tardis.appsopenid\_migration.tasks, 89  
tardis.appsopenid\_migration.tests, 85  
tardis.appsopenid\_migration.tests.test\_forms, 84  
tardis.appsopenid\_migration.tests.test\_migration, 85  
tardis.appsopenid\_migration.tests.test\_models, 85  
tardis.appsopenid\_migration.tests.test\_views, 85  
tardis.appsopenid\_migration.urls, 89  
tardis.appsopenid\_migration.user\_menu\_modifiers, 89  
tardis.appsopenid\_migration.utils, 89  
tardis.appsopenid\_migration.views, 90  
tardis.apps.push\_to, 98  
tardis.apps.push\_to.apps, 91  
tardis.apps.push\_to.exceptions, 91  
tardis.apps.push\_to.migrations, 90  
tardis.apps.push\_to.migrations.0001\_initial, 90  
tardis.apps.push\_to.migrations.0002\_auto\_20160518\_

90  
tardis.apps.push\_to.models, 91  
tardis.apps.push\_to.oauth\_tokens, 96  
tardis.apps.push\_to.ssh\_authz, 97  
tardis.apps.push\_to.tasks, 97  
tardis.apps.push\_to.tests, 91  
tardis.apps.push\_to.tests.test\_models,  
    90  
tardis.apps.push\_to.urls, 97  
tardis.apps.push\_to.utils, 97  
tardis.apps.push\_to.views, 97  
tardis.apps.related\_info, 100  
tardis.apps.related\_info.forms, 100  
tardis.apps.related\_info.models, 100  
tardis.apps.related\_info.settings, 100  
tardis.apps.related\_info.tests, 100  
tardis.apps.related\_info.tests.test\_oaipmhd  
    98  
tardis.apps.related\_info.tests.tests,  
    99  
tardis.apps.related\_info.urls, 100  
tardis.apps.related\_info.views, 100  
tardis.apps.s3utils, 103  
tardis.apps.s3utils.api, 101  
tardis.apps.s3utils.apps, 102  
tardis.apps.s3utils.default\_settings,  
    102  
tardis.apps.s3utils.tests, 101  
tardis.apps.s3utils.tests.test\_api, 101  
tardis.apps.s3utils.tests.test\_app\_config  
    101  
tardis.apps.s3utils.tests.test\_checksums  
    101  
tardis.apps.s3utils.urls, 102  
tardis.apps.s3utils.utils, 102  
tardis.apps.search, 106  
tardis.apps.search.api, 104  
tardis.apps.search.apps, 105  
tardis.apps.search.documents, 105  
tardis.apps.search.tests, 104  
tardis.apps.search.tests.test\_api, 103  
tardis.apps.search.tests.test\_index, 103  
tardis.apps.search.urls, 106  
tardis.apps.search.views, 106  
tardis.apps.sftp, 116  
tardis.apps.sftp.admin, 108  
tardis.apps.sftp.api, 108  
tardis.apps.sftp.apps, 109  
tardis.apps.sftp.default\_settings, 109  
tardis.apps.sftp.forms, 109  
tardis.apps.sftp.management, 107  
tardis.apps.sftp.management.commands,  
    107  
tardis.apps.sftp.management.commands.sftpd,  
    107  
tardis.apps.sftp.migrations, 107  
tardis.apps.sftp.migrations.0001\_initial,  
    107  
tardis.apps.sftp.models, 109  
tardis.apps.sftp.sftp, 110  
tardis.apps.sftp.tests, 108  
tardis.apps.sftp.tests.test\_sftp, 107  
tardis.apps.sftp.urls, 116  
tardis.apps.sftp.user\_menu\_modifiers,  
    116  
tardis.apps.sftp.views, 116  
tardis.apps.social\_auth, 117  
tardis.apps.social\_auth.apps, 117  
tardis.apps.social\_auth.auth, 117  
tardis.apps.social\_auth.auth.social\_auth,  
    116  
tardis.apps.social\_auth.default\_settings,  
    117  
tardis.celery, 238  
tardis.default\_settings, 123  
tardis.default\_settings.admins, 118  
tardis.default\_settings.analytics, 118  
tardis.default\_settings.apps, 118  
tardis.default\_settings.auth, 118  
tardis.default\_settings.caches, 118  
tardis.default\_settings.celery\_settings,  
    118  
tardis.default\_settings.custom\_views,  
    118  
tardis.default\_settings.database, 119  
tardis.default\_settings.debug, 119  
tardis.default\_settings.downloads, 120  
tardis.default\_settings.email, 120  
tardis.default\_settings.filters, 120  
tardis.default\_settings.frontend, 121  
tardis.default\_settings.i18n, 121  
tardis.default\_settings.localisation,  
    121  
tardis.default\_settings.logging, 121  
tardis.default\_settings.middlewares, 121  
tardis.default\_settings.publication, 121  
tardis.default\_settings.search, 121  
tardis.default\_settings.sharing, 122  
tardis.default\_settings.site\_customisations,  
    122  
tardis.default\_settings.static\_files,  
    122  
tardis.default\_settings.storage, 122  
tardis.default\_settings.templates, 122  
tardis.default\_settings.uploads, 123  
tardis.default\_settings.urls, 123  
tardis.tardis\_portal, 237

tardis.tardis_portal.admin,	209		132
tardis.tardis_portal.api,	214	tardis.tardis_portal.migrations.0004_storageboxopt:	132
tardis.tardis_portal.auth,	129		132
tardis.tardis_portal.auth.authentication		tardis.tardis_portal.migrations.0005_datafile_add_s	132
	123		
tardis.tardis_portal.auth.authorisation,		tardis.tardis_portal.migrations.0006_datafile_remo	132
	124		
tardis.tardis_portal.auth.authservice,		tardis.tardis_portal.migrations.0007_remove_paramet	132
	124		
tardis.tardis_portal.auth.decorators,		tardis.tardis_portal.migrations.0008_string_value_p	133
	125		
tardis.tardis_portal.auth.fix_circular,		tardis.tardis_portal.migrations.0009_auto_20160128	133
	127		
tardis.tardis_portal.auth.interfaces,		tardis.tardis_portal.migrations.0010_auto_20160503	133
	127		
tardis.tardis_portal.auth.localdb_auth,		tardis.tardis_portal.migrations.0011_auto_20160505	133
	128		
tardis.tardis_portal.auth.token_auth,		tardis.tardis_portal.migrations.0012_userauthentica	133
	129		
tardis.tardis_portal.auth.utils,	129	tardis.tardis_portal.migrations.0013_auto_20181002	
tardis.tardis_portal.constants,	223		133
tardis.tardis_portal.context_processors,		tardis.tardis_portal.migrations.0014_auto_20181002	
	223		134
tardis.tardis_portal.creativecommonshand		tardis.tardis_portal.migrations.0015_dataset_create	
	223		134
tardis.tardis_portal.deprecations,	224	tardis.tardis_portal.migrations.0016_add_timestamp	
tardis.tardis_portal.download,	224		134
tardis.tardis_portal.email,	225	tardis.tardis_portal.migrations.0017_add_cc_license	
tardis.tardis_portal.errors,	225		134
tardis.tardis_portal.fields,	225	tardis.tardis_portal.migrations.0018_make_default_s	
tardis.tardis_portal.forms,	225		135
tardis.tardis_portal.iif,	231	tardis.tardis_portal.models,	180
tardis.tardis_portal.logging_middleware,		tardis.tardis_portal.models.access_control,	
	231		135
tardis.tardis_portal.management,	131	tardis.tardis_portal.models.datafile,	
tardis.tardis_portal.management.commands,			140
	131	tardis.tardis_portal.models.dataset,	145
tardis.tardis_portal.management.commands.			
	130	tardis.tardis_portal.models.experiment,	148
tardis.tardis_portal.management.commands.			
	130	tardis.tardis_portal.models.facility,	
			153
tardis.tardis_portal.management.commands.			
	130	tardis.tardis_portal.models.hooks,	154
		tardis.tardis_portal.models.instrument,	
tardis.tardis_portal.management.commands.rmxexpf			
	130		
		tardis.tardis_portal.models.jti,	155
tardis.tardis_portal.managers,	231	tardis.tardis_portal.models.license,	156
tardis.tardis_portal.migrations,	135	tardis.tardis_portal.models.parameters,	
tardis.tardis_portal.migrations.0001_initial,			157
	131	tardis.tardis_portal.models.storage,	173
tardis.tardis_portal.migrations.0001_squashed_001			
	131	tardis.tardis_portal.ParameterSetManager,	
tardis.tardis_portal.migrations.0002_auto_20150228_1128,			
	131	tardis.tardis_portal.publish,	180
tardis.tardis_portal.migrations.0003_auto_20150227_1315		tardis.tardis_portal.publish.provider,	

180	186
tardis.tardis_portal.publish.provider.rifas	tardis_portal.tests.api.test_experiment_reso
180	186
tardis.tardis_portal.publish.publishservi	tardis_portal.tests.api.test_facility_resou
180	186
tardis.tardis_portal.rfc3339, 234	tardis.tardis_portal.tests.api.test_group_reso
tardis.tardis_portal.shortcuts, 234	186
tardis.tardis_portal.signals, 235	tardis.tardis_portal.tests.api.test_instrument_reso
tardis.tardis_portal.storage, 181	187
tardis.tardis_portal.storage.file_system	tardis.tardis_portal.tests.api.test_replica_reso
181	187
tardis.tardis_portal.tasks, 235	tardis.tardis_portal.tests.api.test_schema_reso
tardis.tardis_portal.templatetags, 184	187
tardis.tardis_portal.templatetags.approve	tardis.tardis_portal.tests.api.test_serializer,
181	187
tardis.tardis_portal.templatetags.basicct	tardis.tardis_portal.tests.api.test_storagebox_reso
181	188
tardis.tardis_portal.templatetags.bleach	tardis.tardis_portal.tests.api.test_user_reso
182	188
tardis.tardis_portal.templatetags.capture	tardis.tardis_portal.tests.auth, 188
182	tardis.tardis_portal.tests.ldap_ldif,
tardis.tardis_portal.templatetags.dataset_tags, 192	tardis.tardis_portal.tests.management,
182	190
tardis.tardis_portal.templatetags.dynurl,	tardis.tardis_portal.tests.management.test_collect
182	
tardis.tardis_portal.templatetags.experiment_tags,	189
182	tardis.tardis_portal.tests.management.test_createus
tardis.tardis_portal.templatetags.experimenttags,	189
183	tardis.tardis_portal.tests.management.test_dumpsche
tardis.tardis_portal.templatetags.facility_tags,	189
183	tardis.tardis_portal.tests.management.test_loadsch
tardis.tardis_portal.templatetags.feed,	189
183	tardis.tardis_portal.tests.management.test_rmexper
tardis.tardis_portal.templatetags.formfieldfilter,	189
183	tardis.tardis_portal.tests.slapd, 192
tardis.tardis_portal.templatetags.lookupfa	tardis.tardis_portal.tests.test_authentication,
183	194
tardis.tardis_portal.templatetags.pagination	tardis.tardis_portal.tests.test_authorisation,
184	194
tardis.tardis_portal.templatetags.xmldate	tardis.tardis_portal.tests.test_authservice,
184	194
tardis.tardis_portal.tests, 202	tardis.tardis_portal.tests.test_copy_move,
tardis.tardis_portal.tests.api, 188	195
tardis.tardis_portal.tests.api.test_auth	tardis.tardis_portal.tests.test_download,
184	195
tardis.tardis_portal.tests.api.test_datafa	tardis.tardis_portal.tests.test_download_apikey,
184	196
tardis.tardis_portal.tests.api.test_datafa	tardis.tardis_portal.tests.test_facility_overview,
185	196
tardis.tardis_portal.tests.api.test_datafa	tardis.tardis_portal.tests.test_forms,
185	196
tardis.tardis_portal.tests.api.test_datafa	tardis.tardis_portal.tests.test_iiif,
185	196
tardis.tardis_portal.tests.api.test_experi	tardis.tardis_portal.tests.test_ldap,

197 tardis.test\_settings, 238  
tardis.tardis\_portal.tests.test\_models, tardis.views, 239  
198  
tardis.tardis\_portal.tests.test\_parameters,  
198  
tardis.tardis\_portal.tests.test\_parametersets,  
199  
tardis.tardis\_portal.tests.test\_publishservice,  
200  
tardis.tardis\_portal.tests.test\_storage,  
200  
tardis.tardis\_portal.tests.test\_tar\_download,  
200  
tardis.tardis\_portal.tests.test\_tasks,  
201  
tardis.tardis\_portal.tests.test\_tokens,  
201  
tardis.tardis\_portal.tests.tests, 202  
tardis.tardis\_portal.tests.views, 192  
tardis.tardis\_portal.tests.views.test\_auth\_views,  
190  
tardis.tardis\_portal.tests.views.test\_contextual\_views,  
190  
tardis.tardis\_portal.tests.views.test\_experiment\_views,  
191  
tardis.tardis\_portal.tests.views.test\_template\_contexts,  
191  
tardis.tardis\_portal.tests.views.test\_upload\_views,  
192  
tardis.tardis\_portal.util, 235  
tardis.tardis\_portal.views, 208  
tardis.tardis\_portal.views.ajax\_actions,  
202  
tardis.tardis\_portal.views.ajax\_json,  
202  
tardis.tardis\_portal.views.ajax\_pages,  
202  
tardis.tardis\_portal.views.authentication,  
202  
tardis.tardis\_portal.views.authorisation,  
203  
tardis.tardis\_portal.views.facilities,  
203  
tardis.tardis\_portal.views.images, 204  
tardis.tardis\_portal.views.machine, 204  
tardis.tardis\_portal.views.pages, 204  
tardis.tardis\_portal.views.parameters,  
207  
tardis.tardis\_portal.views.upload, 208  
tardis.tardis\_portal.views.utils, 208  
tardis.tardis\_portal.widgets, 235  
tardis.tardis\_portal.xmlwriter, 236  
tardis.test\_on\_mysql\_settings, 238  
tardis.test\_on\_postgresql\_settings, 238



---

## Index

---

### A

about () (in module *tardis.tardis\_portal.views.pages*), 206  
abstract (*tardis.apps.push\_to.models.KeyPair.Meta attribute*), 93  
abstract (*tardis.tardis\_portal.models.parameters.Parameter.Meta attribute*), 166  
abstract (*tardis.tardis\_portal.models.parameters.ParameterSet.Meta attribute*), 171  
AbstractExperimentProvider (class in *tardis.apps.oaipmh.provider.experiment*), 79  
AbstractExperimentProviderTC (class in *tardis.apps.oaipmh.tests.provider.test\_experiment*), 81  
AbstractTardisAppConfig (class in *tardis.app\_config*), 238  
accessible\_keys (*tardis.tardis\_portal.api.StorageBoxOptionResource attribute*), 221  
acl\_id (*tardis.apps.openid\_migration.models.OpenidACLMigration attribute*), 87  
acl\_id\_id (*tardis.apps.openid\_migration.models.OpenidACLMigration attribute*), 87  
acl\_migration () (in module *tardis.apps.openid\_migration.migration*), 86  
ACLAuthorization (class in *tardis.tardis\_portal.api*), 214  
ACLAuthorizationTest (class in *tardis.tardis\_portal.tests.api.test\_auth*), 184  
ACLAwareBackend (class in *tardis.tardis\_portal.auth.authorisation*), 124  
aclOwnershipType (*tardis.tardis\_portal.models.access\_control.ObjectType attribute*), 136  
add\_arguments () (tardis.apps.sftp.management.commands.sftpd *method*), 107  
add\_arguments () (tardis.tardis\_portal.management.commands.createuser *method*), 130  
add\_arguments () (tardis.tardis\_portal.management.commands.dumpschemas *method*), 130  
add\_auth\_method () (in module *tardis.tardis\_portal.auth.authentication*), 123  
add\_authentication\_method () (in module *tardis.apps.social\_auth.auth.social\_auth*), 116  
add\_child () (tardis.apps.sftp.sftp.DynamicTree *method*), 111  
add\_datafile\_par () (in module *tardis.tardis\_portal.views.parameters*), 207  
add\_dataset () (in module *tardis.tardis\_portal.views.pages*), 206  
add\_dataset\_par () (in module *tardis.tardis\_portal.views.parameters*), 207  
add\_experiment\_par () (in module *tardis.tardis\_portal.views.parameters*), 207  
add\_migrate\_account\_menu\_item () (in module *tardis.apps.openid\_migration.user\_menu\_modifiers*), 89  
add\_migration\_permission () (in module *tardis.apps.social\_auth.auth.social\_auth*), 116  
add\_par () (in module *tardis.tardis\_portal.views.parameters*), 207  
add\_path () (tardis.apps.sftp.sftp.DynamicTree *method*), 111  
add\_path\_elems () (tardis.apps.sftp.sftp.DynamicTree *method*), 111  
add\_ssh\_keys\_menu\_item () (in module *tardis.apps.sftp.sftp.DynamicTree*), 111  
add\_user\_permissions () (in module *tardis.apps.sftp.sftp.DynamicTree*), 116  
add\_user\_permissions\_form (class in *tardis.tardis\_portal.forms*), 225  
add\_user\_public\_key (tardis.apps.sftp.models.SFTPPublicKey *attribute*), 110  
AddUserPermissionsForm (class in *tardis.tardis\_portal.forms*), 225

```

administrator (tardis.apps.push_to.models.RemoteHost
    attribute), 95
administrator_id (tardis.apps.push_to.models.RemoteHost
    attribute), 95
ADMINS (in module tardis.default_settings.admins), 118
AdvanceSearchAppResource (class in
    tardis.apps.search.api), 104
AdvanceSearchAppResource.Meta (class in
    tardis.apps.search.api), 104
all () (tardis.tardis_portal.managers.ExperimentManager
    method), 231
allow_for_all (tardis.apps.push_to.models.OAuthSSHCertSigningService),
    attribute), 93
allow_reuse_address
    (tardis.apps.sftp.sftp.MyTSFTPTCPServer
        attribute), 113
allowed_groups (tardis.apps.push_to.models.OAuthSSHCertSigningService),
    attribute), 93
ALLOWED_HOSTS, 45
ALLOWED_HOSTS (in
    tardis.default_settings.debug), 119
allowed_methods (tardis.tardis_portal.api.UserResource.Meta),
    attribute), 222
allowed_remote_hosts
    (tardis.apps.push_to.models.OAuthSSHCertSigningService
        attribute), 94
allowed_users (tardis.apps.push_to.models.OAuthSSHCertSigningService),
    attribute), 94
allows_distribution
    (tardis.tardis_portal.models.license.License
        attribute), 156
always_return_data
    (tardis.apps.search.api.AdvanceSearchAppResource.Meta
        attribute), 104
always_return_data
    (tardis.apps.search.api.SearchAppResource.Meta
        attribute), 104
always_return_data
    (tardis.tardis_portal.api.DatasetResource.Meta
        attribute), 216
always_return_data
    (tardis.tardis_portal.api.ExperimentAuthorResource.Meta
        attribute), 217
always_return_data
    (tardis.tardis_portal.api.ExperimentResource.Meta
        attribute), 217
always_return_data
    (tardis.tardis_portal.api.FacilityResource.Meta
        attribute), 218
always_return_data
    (tardis.tardis_portal.api.InstrumentResource.Meta
        attribute), 218
AnalyticsConfig (class in tardis.analytics.apps), 75
ApiKeyDownloadTestCase (class in
    tardis.tardis_portal.tests.test_download_apikey),
    196
dependencies (tardis.app_config.AbstractTardisAppConfig
    attribute), 238
app_label (tardis.tardis_portal.auth.authorisation.ACIAwareBackend
    attribute), 124
app_label (tardis.tardis_portal.models.parameters.Parameter.Meta
    attribute), 166
app_label (tardis.tardis_portal.models.parameters.ParameterSet.Meta
    attribute), 171
apply_filters () (tardis.tardis_portal.models.datafile.DataFileObject
    method), 143
approve_user_auth () (in
    tardis.apps.social_auth.auth.social_auth),
    117
approved (tardis.tardis_portal.models.access_control.UserAuthentication)
    attribute), 138
approved (tardis.tardis_portal.models.experiment.Experiment
    attribute), 148
args (tardis.tardis_portal.management.commands.dumpschemas.Command
    attribute), 130
args (tardis.tardis_portal.management.commands.loadschemas.Command
    attribute), 130
args (tardis.tardis_portal.management.commands.rmexperiment.Command
    attribute), 131
attributes (tardis.tardis_portal.models.storage.StorageBox
    attribute), 174
auth_timeout (tardis.apps.sftp.sftp.MyTSFTPRequestHandler
    attribute), 111
authenticate () (tardis.tardis_portal.auth.authorisation.ACIAwareBackend
    method), 124
authenticate () (tardis.tardis_portal.auth.authservice.AuthService
    method), 124
authenticate () (tardis.tardis_portal.auth.interfacesAuthProvider
    method), 127
authenticate () (tardis.tardis_portal.auth.localdb_auth.DjangoAuthBackend
    method), 128
authenticate () (tardis.tardis_portal.tests.test_authservice.MockAuthBackend
    method), 194
authentication (tardis.apps.search.api.AdvanceSearchAppResource.Meta
    attribute), 104
authentication (tardis.apps.search.api.SearchAppResource.Meta
    attribute), 104
authentication (tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta
    attribute), 108
authentication (tardis.tardis_portal.api.GroupResource.Meta
    attribute), 218
authentication (tardis.tardis_portal.api.MyTardisModelResource.Meta
    attribute), 219
authentication (tardis.tardis_portal.api.ObjectACLResource.Meta
    attribute), 219
authentication (tardis.tardis_portal.api.UserResource.Meta
    attribute), 222
authenticationMethod

```

(*tardis.tardis\_portal.models.access\_control.UserAuthentication*)  
 attribute), 138  
*base\_fields* (*tardis.tardis\_portal.admin.DataFileObjectInlineForm*  
*attribute*), 209  
*AuthenticationTestCase* (class in *tardis.tardis\_portal.admin.StorageBoxAttributeInlineForm*  
*tardis.tardis\_portal.tests.test\_authentication*),  
*attribute*), 213  
 194  
*base\_fields* (*tardis.tardis\_portal.admin.StorageBoxForm*  
*author* (*tardis.tardis\_portal.models.experiment.ExperimentAuthor* attribute), 213  
*attribute*), 152  
*base\_fields* (*tardis.tardis\_portal.admin.StorageBoxOptionInlineForm*  
*authorization* (*tardis.apps.s3utils.api.ReplicaAppResource*.*Meta* attribute), 214  
*attribute*), 101  
*base\_fields* (*tardis.tardis\_portal.api.DatafileParameterResource*  
*authorization* (*tardis.apps.sftp.api.SFTPPublicKeyAppResource*.*Meta* attribute), 215  
*attribute*), 108  
*base\_fields* (*tardis.tardis\_portal.api.DatafileParameterSetResource*  
*authorization* (*tardis.tardis\_portal.api.GroupResource*.*Meta* attribute), 216  
*attribute*), 218  
*base\_fields* (*tardis.tardis\_portal.api.DataFileResource*  
*authorization* (*tardis.tardis\_portal.api.MyTardisModelResource*.*Meta* attribute), 215  
*attribute*), 219  
*base\_fields* (*tardis.tardis\_portal.api.DatasetParameterResource*  
*authorization* (*tardis.tardis\_portal.api.ObjectACLResource*.*Meta* attribute), 216  
*attribute*), 219  
*base\_fields* (*tardis.tardis\_portal.api.DatasetParameterSetResource*  
*authorization* (*tardis.tardis\_portal.api.UserResource*.*Meta* attribute), 216  
*attribute*), 222  
*base\_fields* (*tardis.tardis\_portal.api.ExperimentAuthorResource*  
*authorize\_remote\_access* () (in module  
*tardis.apps.push\_to.views*), 97  
*AuthProvider* (class in *tardis.tardis\_portal.auth.interfaces*), 127  
*AuthService* (class in *tardis.tardis\_portal.auth.authservice*), 124  
*AuthServiceTestCase* (class in *tardis.tardis\_portal.tests.test\_authservice*),  
 194  
*autocache* (*tardis.tardis\_portal.models.storage.StorageBox*.*base\_fields* (*tardis.tardis\_portal.api.FacilityResource*  
*attribute*), 174  
*attribute*), 218  
*AUTOGENERATE\_API\_KEY* (in module  
*tardis.default\_settings.auth*), 118  
*base\_fields* (*tardis.tardis\_portal.api.GroupResource*  
*attribute*), 218  
*base\_fields* (*tardis.tardis\_portal.api.InstrumentResource*  
*attribute*), 219

## B

*BackgroundTaskTestCase* (class in *tardis.tardis\_portal.tests.test\_tasks*), 201  
*base\_fields* (*tardis.apps.push\_to.models.CredentialForm*.*base\_fields* (*tardis.tardis\_portal.api.MyTardisModelResource*  
*attribute*), 93  
*base\_fields* (*tardis.apps.related\_info.forms.RelatedInfoForm*.*base\_fields* (*tardis.tardis\_portal.api.ObjectACLResource*  
*attribute*), 100  
*base\_fields* (*tardis.apps.s3utils.api.ReplicaAppResource*.*base\_fields* (*tardis.tardis\_portal.api.ParameterNameResource*  
*attribute*), 102  
*base\_fields* (*tardis.apps.search.api.AdvanceSearchAppResource*.*base\_fields* (*tardis.tardis\_portal.api.ParameterResource*  
*attribute*), 104  
*base\_fields* (*tardis.apps.search.api.SearchAppResource*.*base\_fields* (*tardis.tardis\_portal.api.ParameterSetResource*  
*attribute*), 105  
*base\_fields* (*tardis.apps.sftp.api.SFTPPublicKeyAppResource*.*base\_fields* (*tardis.tardis\_portal.api.ReplicaResource*  
*attribute*), 108  
*base\_fields* (*tardis.apps.sftp.forms.KeyAddForm* at-  
*tribute*), 109  
*base\_fields* (*tardis.apps.sftp.forms.KeyGenerateForm* *base\_fields* (*tardis.tardis\_portal.api.SchemaResource*  
*attribute*), 109  
*base\_fields* (*tardis.tardis\_portal.admin.DatafileAdminForm*.*base\_fields* (*tardis.tardis\_portal.api.StorageBoxAttributeResource*  
*attribute*), 210  
*base\_fields* (*tardis.tardis\_portal.admin.StorageBoxAdminForm*.*base\_fields* (*tardis.tardis\_portal.api.StorageBoxOptionResource*  
*attribute*), 221

```

base_fields (tardis.tardis_portal.api.StorageBoxResource.cache_box (tardis.tardis_portal.models.storage.StorageBox
    attribute), 222
    attribute), 174
base_fields (tardis.tardis_portal.api.UserResource cache_file() (tardis.tardis_portal.models.datafile.DataFile
    attribute), 222
    method), 140
base_fields (tardis.tardis_portal.forms.AddUserPermissionForm.form() (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 226
    method), 143
base_fields (tardis.tardis_portal.forms.CreateUserPermissionForm.form() (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 226
    method), 143
base_fields (tardis.tardis_portal.forms.DatasetForm.form() (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 226
    method), 102
base_fields (tardis.tardis_portal.forms.ExperimentAuthorForm.form() (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 227
    method), 143
base_fields (tardis.tardis_portal.forms.ExperimentForm.form() (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 227
    method), 122
CALCULATE_CHECKSUMS_METHODS (in module tardis.default_settings.storage), 122
base_fields (tardis.tardis_portal.forms.ImportParamsForm.form() (in module tardis.apps.push_to.utils), 97
    attribute), 228
can_publish () (tardis.tardis_portal.publish.provider.rifcsprovider.RifC
    method), 180
base_fields (tardis.tardis_portal.forms.LoginForm.form() (tardis.tardis_portal.models.access_control.ObjectACL
    attribute), 228
    method), 136
canonicalize () (tardis.apps.sftp.MyTSFTPServerInterface
    attribute), 228
base_fields (tardis.tardis_portal.forms.ManageAccountForm.form() (tardis.tardis_portal.models.access_control.ObjectACL
    attribute), 111
    method), 136
base_fields (tardis.tardis_portal.forms.ManageGroupPermissionsForm.form() (tardis.tardis_portal.models.access_control.ObjectACL
    attribute), 229
    method), 111
canRead (tardis.tardis_portal.models.access_control.ObjectACL
    attribute), 136
canWrite (tardis.tardis_portal.models.access_control.ObjectACL
    attribute), 136
base_fields (tardis.tardis_portal.forms.RegisterExperimentForm.form() (tardis.tardis_portal.templates.capture,
    attribute), 229
    method), 136
capture () (in module tardis.tardis_portal.templates.capture), 182
base_fields (tardis.tardis_portal.forms.RegistrationForm.form() (tardis.tardis_portal.templates.capture,
    attribute), 230
    method), 136
capture () (in module tardis.tardis_portal.templates.capture), 182
BaseProvider (class in tardis.apps.oaipmh.provider.base), 78, 242
CaptureNode (class in tardis.tardis_portal.templates.capture), 182
BaseProviderTestCase (class in tardis.apps.oaipmh.tests.provider.test_base), 80
cast_string_to_integer () (in module tardis.tardis_portal.migrations.0001_squashed_0011_auto_2016
    attribute), 132
cast_string_to_integer () (in module tardis.tardis_portal.migrations.0005_datafile_add_size_int_colun
    attribute), 132
BLEACH_ALLOWED_ATTRIBUTES (in module tardis.default_settings.frontend), 121
cert_signing_url (tardis.apps.push_to.models.OAuthSSHCertSigning
    attribute), 94
BLEACH_ALLOWED_TAGS (in module tardis.default_settings.frontend), 121
check_app_dependencies () (in module tardis.app_config), 238
bleach_value () (in module tardis.tardis_portal.templates.bleach_tag), 182
check_auth_interactive () (tardis.apps.sftp.MyTServerInterface
    method), 113
build_template_html () (in module tardis.tardis_portal.email), 225
check_auth_interactive_response () (tardis.apps.sftp.MyTServerInterface
    method), 113
build_template_text () (in module tardis.tardis_portal.email), 225
check_auth_password () (tardis.apps.sftp.MyTServerInterface
    method), 114
BUNDLE (tardis.tardis_portal.models.storage.StorageBox
    attribute), 173
check_auth_publickey () (tardis.apps.sftp.MyTServerInterface
    method), 114
bytes_available () (in module tardis.apps.push_to.utils), 97
check_channel_request ()

```

## C

CACHE (*tardis.tardis\_portal.models.storage.StorageBox*
*attribute*), 173

(*tardis.apps.sftp.sftp.MyTServerInterface method*), 114  
*check\_if\_facility\_manager()* (in module *tardis.tardis\_portal.templatetags.facility\_tags*), 183  
*check\_if\_user\_not\_approved()* (in module *tardis.tardis\_portal.templatetags.approved\_user\_tags*), 181  
*check\_paths()* (*tardis.tardis\_portal.tests.slapd.Slapd class method*), 192  
*child\_boxes* (*tardis.tardis\_portal.models.storage.StorageBox attribute*), 174  
**CHOICES** (*tardis.tardis\_portal.models.access\_control.UserAuthentication attribute*), 224  
*choices* (*tardis.tardis\_portal.models.parameters.ParameterName method*), 192  
*classic\_mapper()* (in module *tardis.tardis\_portal.download*), 224  
*clean()* (*tardis.apps.sftp.forms.KeyAddForm method*), 109  
*clean()* (*tardis.tardis\_portal.forms.RegistrationForm method*), 230  
*clean()* (*tardis.tardis\_portal.forms.RightsForm method*), 230  
*clean()* (*tardis.tardis\_portal.forms.StaticField method*), 230  
*clean\_username()* (*tardis.tardis\_portal.forms.RegistrationForm method*), 230  
*cleanup()* (*tardis.apps.filepicker.utils.FilepickerFile method*), 77  
*clear\_children()* (*tardis.apps.sftp.sftp.DynamicTree method*), 111  
*close()* (*tardis.analytics.tracker.IteratorTracker method*), 75  
*close\_gzip()* (*tardis.tardis\_portal.download.UncachedTarStreamable method*), 224  
*close\_request()* (*tardis.apps.sftp.sftp.MyTSFTPTCPServer\_files() (tardis.tardis\_portal.models.storage.StorageBox method)*), 113  
**CollectstaticTest** (class in *tardis.tardis\_portal.tests.management.test\_collectstatic*), 189  
**Command** (class in *tardis.apps.sftp.management.commands.sftpd*), 107  
**Command** (class in *tardis.tardis\_portal.management.commands.create\_dataset*), 130  
**Command** (class in *tardis.tardis\_portal.management.commands.edit\_policies*), 130  
**Command** (class in *tardis.tardis\_portal.management.commands.load\_schemas*), 130  
**Command** (class in *tardis.tardis\_portal.management.commands.remove\_experiment*), 130  
**CommaSeparatedInput** (class in *tardis.tardis\_portal.widgets*), 235  
**comparison\_type** (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 168  
*compliance\_header()* (in module *tardis.tardis\_portal.iiif*), 231  
*compress()* (*tardis.tardis\_portal.download.UncachedTarStream method*), 224  
*compress()* (*tardis.tardis\_portal.fields.MultiValueCommaSeparatedField method*), 225  
*compute\_checksums()* (in module *tardis.tardis\_portal.models.datafile*), 145  
*compute\_etag()* (in module *tardis.tardis\_portal.iiif*), 231  
*compute\_size()* (*tardis.tardis\_portal.download.UncachedTarStream attribute*), 231  
*configure()* (*tardis.tardis\_portal.tests.slapd.Slapd method*), 192  
*configure\_social\_auth\_user()* (in module *tardis.apps.social\_auth.auth.social\_auth*), 117  
*configure\_user()* (in module *tardis.tardis\_portal.auth.utils*), 129  
*confirm\_migration()* (in module *tardis.appsopenid\_migration.migration*), 86  
**CONTAINS\_COMPARISON**  
*(tardis.tardis\_portal.models.parameters.ParameterName attribute)*, 168  
*content\_object* (*tardis.tardis\_portal.models.access\_control.ObjectACL attribute*), 136  
*content\_type* (*tardis.tardis\_portal.models.access\_control.ObjectACL attribute*), 137  
*content\_type\_id* (*tardis.tardis\_portal.models.access\_control.ObjectACL attribute*), 137  
**ContextualViewTest** (class in *tardis.tardis\_portal.tests.views.test\_contextual\_views*), 190  
*copy\_to\_master()* (*tardis.tardis\_portal.models.storage.StorageBox method*), 143  
*CopyMoveTestCase* (class in *tardis.tardis\_portal.tests.test\_copy\_move*), 195  
*file\_add\_form()* (in module *tardis.tardis\_portal.forms*), 230  
*method*), 108  
*method*), 214  
*method*), 206  
*create\_group()* (in module *tardis.tardis\_portal.views.authorization*), 202

```

create_list() (tardis.tardis_portal.api.ACIAuthorizationDoesNotExist, 91
    method), 214
create_local_box()
    (tardis.tardis_portal.models.storage.StorageBox
        class method), 174
create_OpenidUserMigration()
    (tardis.apps.openid_migration.tests.test_models.ModelTestCaseForm
        method), 85
create_parameterset_edit_form() (in module tardis.tardis_portal.forms), 231
create_set_uri() (tardis.tardis_portal.models.datafile.DataFileObjectconnection_window() (in module tardis.apps.sftp.views), 116
method), 144
create_user() (in module tardis.tardis_portal.auth.utils), 129
create_user() (in module tardis.tardis_portal.views.authentication), 202
create_user_api_key() (in module tardis.tardis_portal.models.access_control), 140
create_user_profile() (in module tardis.tardis_portal.models.access_control), 140
created_by (tardis.tardis_portal.models.experiment.Experimentattribute), 148
created_by_id (tardis.tardis_portal.models.experiment.Experimentattribute), 149
created_time (tardis.tardis_portal.models.datafile.DataFileattribute), 140
created_time (tardis.tardis_portal.models.datafile.DataFileObjectattribute), 144
created_time (tardis.tardis_portal.models.datafile.DataFileattribute), 158
created_time (tardis.tardis_portal.models.dataset.Datasetattribute), 146
created_time (tardis.tardis_portal.models.experiment.Experimentattribute), 149
created_time (tardis.tardis_portal.models.facility.Facilityattribute), 153
created_time (tardis.tardis_portal.models.instrument.Instrumentattribute), 154
created_time (tardis.tardis_portal.models.jti.JTI attribute), 155
createLinkedUserAuthenticationForm() (in module tardis.tardis_portal.forms), 230
CreateTestCase (class in tardis.apps.related_info.tests.tests), 99
CreateUserPermissionsForm (class in tardis.tardis_portal.forms), 226
CreateUserTestCase (class in tardis.tardis_portal.tests.management.test_createuser), 189
CreativeCommonsHandler (class in tardis.tardis_portal.creativecommonshandler), 223
Credential (class in tardis.apps.push_to.models), 91
Credential.DoesNotExist, 91
Credential.MultipleObjectsReturned, 91
credential_set (tardis.apps.push_to.models.RemoteHost
    attribute), 95
CredentialAdmin (class in tardis.apps.push_to.models), 92
CredentialForm (class in tardis.apps.push_to.models), 92
CredentialForm.Meta (class in tardis.apps.push_to.models), 92
DataFileObjectconnection_window() (in module tardis.apps.sftp.views), 116
D
data_type (tardis.tardis_portal.models.parameters.ParameterName
    attribute), 168
DATABASE_ENGINE (tardis.default_settings attribute), 45
DATABASE_HOST (tardis.default_settings attribute), 45
DATABASE_NAME (tardis.default_settings attribute), 45
DATABASE_PASSWORD (tardis.default_settings attribute), 45
DATABASE_PORT (tardis.default_settings attribute), 45
DATABASE_USER (tardis.default_settings attribute), 45
DataFile (class in tardis.tardis_portal.models.datafile),
datafile (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 144
datafile (tardis.tardis_portal.models.parameters.DatafileParameterSet
    attribute), 158
DATAFILE (tardis.tardis_portal.models.parameters.Schema
    attribute), 171
DataFile.DoesNotExist, 140
DataFile.MultipleObjectsReturned, 140
datafile_access_required() (in module tardis.tardis_portal.auth.decorators), 125
datafile_id (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 144
datafile_id (tardis.tardis_portal.models.parameters.DatafileParameter
    attribute), 158
datafile_set (tardis.tardis_portal.models.dataset.Dataset
    attribute), 146
DatafileAdmin (class in tardis.tardis_portal.admin), 209
DatafileAdminForm (class in tardis.tardis_portal.admin), 210
DatafileAdminForm.Meta (class in tardis.tardis_portal.admin), 210
DataFileDocument (class in tardis.apps.search.documents), 105
DataFileDocument.Django (class in tardis.apps.search.documents), 105
DataFileDocument.Index (class in tardis.apps.search.documents), 105

```

DataFileObject	(class in <i>tardis.tardis_portal.models.datafile</i> ),	143	DataFileResource.Meta	(class in <i>tardis.tardis_portal.api</i> ),	215
DataFileObject.DoesNotExist	,	143	DataFileResourceTest	(class in <i>tardis.tardis_portal.tests.api.test_datafile_resource</i> ),	
DataFileObject.MultipleObjectsReturned,		143	185		
DataFileObjectInline	(class in <i>tardis.tardis_portal.admin</i> ),	209	Dataset	(class in <i>tardis.tardis_portal.models.dataset</i> ),	145
DataFileObjectInlineForm	(class in <i>tardis.tardis_portal.admin</i> ),	209	dataset	( <i>tardis.tardis_portal.models.datafile.DataFile</i> attribute),	141
DataFileObjectInlineForm.Meta	(class in <i>tardis.tardis_portal.admin</i> ),	209	dataset	( <i>tardis.tardis_portal.models.parameters.DatasetParameterSet</i> attribute),	160
DatafileParameter	(class in <i>tardis.tardis_portal.models.parameters</i> ),	157	DATASET	( <i>tardis.tardis_portal.models.parameters.Schema</i> attribute),	171
DatafileParameter.DoesNotExist	,	157	Dataset.DoesNotExist	,	146
DatafileParameter.MultipleObjectsReturned		157	Dataset.MultipleObjectsReturned	,	146
datafileparameter_set		158	dataset_access_required()	(in module <i>tardis.tardis_portal.auth.decorators</i> ),	125
datafileparameter_set		158	dataset_aggregate_info()	(in module <i>tardis.tardis_portal.views.facilities</i> ),	203
datafileparameter_set		158	dataset_datafiles_badge()	(in module <i>tardis.tardis_portal.templatetags.dataset_tags</i> ),	
DatafileParameterResource	(class in <i>tardis.tardis_portal.api</i> ),	215	dataset_download_required()	(in module <i>tardis.tardis_portal.auth.decorators</i> ),	125
DatafileParameterResource.Meta	(class in <i>tardis.tardis_portal.api</i> ),	215	dataset_experiments_badge()	(in module <i>tardis.tardis_portal.templatetags.dataset_tags</i> ),	182
DatafileParameterResourceTest	(class in <i>tardis.tardis_portal.models.datafile.DataFile</i> attribute),	141	dataset_id	( <i>tardis.tardis_portal.models.parameters.DatasetParameterSet</i> attribute),	160
184			dataset_id	( <i>tardis.tardis_portal.models.instrument.Instrument</i> attribute),	154
DatafileParameterSet	(class in <i>tardis.tardis_portal.models.parameters</i> ),	158	dataset_size_badge()	(in module <i>tardis.tardis_portal.templatetags.dataset_tags</i> ),	
DatafileParameterSet.DoesNotExist	,	158	dataset_tiles()	(in module <i>tardis.tardis_portal.templatetags.dataset_tags</i> ),	182
DatafileParameterSet.MultipleObjectsReturned		158	DATASET_VIEWS	(in module <i>tardis.default_settings.custom_views</i> ),	118
datafileparameterset_set		140	dataset_write_permissions_required()	(in module <i>tardis.tardis_portal.auth.decorators</i> ),	125
datafileparameterset_set		140	DatasetAdmin	(class in <i>tardis.tardis_portal.admin</i> ),	210
DatafileParameterSetResource	(class in <i>tardis.tardis_portal.api</i> ),	215	DatasetDocument	(class in <i>tardis.apps.search.documents</i> ),	105
DatafileParameterSetResource.Meta	(class in <i>tardis.tardis_portal.api</i> ),	215	DatasetDocument.Django	(class in <i>tardis.apps.search.documents</i> ),	105
DatafileParameterSetResourceTest	(class in <i>tardis.tardis_portal.tests.api.test_datafile_metadata_resource</i> attribute),	184	DatasetDocument.Index	(class in <i>tardis.apps.search.documents</i> ),	106
datafileparametersets		174	DatasetForm	(class in <i>tardis.tardis_portal.forms</i> ),	226
DataFileResource	(class in <i>tardis.tardis_portal.api</i> ),	214	DatasetForm.Meta	(class in	

```

    tardis.tardis_portal.forms), 226
DatasetParameter      (class      in      attribute), 168
    tardis.tardis_portal.models.parameters),
    159                in      datetime_to_us()      (in      module
                                tardis.tardis_portal.views.facilities), 203
DatasetParameter.DoesNotExist, 159
DatasetParameter.MultipleObjectsReturnedDBHostKeyPolicy      (class      in
    159                tardis.apps.push_to.models), 93
datasetparameter_set      (class      in      DcExperimentProvider      (class      in
    (tardis.tardis_portal.models.parameters.DatasetParameterSetName      tardis.apps.oaipmh.provider.experiment),
    attribute), 160                80
datasetparameter_set      (class      in      DcExperimentProviderTestCase      (class      in
    (tardis.tardis_portal.models.parameters.ParameterName      tardis.apps.oaipmh.tests.provider.test_experiment),
    attribute), 168                81
DatasetParameterResource      (class      in      DEBUG (in module tardis.default_settings.debug), 119
    tardis.tardis_portal.api), 216                declared_fields (tardis.apps.push_to.models.CredentialForm
                                attribute), 93
DatasetParameterResource.Meta      (class      in      declared_fields (tardis.apps.related_info.forms.RelatedInfoForm
    tardis.tardis_portal.api), 216                attribute), 100
DatasetParameterResourceTest      (class      in      declared_fields (tardis.tardis_portal.tests.api.test_dataset_metadata),
    185                declared_fields (tardis.apps.s3utils.api.ReplicaAppResource
                                attribute), 102
DatasetParameterSet      (class      in      declared_fields (tardis.apps.search.api.AdvanceSearchAppResource
    tardis.tardis_portal.models.parameters),
    160                declared_fields (tardis.apps.search.api.SearchAppResource
                                attribute), 104
DatasetParameterSet.DoesNotExist, 160
DatasetParameterSet.MultipleObjectsReturned      declared_fields (tardis.apps.sftp.api.SFTPPublicKeyAppResource
    160                attribute), 108
datasetparameterset_set      (tardis.tardis_portal.models.dataset.Dataset
    attribute), 146                declared_fields (tardis.apps.sftp.forms.KeyAddForm
                                attribute), 109
datasetparameterset_set      (tardis.tardis_portal.models.parameters.Schema
    attribute), 172                declared_fields (tardis.apps.sftp.forms.KeyGenerateForm
                                attribute), 109
DatasetParameterSetResource      (class      in      declared_fields (tardis.tardis_portal.admin.DatafileAdminForm
    tardis.tardis_portal.api), 216                attribute), 210
DatasetParameterSetResource.Meta      (class      in      declared_fields (tardis.tardis_portal.admin.StorageBoxAttributeInlineForm
    tardis.tardis_portal.api), 216                attribute), 213
DatasetParameterSetResourceTest      (class      in      declared_fields (tardis.tardis_portal.admin.StorageBoxForm
    tardis.tardis_portal.tests.api.test_dataset_metadata),
    185                declared_fields (tardis.tardis_portal.admin.StorageBoxOptionInlineForm
                                attribute), 213
datasetparametersets      (tardis.tardis_portal.models.storage.StorageBox
    attribute), 175                declared_fields (tardis.tardis_portal.api.DatafileParameterResource
                                attribute), 214
DatasetResource      (class      in      declared_fields (tardis.tardis_portal.api.DatafileParameterSetResource
    tardis.tardis_portal.api),
    216                attribute), 216
DatasetResource.Meta      (class      in      declared_fields (tardis.tardis_portal.api.DataFileResource
    tardis.tardis_portal.api), 216                attribute), 215
DatasetResourceTest      (class      in      declared_fields (tardis.tardis_portal.api.DatasetParameterResource
    tardis.tardis_portal.tests.api.test_dataset_resource),
    185                attribute), 216
datasets      (tardis.tardis_portal.models.experiment.Experiment
    attribute), 149                declared_fields (tardis.tardis_portal.api.DatasetResource
                                attribute), 216
DatasetView      (class      in      attribute), 216
    tardis.tardis_portal.views.pages), 204                declared_fields (tardis.tardis_portal.api.ExperimentAuthorResource
DATETIME (tardis.tardis_portal.models.parameters.ParameterName attribute), 217

```

declared\_fields (*tardis.tardis\_portal.api.ExperimentParameterRequired*,  
     attribute), 217  
 declared\_fields (*tardis.tardis\_portal.api.ExperimentParameterSetRequired*,  
     attribute), 217  
 declared\_fields (*tardis.tardis\_portal.api.ExperimentResource*,  
     attribute), 218  
 declared\_fields (*tardis.tardis\_portal.api.FacilityResource*,  
     attribute), 218  
 declared\_fields (*tardis.tardis\_portal.api.GroupResource*,  
     attribute), 218  
 declared\_fields (*tardis.tardis\_portal.api.InstrumentResource*,  
     attribute), 219  
 declared\_fields (*tardis.tardis\_portal.api.LocationResource*,  
     attribute), 219  
 declared\_fields (*tardis.tardis\_portal.api.MyTardisModelResource*,  
     attribute), 219  
 declared\_fields (*tardis.tardis\_portal.api.ObjectACLResource*,  
     attribute), 220  
 declared\_fields (*tardis.tardis\_portal.api.ParameterNameResource*,  
     attribute), 220  
 declared\_fields (*tardis.tardis\_portal.api.ParameterResource*,  
     attribute), 220  
 declared\_fields (*tardis.tardis\_portal.api.ParameterSetNameResource*,  
     attribute), 220  
 declared\_fields (*tardis.tardis\_portal.api.ReplicaResource*,  
     attribute), 221  
 declared\_fields (*tardis.tardis\_portal.api.SchemaResource*,  
     attribute), 221  
 declared\_fields (*tardis.tardis\_portal.api.StorageBoxAttributeResource*,  
     attribute), 221  
 declared\_fields (*tardis.tardis\_portal.api.StorageBoxOptionResource*,  
     attribute), 221  
 declared\_fields (*tardis.tardis\_portal.api.StorageBoxResource*,  
     attribute), 222  
 declared\_fields (*tardis.tardis\_portal.api.UserResource*,  
     attribute), 222  
 declared\_fields (*tardis.tardis\_portal.forms.AddUserPermissionsForm*,  
     attribute), 226  
 declared\_fields (*tardis.tardis\_portal.forms.CreateUserPermissionsForm*,  
     attribute), 226  
 declared\_fields (*tardis.tardis\_portal.forms.DatasetForm*,  
     attribute), 226  
 declared\_fields (*tardis.tardis\_portal.forms.ExperimentAuthorised*,  
     attribute), 227  
 declared\_fields (*tardis.tardis\_portal.forms.ExperimentEnteredTime*,  
     attribute), 227  
 declared\_fields (*tardis.tardis\_portal.forms.ImportParameterForm*,  
     attribute), 228  
 declared\_fields (*tardis.tardis\_portal.forms.LoginForm*,  
     attribute), 228  
 declared\_fields (*tardis.tardis\_portal.forms.ManageAccountFrequencies*,  
     attribute), 228  
 declared\_fields (*tardis.tardis\_portal.forms.ManageGroupPermissionsForm*,  
     attribute), 229

ParameterRequired (in module tardis.tardis\_portal.forms.RegisterExperimentForm, attribute), 229  
 ParameterSetRequired (in module tardis.tardis\_portal.forms.RegistrationForm, attribute), 230  
 ParameterResource (in module tardis.tardis\_portal.forms.RightsForm, attribute), 230  
 deep\_storage\_mapper () (in module tardis.apps.deep\_storage\_download\_mapper.mapper), 76  
 DEFAULT\_ARCHIVE\_FORMATS (in module tardis.default\_settings.downloads), 120  
 DEFAULT\_FROM\_EMAIL (in module tardis.default\_settings.email), 120  
 DEFAULT\_STORAGE\_BASE\_DIR (in module tardis.default\_settings.download), 120  
 dehydrate () (tardis.apps.sftp.api.SFTPPublicKeyAppResource, attribute), 46  
 dehydrate () (tardis.tardis\_portal.api.ExperimentResource, attribute), 108  
 dehydrate () (tardis.tardis\_portal.api.ReplicaResource, attribute), 221  
 dehydrate () (tardis.tardis\_portal.api.UserResource, attribute), 221  
 delete\_all\_params () (tardis.tardis\_portal.ParameterSetManager.ParameterSetManager, method), 209  
 delete\_data () (tardis.tardis\_portal.models.datafile.DataFileObject, method), 144  
 delete\_file () (tardis.apps.sftp.api.SFTPACLAuthorization, method), 108  
 delete\_option () (tardis.tardis\_portal.api.ACIAuthorization, method), 214  
 delete\_dfo () (in module tardis.tardis\_portal.models.datafile), 145  
 delete\_directory\_content () (in module tardis.tardis\_portal.tests.slacd), 193  
 delete\_permissions\_required () (in module tardis.tardis\_portal.auth.decorators), 125  
 delete\_time (tardis.tardis\_portal.models.datafile.DataFile, attribute), 141  
 DataFileTestCase (class in tardis.apps.related\_info.tests.tests), 99  
 dependencies (tardis.apps.openid\_migration.migrations.0001\_initial.Migration, attribute), 84  
 attribute), 90  
 attribute), 90

```

dependencies (tardis.apps.sftp.migrations.0001_initial.Migration_uri_kwargs ()
    attribute), 107
    (tardis.apps.search.api.SearchAppResource
dependencies (tardis.tardis_portal.migrations.0001_initial.Migration_hod), 105
    attribute), 131
    df_dir_only () (in module
dependencies (tardis.tardis_portal.migrations.0001_squashed_00dd2d447df20d60505pd64B.MigrationMapper),
    attribute), 131
    77
dependencies (tardis.tardis_portal.migrations.0002_auto_20150528_1128.MigrationPortal.models.datafile.DataFile
    attribute), 141
dependencies (tardis.tardis_portal.migrations.0003_auto_20150907_1813.MigrationPortal.models.dataset.Dataset
    attribute), 146
dependencies (tardis.tardis_portal.migrations.0004_storageboxoftardisdatasettype.MigrationStorage.StorageBox
    attribute), 173
dependencies (tardis.tardis_portal.migrations.0005_datafilerenametardisappstorage.MigrationStorage.Document
    attribute), 105
dependencies (tardis.tardis_portal.migrations.0006_datafilerenametardisappstorage.MigrationStorage.DatasetDocument
    attribute), 106
dependencies (tardis.tardis_portal.migrations.0007_renderingtardisappandhalo.MigrationExperimentDocument
    attribute), 106
dependencies (tardis.tardis_portal.migrations.0008_stringvalue_partial_index_postgres.Migration
    (tardis.tardis_portal.models.storage.StorageBox
dependencies (tardis.tardis_portal.migrations.0009_auto_20160128_riblio.Migration
    attribute), 133
    DjangoAuthBackend (class in
dependencies (tardis.tardis_portal.migrations.0010_auto_20160503_1643.Migration.auth.localdb_auth), 128
    attribute), 133
    DjangoAuthProvider (class in
dependencies (tardis.tardis_portal.migrations.0011_auto_20160505_1643.Migration.auth.localdb_auth), 128
    attribute), 133
    DjangoUserProvider (class in
dependencies (tardis.tardis_portal.migrations.0012_userauth.tardis_tardisauth.MigrationLocaldb_auth), 128
    attribute), 133
    do_file_copy () (in module
dependencies (tardis.tardis_portal.migrations.0013_auto_20181002_1130.Migration.tasks), 97
    attribute), 133
    do_migration () (in module
dependencies (tardis.tardis_portal.migrations.0014_auto_20181002_1130.Migrationmigration), 86
    attribute), 134
dependencies (tardis.tardis_portal.migrations.0015_dataset_created_api.Migration (in
    attribute), 134
    tardis.tardis_portal.download), 225
dependencies (tardis.tardis_portal.migrations.0016_add_timestamps.Migration (in
    attribute), 134
    tardis.tardis_portal.download), 225
dependencies (tardis.tardis_portal.migrations.0017_add_overlicenses.Migration (in
    attribute), 134
    tardis.apps.s3utils.api.ReplicaAppResource
method), 102
dependencies (tardis.tardis_portal.migrations.0018_make_default_storage_box.tardisutil.MigrationDataFileResource
    attribute), 135
    method), 215
description (tardis.tardis_portal.models.dataset.Dataset.download_image () (in
    attribute), 146
    tardis.tardis_portal.iiif), 231
description (tardis.tardis_portal.models.experiment.Experiment.ad_info () (in
    attribute), 149
    tardis.tardis_portal.iiif), 231
description (tardis.tardis_portal.models.storage.Storage.DOWNLOAD_URI_TEMPLATES (in
    attribute), 175
    tardis.default_settings.downloads), 120
deserialize () (tardis.tardis_portal.api.DataFileResource.downloadTestCase (class
    method), 215
    tardis.tardis_portal.tests.test_download),
detail_allowed_methods
    (tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta
attribute), 108
    Storage (class in tardis.tardis_portal.storage),
    181
detail_uri_kwargs () DumpSchemasTestCase (class
    (tardis.apps.search.api.AdvanceSearchAppResource
method), 104
    tardis.tardis_portal.tests.management.test_dumpschemas),
    189

```

DynamicTree (*class in tardis.apps.sftp.sftp*), 110  
 dynurl() (in module *tardis.tardis\_portal.templatetags.dynurl*), 182  
 DynUrlNode (class *tardis.tardis\_portal.templatetags.dynurl*), 182

**E**

edit\_auth\_method() (in module *tardis.tardis\_portal.auth.authentication*), 123  
 edit\_datafile\_par() (in module *tardis.tardis\_portal.views.parameters*), 207  
 edit\_dataset() (in module *tardis.tardis\_portal.views.pages*), 206  
 edit\_dataset\_par() (in module *tardis.tardis\_portal.views.parameters*), 207  
 edit\_experiment\_par() (in module *tardis.tardis\_portal.views.parameters*), 207  
 edit\_parameters() (in module *tardis.tardis\_portal.views.parameters*), 207  
 EditParameterSetTestCase (class *tardis.tardis\_portal.tests.test\_parametersets*), 199  
 effectiveDate (*tardis.tardis\_portal.models.access\_control.ObjectACL*.attribute), 137  
 email (*tardis.tardis\_portal.models.experiment.ExperimentAuthor*.attribute), 152  
 EMAIL\_HOST (in module *tardis.default\_settings.email*), 120  
 EMAIL\_HOST\_PASSWORD (in module *tardis.default\_settings.email*), 120  
 EMAIL\_HOST\_USER (in module *tardis.default\_settings.email*), 120  
 email\_migration\_success() (in module *tardis.apps.openid\_migration.email\_text*), 86  
 EMAIL\_PORT (in module *tardis.default\_settings.email*), 120  
 EMAIL\_USE\_TLS (in module *tardis.default\_settings.email*), 120  
 email\_user() (in module *tardis.tardis\_portal.email*), 225  
 encode\_if\_py2() (in module *tardis.apps.deep\_storage\_download\_mapper.mapper*), 76  
 end\_time (*tardis.tardis\_portal.models.experiment.Experiment*.attribute), 149  
 endpoint() (in module *tardis.apps.oaipmh.views*), 84  
 EndpointTestCase (class *tardis.apps.oaipmh.tests.test\_oai*), 82  
 entityId (*tardis.tardis\_portal.models.access\_control.ObjectACL*.attribute), 137

error\_handler() (in module *tardis.views*), 239  
 EXACT\_VALUE\_COMPARISON (*tardis.tardis\_portal.models.parameters.ParameterName*.attribute), 168  
 in Experiment (class *tardis.tardis\_portal.models.experiment*), 148  
 experiment (*tardis.tardis\_portal.models.experiment.ExperimentAuthor*.attribute), 152  
 experiment (*tardis.tardis\_portal.models.parameters.ExperimentParam*.attribute), 162  
 EXPERIMENT (*tardis.tardis\_portal.models.parameters.Schema*.attribute), 171  
 experiment (token.*TOKEN\_ATTRIBUTE*.attribute), 179  
 Experiment.DoesNotExist, 148  
 Experiment.MultipleObjectsReturned, 148  
 experiment\_access\_required() (in module *tardis.tardis\_portal.auth.decorators*), 125  
 experiment\_authors() (in module *tardis.tardis\_portal.templatetags.experiment\_tags*), 182  
 experiment\_badges() (in module *tardis.tardis\_portal.templatetags.experiment\_tags*), 182  
 experiment\_object\_ACL\_browse\_item() (in module *tardis.tardis\_portal.templatetags.experiment\_tags*), 182  
 experiment\_datafiles\_badge() (in module *tardis.tardis\_portal.templatetags.experiment\_tags*), 182  
 experiment\_datasets\_badge() (in module *tardis.tardis\_portal.templatetags.experiment\_tags*), 182  
 experiment\_download\_link() (in module *tardis.tardis\_portal.templatetags.experiment\_tags*), 183  
 experiment\_download\_required() (in module *tardis.tardis\_portal.auth.decorators*), 125  
 experiment\_file\_count() (in module *tardis.tardis\_portal.templatetags.experimentstats*), 183  
 experiment\_id (*tardis.tardis\_portal.creativecommonshandler.CreativeCommonHandler*.attribute), 223  
 experiment\_id (*tardis.tardis\_portal.models.experiment.ExperimentAuthor*.attribute), 152  
 experiment\_id (*tardis.tardis\_portal.models.parameters.ExperimentParam*.attribute), 163  
 experiment\_id (token.*TOKEN\_ATTRIBUTE*.attribute), 179  
 in experiment\_last\_updated\_badge() (in module *tardis.tardis\_portal.templatetags.experiment\_tags*), 183  
 experiment\_ownership\_required() (in mod-

`ule tardis.tardis_portal.auth.decorators), 125` `161`  
`experiment_public_access_badge () (in module` `tardis.tardis_portal.templatetags.experiment_tags),` `(tardis.tardis_portal.models.parameters.ExperimentParameterSet`  
`183` `attribute), 163`  
`experiment_public_access_badge () (in module` `tardis.tardis_portal.views.ajax_pages),` `202` `ExperimentParameterSet`  
`experiment_set (tardis.tardis_portal.models.license.License` `attribute), 169`  
`attribute), 156` `ExperimentParameterInline (class` `in`  
`ExperimentAdmin (class` `tardis.tardis_portal.admin),` `210` `ExperimentParameterResource (class` `in`  
`tardis.tardis_portal.templatetags.experiment_tags` `tardis.tardis_portal.api),` `217`  
`ExperimentAuthor (class` `tardis.tardis_portal.forms),` `226`  
`ExperimentAuthor (class` `tardis.tardis_portal.models.experiment),` `152`  
`ExperimentAuthor.DoesNotExist, 152`  
`ExperimentAuthor.Meta (class` `tardis.tardis_portal.forms),` `227`  
`ExperimentAuthor.MultipleObjectsReturned,` `152`  
`ExperimentAuthor.set` `(tardis.tardis_portal.models.experiment.Experiment` `ExperimentParameterResource.Meta (class in`  
`attribute), 149` `tardis.tardis_portal.api), 217`  
`ExperimentAuthorResource (class` `tardis.tardis_portal.api),` `216` `ExperimentParameterSetAdmin (class` `in`  
`ExperimentAuthorResource.Meta (class` `tardis.tardis_portal.api),` `216` `tardis.tardis_portal.admin),` `210`  
`ExperimentDocument (class` `tardis.apps.search.documents),` `106` `ExperimentParameterSetResource (class` `in`  
`ExperimentDocument.Django (class` `tardis.apps.search.documents),` `106` `tardis.tardis_portal.api),` `217`  
`ExperimentDocument.Index (class` `tardis.apps.search.documents),` `106` `ExperimentParameterSetResource.Meta`  
`ExperimentForm (class in tardis.tardis_portal.forms),` `227` `(class in tardis.tardis_portal.api),` `217`  
`ExperimentForm.FullExperiment (class` `tardis.tardis_portal.forms),` `227` `ExperimentResource (class` `in`  
`ExperimentForm.Meta (class` `tardis.tardis_portal.forms),` `227` `tardis.tardis_portal.api),` `217`  
`ExperimentListsTest (class` `tardis.tardis_portal.tests.views.test_template_contexts),` `191` `ExperimentResource.Meta (class` `in`  
`ExperimentManager (class` `tardis.tardis_portal.managers),` `231` `ExperimentResourceTest (class` `in`  
`ExperimentParameter (class` `tardis.tardis_portal.models.parameters),` `161` `experiments (tardis.apps.sftp.sftp.MyTardisServerInterface`  
`ExperimentParameter.DoesNotExist, 161` `attribute), 111`  
`ExperimentParameter.MultipleObjectsReturned,` `191` `ExperimentResource.Meta (class` `in`  
`ExperimentTestSuite (class` `tardis.tardis_portal.tests.views.test_experiment_views),` `191`

ExperimentView (class in *tardis.tardis\_portal.admin*, *tardis.tardis\_portal.views.pages*), 205  
 expiry\_date (*tardis.tardis\_portal.models.token.Token* attribute), 179  
 expiryDate (*tardis.tardis\_portal.models.access\_control.ObjectACL* attribute), 137  
 ext\_groups (*tardis.tardis\_portal.models.access\_control.UserProfile* attribute), 139  
 external\_users () (*tardis.tardis\_portal.managers.ExperimentManager*), 218  
 extra (*tardis.tardis\_portal.admin.DataFileObjectInline* attribute), 209  
 extra (*tardis.tardis\_portal.admin.ExperimentParameterInline* attribute), 210  
 extra (*tardis.tardis\_portal.admin.InstrumentParameterInline* attribute), 211  
 extra (*tardis.tardis\_portal.admin.ObjectACLInline* attribute), 211  
 extra (*tardis.tardis\_portal.admin.ParameterNameInline* attribute), 212  
 extra (*tardis.tardis\_portal.admin.StorageBoxAttributeInline* attribute), 212  
 extra (*tardis.tardis\_portal.admin.StorageBoxOptionInline* attribute), 213  
 ExtraTestCases (class in *tardis.tardis\_portal.tests.test\_iif*), 196

**F**

facilities\_managed\_by () (in module *tardis.tardis\_portal.models.facility*), 154  
 Facility (class in *tardis.tardis\_portal.models.facility*), 153  
 facility (*tardis.tardis\_portal.models.instrument.Instrument* attribute), 154  
 Facility.DoesNotExist, 153  
 Facility.MultipleObjectsReturned, 153  
 facility\_id (*tardis.tardis\_portal.models.instrument.Instrument* attribute), 155  
 facility\_overview () (in module *tardis.tardis\_portal.views.pages*), 206  
 facility\_overview\_data\_count () (in module *tardis.tardis\_portal.views.facilities*), 203  
 facility\_overview\_datafile\_list () (in module *tardis.tardis\_portal.views.facilities*), 204  
 facility\_overview\_dataset\_detail () (in module *tardis.tardis\_portal.views.facilities*), 204  
 facility\_overview\_experiments () (in module *tardis.tardis\_portal.views.facilities*), 204  
 facility\_overview\_facilities\_list () (in module *tardis.tardis\_portal.views.facilities*), 204

FacilityAdmin (class in *tardis.tardis\_portal.admin*), 211  
 FacilityOverviewTestCase (class in *tardis.tardis\_portal.tests.test\_facility\_overview*),  
 FacilityResource (class in *tardis.tardis\_portal.api*), 218  
 FacilityResource.Meta (class in *tardis.tardis\_portal.api*), 218  
 FacilityResourceTest (class in *tardis.tardis\_portal.tests.api.test\_facility\_resource*), 186  
 FacilityResourceFeedback () (in module *tardis.tardis\_portal.views.utils*), 208  
 Field (class in *tardis.apps.push\_to.models.CredentialForm* Meta attribute), 92  
 fields (*tardis.apps.push\_to.models.RemoteHostAdmin* attribute), 96  
 fields (*tardis.tardis\_portal.admin.DatafileAdminForm* Meta attribute), 210  
 fields (*tardis.tardis\_portal.admin.DataFileObjectInlineForm* Meta attribute), 209  
 fields (*tardis.tardis\_portal.admin.StorageBoxAttributeInlineForm* Meta attribute), 213  
 fields (*tardis.tardis\_portal.admin.StorageBoxForm* Meta attribute), 213  
 fields (*tardis.tardis\_portal.admin.StorageBoxOptionInlineForm* Meta attribute), 214  
 fields (*tardis.tardis\_portal.api.UserResource* Meta attribute), 222  
 fields (*tardis.tardis\_portal.forms.DatasetForm* Meta attribute), 226  
 fields (*tardis.tardis\_portal.forms.ExperimentAuthor* Meta attribute), 227  
 fields (*tardis.tardis\_portal.forms.ExperimentForm* Meta attribute), 227  
 fields (*tardis.tardis\_portal.forms.ManageAccountForm* Meta attribute), 228  
 fields (*tardis.tardis\_portal.forms.RightsForm* Meta attribute), 230  
 file\_object (*tardis.tardis\_portal.models.datafile.DataFile* attribute), 141  
 file\_object (*tardis.tardis\_portal.models.datafile.DataFileObject* attribute), 144  
 file\_objects (*tardis.tardis\_portal.models.datafile.DataFile* attribute), 141  
 file\_objects (*tardis.tardis\_portal.models.storage.StorageBox* attribute), 175  
 filename (*tardis.tardis\_portal.models.datafile.DataFile* attribute), 141  
 FILENAME (*tardis.tardis\_portal.models.parameters.ParameterName* attribute), 168  
 filepicker\_url\_regex (*tardis.apps.filepicker.utils.FilepickerFile*

```

    attribute), 77
FilepickerFile (class in tardis.apps.filepicker.utils),
    77
filtering (tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta tardis.tardis_portal.migrations.0017_add_cc_licenses),
    attribute), 108
filtering (tardis.tardis_portal.api.DataFileResource.Meta freeTextSearchField
    attribute), 215 (class in
filtering (tardis.tardis_portal.api.DatasetResource.Meta tardis.tardis_portal.models.parameters),
    attribute), 216 163
filtering (tardis.tardis_portal.api.ExperimentAuthorResource.Meta MetaSearchField.MultipleObjectsReturned,
    attribute), 217 164
filtering (tardis.tardis_portal.api.ExperimentResource.Meta MetaTextSearchField.DoesNotExist,
    attribute), 217 163
filtering (tardis.tardis_portal.api.FacilityResource.Meta MetaTextSearchFieldAdmin
    attribute), 218 (class in
filtering (tardis.tardis_portal.api.GroupResource.Meta tardis.tardis_portal.admin), 211
    attribute), 218
freeze_time () (tardis.tardis_portal.tests.test_tokens.FrozenTime
filtering (tardis.tardis_portal.api.InstrumentResource.Meta class method), 201
    attribute), 218 FrozenTime (class in
filtering (tardis.tardis_portal.api.ObjectACLResource.Meta tardis.tardis_portal.tests.test_tokens), 201
    attribute), 219 full_name (tardis.tardis_portal.models.parameters.ParameterName
filtering (tardis.tardis_portal.api.ParameterNameResource.Meta attribute), 169
    attribute), 220
filtering (tardis.tardis_portal.api.ReplicaResource.Meta G
    attribute), 220 generate_keypair_credential ()
filtering (tardis.tardis_portal.api.SchemaResource.Meta (tardis.apps.push_to.models.Credential static
    attribute), 221 method), 91
filtering (tardis.tardis_portal.api.UserResource.Meta generate_presigned_url () (in module
    attribute), 222 tardis.apps.s3utils.utils), 103
FILTERS_TASK_PRIORITY (in module get () (tardis.tardis_portal.managers.ExperimentManager
    tardis.default_settings.filters), 120 method), 232
find_available_tcp_port () (in module get () (tardis.tardis_portal.models.parameters.Parameter
    tardis.tardis_portal.tests.slapd), 193 method), 166
find_custom_view_override () get () (tardis.tardis_portal.views.pages.DatasetView
    (tardis.tardis_portal.views.pages.DatasetView method), 204 method), 205
find_custom_view_override () get () (tardis.tardis_portal.views.pages.ExperimentView
    (tardis.tardis_portal.views.pages.ExperimentView method), 205 method), 205
form (tardis.apps.push_to.models.CredentialAdmin at- get ()
    tribute), 92 (tardis.tardis_portal.views.pages.IndexView
form (tardis.tardis_portal.admin.DatafileAdmin at- get_absolute_filepath ()
    tribute), 210 (tardis.tardis_portal.models.datafile.DataFile
form (tardis.tardis_portal.admin.DataFileObjectInline get_absolute_url ()
    attribute), 209 (tardis.tardis_portal.models.dataset.Dataset
form (tardis.tardis_portal.admin.StorageBoxAdmin at- get_absolute_url ()
    tribute), 212 (tardis.tardis_portal.models.experiment.Experiment
form (tardis.tardis_portal.admin.StorageBoxAttributeInline get_accessible_datafiles_for_user () (in
    attribute), 212 module tardis.tardis_portal.auth.decorators),
form (tardis.tardis_portal.admin.StorageBoxOptionInline 126
    attribute), 213
format_app_name_for_url () (in module get_accessible_experiments () (in module
    tardis.app_config), 238 tardis.tardis_portal.auth.decorators), 126
formfield_overrides get_accessible_experiments_for_dataset ()

```

```

(in module tardis.tardis_portal.auth.decorators), get_context_data()
126                                         (tardis.tardis_portal.views.pages.DatasetView
get_accessible_hosts()      (in      module      method), 205
                           tardis.apps.push_to.views), 97
get_aclOwnershipType_display()
                           (tardis.tardis_portal.models.access_control.ObjectACL
method), 137
get_address() (tardis.tardis_portal.tests.slapd.Slapd
method), 193
get_admin_credentials()
                           (tardis.tardis_portal.tests.api.MyTardisResourceTestCase
method), 188
get_all_storage_boxes_used()
                           (tardis.tardis_portal.models.dataset.Dataset
method), 147
get_all_tardis_apps()      (in      module
                           tardis.test_settings), 238
get_allowed_auths()
                           (tardis.apps.sftp.sftp.MyTServerInterface
method), 115
get_api_key()      (in      module
                           tardis.apps.openid_migration.migration),
86
getapikey_credentials()
                           (tardis.tardis_portal.tests.api.MyTardisResourceTestCase
method), 188
get_as_temporary_file()
                           (tardis.tardis_portal.models.datafile.DataFile
method), 141
get_auth_method()      (in      module
                           tardis.apps.social_auth.auth.social_auth),
117
get_available_signing_services()
                           (tardis.apps.push_to.models.OAuthSSHCertSigningService
static method), 94
get_beamline() (tardis.tardis_portal.tests.test_publishservice
method), 200
get_by_natural_key()
                           (tardis.tardis_portal.managers.ParameterNameManager
method), 233
get_by_natural_key()
                           (tardis.tardis_portal.managers.SchemaManager
method), 233
get_client_for_host()
                           (tardis.apps.push_to.models.Credential
method), 91
get_client_ip()      (in      module
                           tardis.tardis_portal.logging_middleware),
231
get_comparison_type_display()
                           (tardis.tardis_portal.models.parameters.ParameterName
method), 169
get_context() (tardis.tardis_portal.publish.publishservice.PublishService
method), 180
get_context_data()
                           (tardis.tardis_portal.views.pages.ExperimentView
method), 205
get_context_data()
                           (tardis.tardis_portal.views.pages.IndexView
method), 206
get_create_token_url()
                           (tardis.tardis_portal.models.experiment.Experiment
method), 150
get_credential()      (in      module
                           tardis.apps.push_to.views), 98
get_credentials()
                           (tardis.tardis_portal.tests.api.MyTardisResourceTestCase
method), 188
get_ct() (tardis.tardis_portal.models.experiment.Experiment
method), 150
get_data_type_display()
                           (tardis.tardis_portal.models.parameters.ParameterName
method), 169
get_datafiles() (tardis.tardis_portal.api.DatasetResource
method), 216
get_datafiles() (tardis.tardis_portal.models.dataset.Dataset
method), 147
get_datafiles() (tardis.tardis_portal.models.experiment.Experiment
method), 150
get_dataset_info() (in      module
                           tardis.tardis_portal.views.utils), 208
get_default_push_location() (in      module
                           tardis.apps.push_to.utils), 97
get_default_storage()
                           (tardis.tardis_portal.models.storage.StorageBox
class method), 175
get_email_box()
                           (tardis.tardis_portal.models.datafile.DataFile
method), 142
get_endn_suffix() (tardis.tardis_portal.tests.slapd.Slapd
method), 193
get_download_organizations() (in      module
                           tardis.tardis_portal.download), 225
get_download_url()
                           (tardis.tardis_portal.models.datafile.DataFile
method), 142
get_download_urls()
                           (tardis.tardis_portal.models.dataset.Dataset
method), 147
get_download_urls()
                           (tardis.tardis_portal.models.experiment.Experiment
method), 150
get_edit_url() (tardis.tardis_portal.models.dataset.Dataset
method), 147
get_edit_url() (tardis.tardis_portal.models.experiment.Experiment
method), 150

```

```

        method), 150
get_effective_query()           (in module
    (tardis.tardis_portal.models.access_control.ObjectACL
     class method), 137
get_experiment_referer()       (in module
    tardis.tardis_portal.shortcuts), 234
get_file() (tardis.apps.filepicker.utils.FilepickerFile
    method), 77
get_file() (tardis.tardis_portal.models.datafile.DataFile
    method), 142
get_filesystem_safe_dataset_name() (in module
    tardis.tardis_portal.util), 235
get_filesystem_safe_experiment_name() (in module
    tardis.tardis_portal.util), 235
get_first_experiment()          (tardis.tardis_portal.models.dataset.Dataset
    method), 147
get_full_path() (tardis.tardis_portal.models.datafile.DataFileObject
    method), 144
get_git_version() (in module
    tardis.default_settings), 123
get_groups() (tardis.tardis_portal.models.experiment.Experiment
    method), 150
get_id() (tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider
    static method), 79
get_identifier() (tardis.tardis_portal.api.MyTardisAuthentication
    method), 219
get_image_data() (tardis.tardis_portal.models.datafile.DataFile
    method), 142
get_images() (tardis.tardis_portal.models.dataset.Dataset
    method), 147
get_images() (tardis.tardis_portal.models.experiment.Experiment
    method), 150
get_initialised_storage_instance() (tardis.tardis_portal.models.storage.StorageBox
    method), 175
get_instances_from_related() (tardis.apps.search.documents.DataFileDocument
    method), 105
get_instances_from_related() (tardis.apps.search.documents.DatasetDocument
    method), 106
get_instances_from_related() (tardis.apps.search.documents.ExperimentDocument
    method), 106
get_item() (in module
    tardis.tardis_portal.templatetags.lookupfilters), 183
get_leaf() (tardis.apps.sftp.sftp.DynamicTree
    method), 111
get_license_uri() (tardis.tardis_portal.tests.test_publishservice.MockRifCsProvider
    method), 200
get_local_time() (in module
    tardis.tardis_portal.auth.utils), 129
        tardis.tardis_portal.util), 235
get_matching_auth_provider() (in module
    tardis.apps.openid_migration.migration), 86
get_matching_authmethod() (in module
    tardis.tardis_portal.templatetags.approved_user_tags),
    181
get_mimetype() (tardis.tardis_portal.models.datafile.DataFile
    method), 142
get_next_by_added() (tardis.apps.sftp.models.SFTPPublicKey
    method), 110
get_next_by_created_time() (tardis.tardis_portal.models.datafile.DataFileObject
    method), 144
get_next_by_created_time() (tardis.tardis_portal.models.experiment.Experiment
    method), 150
get_next_by_expiry_date() (tardis.tardis_portal.models.jti.JTI
    method), 155
get_next_by_update_time() (tardis.tardis_portal.models.experiment.Experiment
    method), 156
get_none_option_license() (tardis.tardis_portal.models.license.License
    method), 156
get_oauth_service() (tardis.apps.push_to.models.OAuthSSHCertSigningService
    static method), 94
get_object_list() (tardis.apps.search.api.AdvanceSearchAppResource
    method), 104
get_object_list() (tardis.apps.search.api.SearchAppResource
    method), 105
get_object_size() (in module
    tardis.apps.push_to.utils), 97
get_options_as_dict() (tardis.tardis_portal.models.storage.StorageBox
    method), 175
get_or_create_cc_parameterset() (tardis.tardis_portal.creativecommonshandler.CreativeCommons
    method), 223
get_or_create_directory() (tardis.tardis_portal.models.experiment.Experiment
    method), 150
get_or_create_user() (in module
    tardis.tardis_portal.auth.utils), 129

```

```

get_or_create_user()                               method), 137
    (tardis.tardis_portal.auth.authservice.AuthService get_response() (tardis.tardis_portal.download.UncachedTarStream
    method), 125
get_owned_experiments()   (in module get_rifcs_context()
    tardis.tardis_portal.auth.decorators), 126      (tardis.tardis_portal.publish.provider.rifcsprovider.RifCsProvider
get_owners() (tardis.tardis_portal.models.experiment.Experiment method), 180
    method), 150                                     get_rifcs_context()
get_param() (tardis.tardis_portal.ParameterSetManager.ParameterSetManager method), 180
    method), 209                                     get_rifcs_context()
get_params() (tardis.tardis_portal.ParameterSetManager.ParameterSetManager method), 180
    method), 209                                     static method), 80
get_path() (tardis.tardis_portal.models.dataset.Dataset get_root_dn() (tardis.tardis_portal.tests.slapd.Slapd
    method), 147                                     method), 193
get_perm_bool() (tardis.tardis_portal.auth.authorisation ACLAwareBackend
    method), 124                                     (tardis.tardis_portal.tests.slapd.Slapd method),
get_preferred_dfo()                               193
    (tardis.tardis_portal.models.datafile.DataFile
    method), 142                                     get_schema() (tardis.tardis_portal.ParameterSetManager.ParameterSetManager
get_previous_by_added()                         method), 209
    (tardis.apps.sftp.models.SFTPPublicKey
    method), 110                                     get_server() (in module tardis.apps.oaipmh.server),
get_previous_by_created_time()                  84
    (tardis.tardis_portal.models.datafile.DataFileObject
    method), 144                                     get_session_expiry()
get_previous_by_created_time()                  (tardis.tardis_portal.models.token.Token
    (tardis.tardis_portal.models.experiment.Experiment
    method), 150                                     method), 179
get_previous_by_created_time()                  get_shared_experiments() (in module
    (tardis.tardis_portal.models.jti.JTI
    method), 155                                     tardis.tardis_portal.auth.decorators), 126
get_previous_by_expiry_date()                   get_signing_services() (in module
    (tardis.tardis_portal.models.token.Token
    method), 179                                     tardis.apps.push_to.views), 98
get_previous_by_migration_timestamp()          get_size() (tardis.tardis_portal.models.datafile.DataFile
    (tardis.apps.openid_migration.models.OpenidUserMigration
    method), 88                                     method), 142
get_previous_by_update_time()                   get_size() (tardis.tardis_portal.models.dataset.Dataset
    (tardis.tardis_portal.models.experiment.Experiment
    method), 150                                     method), 147
get_public_access_display()                    get_size() (tardis.tardis_portal.models.experiment.Experiment
    (tardis.tardis_portal.models.experiment.Experiment
    method), 150                                     method), 150
get_push_url_for_host()   (in module get_tardis_apps() (in module tardis.app_config),
    tardis.apps.push_to.views), 98                  238
get_queryset() (tardis.tardis_portal.managers.OracleSafeManager
    method), 233                                     get_template() (tardis.tardis_portal.publish.publishservice.PublishService
get_receiving_storage_box()                   method), 180
    (tardis.tardis_portal.models.datafile.DataFile
    method), 142                                     get_template() (tardis.tardis_portal.tests.test_publishservice.MockRifCsProvider
get_related_object()                           (tardis.tardis_portal.models.access_control.ObjectACL
    method), 137                                     thumbnail_url()
get_related_object_group()                   (tardis.tardis_portal.models.access_control.ObjectACL
    method), 147                                     (tardis.tardis_portal.models.dataset.Dataset
get_tmpdir() (tardis.tardis_portal.models.access_control.ObjectACL
    method), 147                                     method), 147
                                         tmpdir() (tardis.tardis_portal.tests.slapd.Slapd
                                         method), 193

```

```

        method), 193
get_token()           (in      module       (tardis.tardis_portal.models.datafile.DataFile
                          tardis.apps.push_to.oauth_tokens), 96   method), 141
get_token_data()     (in      module       getParameterSets()
                          tardis.apps.push_to.oauth_tokens), 96   (tardis.tardis_portal.models.dataset.Dataset
get_type_display()   (tardis.tardis_portal.models.parameters.Schema   method), 147
                          method), 172
getParameterSets()    (tardis.tardis_portal.models.experiment.Experiment
get_url()            (tardis.tardis_portal.tests.slapd.Slapd   method), 150
                          method), 193
getParameterSets()    (tardis.tardis_portal.models.instrument.Instrument
get_user()            (tardis.tardis_portal.auth.interfaces.AuthProvider   method), 155
                          method), 127
getParameterSets()    (tardis.tardis_portal.models.experiment.AbstractExperiment
get_user()            (tardis.tardis_portal.auth.localdb_auth.DjangoAuthBackend), 78, 242
                          method), 128
getParameterSets()    (tardis.apps.oaipmh.provider.base.BaseProvider
get_utc_time()        (in module tardis.tardis_portal.util), 235
getParameterSets()    (tardis.apps.oaipmh.provider.experiment.AbstractExperiment
get_value_type_display()   (tardis.tardis_portal.models.storage.StorageBoxOptions   method), 79
                          method), 178
getParameterSets()    (tardis.apps.oaipmh.server.ProxyingServer
get_view_url()        (tardis.tardis_portal.models.datafile.DataFile   method), 82, 243
                          method), 142
GetTestCase           (class      in
getAuthMethodChoices()   (in      module       tardis.apps.related_info.tests.tests), 99
                          tardis.tardis_portal.forms), 231
getParameterSets()    (tardis.tardis_portal.models.parameters.ParameterName
getAuthMethodDescription()   (tardis.tardis_portal.models.access_control.UserAuthentication), 169
                          method), 138
getParameterSets()    (tardis.tardis_portal.models.access_control.UserProfile
getGroupById()         (tardis.tardis_portal.auth.interfaces.GroupProvider), 125
                          method), 127
getParameterSets()    (tardis.tardis_portal.models.access_control.UserProfile
getGroupById()         (tardis.tardis_portal.auth.localdb_auth.DjangoGroupBackend), 139
                          method), 128
getParameterSets()    (tardis.tardis_portal.auth.interfaces.UserProvider
getGroupById()         (tardis.tardis_portal.tests.test_authservice.MockGroupProvider), 127
                          method), 195
getParameterSets()    (tardis.tardis_portal.auth.localdb_auth.DjangoUserProvider
getGroups()             (in      module       getGroupId()   (tardis.tardis_portal.auth.localdb_auth.DjangoUserProvider
                          tardis.tardis_portal.auth.fix_circular), 127
                          method), 128
getParameterSets()    (tardis.tardis_portal.auth.authservice.UserService
getGroups()             (tardis.tardis_portal.auth.authservice.AuthService   getUsernameByEmail()
                          method), 124
getParameterSets()    (tardis.tardis_portal.auth.authservice.UserService
getGroups()             (tardis.tardis_portal.auth.interfaces.GroupProvider), 125
                          method), 127
getParameterSets()    (tardis.tardis_portal.auth.localdb_auth.DjangoGroupBackend), 127
getGroups()             (tardis.tardis_portal.auth.token_auth.TokenGroupProvider
                          method), 129
getParameterSets()    (tardis.tardis_portal.auth.interfaces.UserProvider
getGroups()             (tardis.tardis_portal.tests.test_authservice.MockGroupProvider), 127
                          method), 195
getParameterSets()    global_contexts()   (in      module
getGroupsForEntity()   (tardis.tardis_portal.auth.authservice.UserService   223
                          method), 125
getParameterSets()    (tardis.tardis_portal.context_processors),
getGroupsForEntity()   (tardis.tardis_portal.auth.interfaces.GroupProvider   223
                          method), 127
getParameterSets()    GREATER_THAN_COMPARISON
getGroupsForEntity()   (tardis.tardis_portal.auth.interfaces.GroupProvider   (tardis.tardis_portal.models.parameters.ParameterName
                          method), 195
getParameterSets()    GREATER_THAN_EQUAL_COMPARISON
getParameterSets()    (tardis.tardis_portal.models.parameters.ParameterName

```

*attribute), 168*

*group (tardis.tardis\_portal.models.access\_control.GroupAdmin attribute), 135*

*group\_acls\_system\_owned () (tardis.tardis\_portal.managers.ExperimentManager method), 232*

*group\_acls\_user\_owned () (tardis.tardis\_portal.managers.ExperimentManager method), 232*

*group\_id (tardis.tardis\_portal.models.access\_control.GroupAdmin attribute), 135*

*group\_ownership\_required () (in module tardis.tardis\_portal.auth.decorators), 126*

*GroupAdmin (class in tardis.tardis\_portal.models.access\_control), 135*

*GroupAdmin.DoesNotExist, 135*

*GroupAdmin.MultipleObjectsReturned, 135*

*GroupProvider (class in tardis.tardis\_portal.auth.interfaces), 127*

*GroupResource (class in tardis.tardis\_portal.api), 218*

*GroupResource.Meta (class in tardis.tardis\_portal.api), 218*

*GroupResourceTest (class in tardis.tardis\_portal.tests.api.test\_group\_resource), 186*

*gt () (in module tardis.tardis\_portal.templatetags.basiccomparisonfilter), 181*

*gte () (in module tardis.tardis\_portal.templatetags.basiccomparisonfilter), 181*

**H**

*handle (tardis.tardis\_portal.models.experiment.Experiment attribute), 150*

*handle () (tardis.apps.sftp.management.commands.sftpd.Command attribute), 130*

*handle () (tardis.apps.sftp.sftp.MyTSFTPRequestHandler method), 111*

*handle () (tardis.tardis\_portal.management.commands.createuser.CatchAttribute), 130*

*handle () (tardis.tardis\_portal.management.commands.dumpschemas.Command method), 130*

*handle () (tardis.tardis\_portal.management.commands.loadschemas.Command method), 130*

*handle () (tardis.tardis\_portal.management.commands.rmxperiment.Command method), 130*

*handle () (tardis.tardis\_portal.management.commands.dumpschemas.ClobberAndHidden), 130*

*handle () (tardis.tardis\_portal.management.commands.loadschemas.ClobberAndHidden), 130*

*handle () (tardis.tardis\_portal.management.commands.rmxperiment.ClobberAndHidden), 130*

*has\_cc\_license () (tardis.tardis\_portal.creativecommonshandler.CreativeCommonsHandler), 223*

*has\_datafile\_access () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_datafile\_download\_access () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_dataset\_access () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_dataset\_ownership () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_dataset\_write () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_delete\_permissions () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_experiment\_access () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_experiment\_download\_access () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_experiment\_ownership () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_experiment\_write () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_image () (tardis.tardis\_portal.models.datafile.DataFile method), 142*

*has\_perm () (tardis.tardis\_portal.auth.authorisation.ACLAwareBackend method), 124*

*has\_read\_or\_owner\_ACL () (in module tardis.tardis\_portal.auth.decorators), 126*

*has\_write\_permissions () (in module tardis.tardis\_portal.auth.decorators), 126*

*hasReader () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry method), 82*

*hasWriter () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry method), 82*

*healthz () (in module tardis.tardis\_portal.views.pages), 206*

*help (tardis.tardis\_portal.management.commands.createuser.Command method), 130*

*help (tardis.tardis\_portal.management.commands.dumpschemas.Command method), 130*

*help (tardis.tardis\_portal.management.commands.loadschemas.Command method), 130*

*hidden (tardis.tardis\_portal.models.parameters.Schema attribute), 130*

*host\_name (tardis.apps.push\_to.models.RemoteHost attribute), 172*

*HttpResponseMethodNotAllowed (class in tardis.tardis\_portal.views.utils), 208*

*HttpResponseSeeAlso (class in tardis.tardis\_portal.views.utils), 208*

*hydrate () (tardis.apps.sftp.api.SFTPPublicKeyAppResource method), 108*

*hydrate () (tardis.tardis\_portal.api.DataFileResource method), 215*

```

hydrate() (tardis.tardis_portal.api.ObjectACLResource id(tardis.tardis_portal.models.parameters.DatasetParameterSet
method), 220
          attribute), 161
hydrate() (tardis.tardis_portal.api.ParameterResource id(tardis.tardis_portal.models.parameters.ExperimentParameter
method), 220
          attribute), 161
hydrate() (tardis.tardis_portal.api.ReplicaResource id(tardis.tardis_portal.models.parameters.ExperimentParameterSet
method), 221
          attribute), 163
hydrate_m2m() (tardis.tardis_portal.api.ExperimentResource id(tardis.tardis_portal.models.parameters.FreeTextSearchField
method), 218
          attribute), 164
hydrate_schema() (tardis.tardis_portal.api.ParameterSet id(tardis.tardis_portal.models.parameters.InstrumentParameter
method), 220
          attribute), 164
|
id(tardis.apps.openid_migration.models.OpenidACLMigration) (tardis.tardis_portal.models.parameters.ParameterName
attribute), 87
id(tardis.apps.openid_migration.models.OpenidUserMigration) (tardis.tardis_portal.models.parameters.Schema
attribute), 172
id(tardis.apps.push_to.models.Credential attribute), 91
id(tardis.apps.push_to.models.OAuthSSHCertSigningService
attribute), 94
id(tardis.apps.push_to.models.RemoteHost attribute),
      95
id(tardis.apps.sftp.models.SFTPPublicKey attribute),
      110
id(tardis.tardis_portal.models.access_control.GroupAdmin
attribute), 135
id(tardis.tardis_portal.models.access_control.ObjectACL
attribute), 137
id(tardis.tardis_portal.models.access_control.UserAuthentication
attribute), 138
id(tardis.tardis_portal.models.access_control.UserProfile
attribute), 139
id(tardis.tardis_portal.models.datafile.DataFile
attribute), 142
id(tardis.tardis_portal.models.datafile.DataFileObject
attribute), 144
id(tardis.tardis_portal.models.dataset.Dataset
attribute), 147
id(tardis.tardis_portal.models.experiment.Experiment
attribute), 150
id(tardis.tardis_portal.models.experiment.ExperimentAuthor
attribute), 152
id(tardis.tardis_portal.models.facility.Facility
attribute), 153
id(tardis.tardis_portal.models.instrument.Instrument
attribute), 155
id(tardis.tardis_portal.models.jti.JTI attribute), 155
id(tardis.tardis_portal.models.license.License
attribute), 156
id(tardis.tardis_portal.models.parameters.DatafileParameter
attribute), 157
id(tardis.tardis_portal.models.parameters.DatafileParameterSet
attribute), 158
id(tardis.tardis_portal.models.parameters.DatasetParameter
attribute), 159
|
id(tardis.apps.openid_migration.models.OpenidACLMigration) (tardis.tardis_portal.models.parameters.ParameterName
attribute), 169
id(tardis.tardis_portal.models.parameters.Schema
attribute), 176
id(tardis.tardis_portal.models.storage.StorageBox
attribute), 177
id(tardis.tardis_portal.models.storage.StorageBoxAttribute
attribute), 178
id(tardis.tardis_portal.models.storage.StorageBoxOption
attribute), 179
id(tardis.tardis_portal.models.token.Token
attribute),
      179
identify() (tardis.apps.oaipmh.provider.base.BaseProvider
method), 78, 242
identify() (tardis.apps.oaipmh.server.ProxyingServer
method), 83, 244
image (tardis.tardis_portal.models.dataset.Dataset
attribute), 147
image_url (tardis.tardis_portal.models.license.License
attribute), 156
immutable (tardis.tardis_portal.models.dataset.Dataset
attribute), 147
immutable (tardis.tardis_portal.models.parameters.ParameterName
attribute), 169
immutable (tardis.tardis_portal.models.parameters.Schema
attribute), 172
ImportParamsForm (class in
tardis.tardis_portal.forms), 228
INDEX_VIEWS (in
tardis.default_settings.custom_views), 119
IndexExperimentTestCase (class in
tardis.apps.search.tests.test_index), 103
IndexView (class in tardis.tardis_portal.views.pages),
      206
initial (tardis.apps.openid_migration.migrations.0001_initial.Migration
attribute), 84
initial (tardis.apps.sftp.migrations.0001_initial.Migration
attribute), 107
initial (tardis.tardis_portal.admin.DatafileAdmin
attribute), 210
initial (tardis.tardis_portal.admin.ExperimentAdmin
attribute), 210

```

```

inlines (tardis.tardis_portal.admin.ExperimentParameterSetAdmin(tardis.tardis_portal.models.parameters.Schema
attribute), 211
inlines (tardis.tardis_portal.admin.InstrumentParameterSetAdmin (class      in
attribute), 211
inlines (tardis.tardis_portal.admin.SchemaAdmin at- instrumentparametersets
tribute), 212 (tardis.tardis_portal.models.storage.StorageBox
inlines (tardis.tardis_portal.admin.StorageBoxAdmin attribute), 176
attribute), 212 InstrumentResource (class      in
institution (tardis.tardis_portal.models.experiment.ExperimentAdmin(tardis.tardis_portal.api), 218
attribute), 152 InstrumentResource.Meta (class      in
institution_name (tardis.tardis_portal.models.experiment.ExperimentAdmin(tardis.tardis_portal.api), 218
attribute), 150 InstrumentResourceTest (class      in
Instrument (class      in tardis.tardis_portal.tests.api.test_instrument_resource),
tardis.tardis_portal.models.instrument), 154 187
instrument (tardis.tardis_portal.models.dataset.Dataset internal_description
attribute), 147 (tardis.tardis_portal.models.license.License
instrument (tardis.tardis_portal.models.parameters.InstrumentParameterSet) 156
attribute), 165 INTERNAL_IPS (in module
INSTRUMENT (tardis.tardis_portal.models.parameters.Schema tardis.default_settings.debug), 119
attribute), 171 interpolate_template() (in module
Instrument.DoesNotExist, 154 tardis.apps.openid_migration.email_text),
Instrument.MultipleObjectsReturned, 154 86
instrument_id (tardis.tardis_portal.models.dataset.Dataset active (tardis.tardis_portal.models.license.License
attribute), 147 attribute), 156
instrument_id (tardis.tardis_portal.models.parameters.InstrumentParameterSet)
attribute), 165 (tardis.tardis_portal.api.MyTardisAuthentication
instrument_set (tardis.tardis_portal.models.facility.Facility method), 219
attribute), 153 is_directory() (in module
InstrumentAdmin (class      in tardis.apps.push_to.utils), 97
tardis.tardis_portal.admin), 211 is_expired() (tardis.tardis_portal.models.token.Token
method), 179
InstrumentParameter (class      in is_facility_manager() (in module
tardis.tardis_portal.models.parameters), tardis.tardis_portal.models.facility), 154
164 is_group_admin() (in module
InstrumentParameter.DoesNotExist, 164 is_image() (tardis.tardis_portal.models.datafile.DataFile
method), 142
InstrumentParameter.MultipleObjectsReturned, 164 (tardis.tardis_portal.auth.decorators), 127
instrumentparameter_set is_local() (tardis.tardis_portal.models.datafile.DataFile
attribute), 165 (tardis.tardis_portal.models.parameters.ParameterName
method), 170
instrumentparameter_set is_online(tardis.tardis_portal.models.datafile.DataFile
attribute), 169 (attribute), 142
InstrumentParameterInline (class      in is_online(tardis.tardis_portal.models.dataset.Dataset
tardis.tardis_portal.admin), 211 attribute), 147
InstrumentParameterSet (class      in is_openid_migration_enabled() (in module
tardis.tardis_portal.models.parameters), tardis.apps.social_auth.auth.social_auth), 117
165 is_public() (tardis.tardis_portal.models.datafile.DataFile
InstrumentParameterSet.DoesNotExist, 165 (tardis.tardis_portal.models.experiment.Experiment
InstrumentParameterSet.MultipleObjectsReturned, 165 method), 142
instrumentparameterset_set is_publication() (tardis.tardis_portal.models.experiment.Experiment
attribute), 155 method), 150
instrumentparameterset_set (tardis.tardis_portal.models.instrument.Instrument publication_draft()
attribute), 155 (tardis.tardis_portal.models.experiment.Experiment
instrumentparameterset_set method), 150

```

```

is_schema_valid()                                key (tardis.tardis_portal.models.storage.StorageBoxOption
                                                (tardis.tardis_portal.publish.provider.rifcsprovider.RifCsProxAttribute), 178
                                                method), 180
                                                key_type (tardis.apps.push_to.models.KeyPair at-
                                                tribute), 93
is_schema_valid()                                key_generate_form (class in tardis.apps.sftp.forms), 109
                                                (tardis.tardis_portal.tests.test_publishservice.MockRifCsTypeAttribute), 110
                                                method), 200
is_searchable (tardis.tardis_portal.models.parameters.ParameterName (class in tardis.apps.sftp.forms), 109
attribute), 170
is_tardis_app () (in module tardis.app_config), 238 109
is_valid () (tardis.tardis_portal.forms.ExperimentForm KeyPair (class in tardis.apps.push_to.models), 93
method), 227
KeyPair.Meta (class in tardis.apps.push_to.models),
is_valid_email () (in module tardis.tardis_portal.management.commands.createuser), 93
130
isDateTime () (tardis.tardis_portal.models.parameters.ParameterName (class in tardis.tardis_portal.widgets), 236
method), 170
last_verified_time
isDjangoAccount (tardis.tardis_portal.models.access_control.UserProfile tardis_portal.models.datafile.DataFileObject
attribute), 139
attribute), 144
isFilename () (tardis.tardis_portal.models.parameters.ParameterName (class in tardis.default_settings attribute), 54
method), 170
LDAP_GROUP_ATTR_MAP (tardis.default_settings at-
isLink () (tardis.tardis_portal.models.parameters.ParameterName tribute), 54
method), 170
LDAP_GROUP_BASE (tardis.default_settings attribute),
isLongString () (tardis.tardis_portal.models.parameters.ParameterName
method), 170
LDAP_GROUP_ID_ATTR (tardis.default_settings
isNumeric () (tardis.tardis_portal.models.parameters.ParameterName attribute), 54
method), 170
LDAP_TLS (tardis.default_settings attribute), 54
isOwner (tardis.tardis_portal.models.access_control.ObjectACL_URL (tardis.default_settings attribute), 54
attribute), 137
LDAP_USER_ATTR_MAP (tardis.default_settings
isString () (tardis.tardis_portal.models.parameters.ParameterName attribute), 54
method), 170
LDAP_USER_BASE (tardis.default_settings attribute),
isURL () (tardis.tardis_portal.models.parameters.ParameterName 54
method), 170
LDAP_USER_LOGIN_ATTR (tardis.default_settings at-
isValidPublicContact ()                         tribute), 54
isProfileAdd () (tardis.tardis_portal.tests.slapd.Slapd
method), 193
IteratorTracker (class in tardis.analytics.tracker), 75
LDAPErrorTest (class in tardis.tardis_portal.tests.test_ldap), 197
ldapsearch () (tardis.tardis_portal.tests.slapd.Slapd
method), 193
J
JSON (tardis.tardis_portal.models.parameters.ParameterName
attribute), 168
LDAPTest (class in tardis.tardis_portal.tests.test_ldap),
attribute), 197
json_indent (tardis.apps.search.api.PrettyJSONSerializer
attribute), 104
length_gt () (in module
tardis.tardis_portal.template_tags.basic_comparison_filters),
json_indent (tardis.tardis_portal.api.PrettyJSONSerializer
attribute), 220
length_gte () (in module
tardis.tardis_portal.template_tags.basic_comparison_filters),
JTI (class in tardis.tardis_portal.models.jti), 155
length_lt () (in module
tardis.tardis_portal.template_tags.basic_comparison_filters),
jti (tardis.tardis_portal.models.jti.JTI attribute), 156
length_lte () (in module
tardis.tardis_portal.template_tags.basic_comparison_filters),
JTI.DoesNotExist, 155
length_lte (), 181
JTI.MultipleObjectsReturned, 155
length_lte (), 181
K
key (tardis.apps.push_to.models.KeyPair attribute), 93
key (tardis.tardis_portal.models.storage.StorageBoxAttribute
attribute), 177
length_lte (), 181
LESS_THAN_COMPARISON

```

(*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 168

`LESS_THAN_EQUAL_COMPARISON` (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 168

`Level0TestCase` (`class tardis.tardis_portal.tests.test_iif`), 197

`Level1TestCase` (`class tardis.tardis_portal.tests.test_iif`), 197

`Level2TestCase` (`class tardis.tardis_portal.tests.test_iif`), 197

`License` (`class in tardis.tardis_portal.models.license`), 156

`license` (`tardis.tardis_portal.models.experiment.Experiment attribute`), 150

`License.DoesNotExist`, 156

`License.MultipleObjectsReturned`, 156

`license_id` (*tardis.tardis\_portal.models.experiment.Experiment attribute*), 151

`LINK` (*tardis.tardis\_portal.models.parameters.ParameterName attribute*), 168

`link_ct` (*tardis.tardis\_portal.models.parameters.DatafileParameter attribute*), 157

`link_ct` (*tardis.tardis\_portal.models.parameters.DatasetParameter attribute*), 159

`link_ct` (*tardis.tardis\_portal.models.parameters.ExperimentParameter attribute*), 161

`link_ct` (*tardis.tardis\_portal.models.parameters.InstrumentParameter attribute*), 164

`link_ct` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 166

`link_ct_id` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 167

`link_gfk` (*tardis.tardis\_portal.models.parameters.DatafileParameter attribute*), 157

`link_gfk` (*tardis.tardis\_portal.models.parameters.DatasetParameter attribute*), 159

`link_gfk` (*tardis.tardis\_portal.models.parameters.ExperimentParameter attribute*), 162

`link_gfk` (*tardis.tardis\_portal.models.parameters.InstrumentParameter attribute*), 164

`link_gfk` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 167

`link_id` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 167

`link_url` (*tardis.tardis\_portal.models.parameters.Parameter attribute*), 167

`list_allowed_methods`

`list_allowed_methods`

`list_allowed_methods`

`list_allowed_methods`

`list_auth_methods()` (*in module tardis.tardis\_portal.auth.authentication*), 123

`list_display` (*tardis.apps.openid\_migration.models.OpenidACLMigration attribute*), 87

`list_display` (*tardis.apps.openid\_migration.models.OpenidUserMigration attribute*), 89

`list_display` (*tardis.tardis\_portal.admin.ObjectACLAdmin attribute*), 211

`list_folder()` (*tardis.apps.sftp.sftp.MyTSFTPServerInterface method*), 111

`list_subdirectories()` (*in module tardis.apps.push\_to.utils*), 97

`listIdentifiers()`

`listIdentifiers()` (*tardis.apps.oaipmh.provider.base.BaseProvider method*), 78, 242

`listIdentifiers()`

`listMetadataFormats()`

`listMetadataFormats()` (*tardis.apps.oaipmh.provider.base.BaseProvider method*), 78, 242

`listMetadataFormats()` (*tardis.apps.oaipmh.provider.experiment.DcExperimentProvider method*), 80

`listMetadataFormats()`

`listMetadataFormats()` (*tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider method*), 80

`listMetadataFormats()` (*tardis.apps.oaipmh.server.ProxyingServer method*), 80

`listRecords()` (*tardis.apps.oaipmh.providerbase.BaseProvider method*), 79, 243

`listRecords()` (*tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider method*), 79

`listRecords()` (*tardis.apps.oaipmh.server.ProxyingServer method*), 80

`listSets()` (*tardis.apps.oaipmh.providerbase.BaseProvider method*), 79, 243

`listSets()` (*tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider method*), 79

`listSets()` (*tardis.apps.oaipmh.server.ProxyingServer method*), 80

`listSets()` (*tardis.apps.oaipmh.server.ProxyingServer method*), 83, 244

`listTestCaseMethods()` (*in module tardis.apps.related\_info.tests.tests*), 99

`load_datafile_image()` (*in module tardis.tardis\_portal.views.images*), 204

`load_dataset_image()` (*in module tardis.tardis\_portal.views.images*), 204

```

load_experiment_image()      (in      module  manage_rifcs () (tardis.tardis_portal.publish.publishservice.PublishSe
    tardis.tardis_portal.views.images), 204          method), 180
load_image()                (in      module  manage_user_account()      (in      module
    tardis.tardis_portal.views.images), 204          tardis.tardis_portal.views.authentication),
load_licenses()              (in      module  203
    tardis.tardis_portal.migrations.0017_add_cc_licencManageAccountForm (class      in
    es, 134                                         tardis.tardis_portal.forms), 228
LoadSchemasTestCase         (class      in  ManageAccountForm.Meta (class      in
    tardis.tardis_portal.tests.management.test_loadschemas),  tardis.tardis_portal.forms), 228
    189                                         ManageAccountTestCase (class      in
LocationResource             (class      in  tardis.tardis_portal.tests.views.test_auth_views),
    tardis.tardis_portal.api), 219                  190
LocationResource.Meta        (class      in  ManageGroupPermissionsForm (class      in
    tardis.tardis_portal.api), 219                 tardis.tardis_portal.forms), 228
locked(tardis.tardis_portal.models.experiment.ExperimentManager_group (tardis.tardis_portal.models.facility.Facility
    attribute), 151                                         attribute), 153
logger (in module tardis.tardis_portal.xmlwriter), 237 manager_group_id (tardis.tardis_portal.models.facility.Facility
LoggingMiddleware            (class      in  attribute), 153
    tardis.tardis_portal.logging_middleware), 231 master_box (tardis.tardis_portal.models.storage.StorageBox
    231                                         attribute), 176
login()                     (in      module  master_box_id (tardis.tardis_portal.models.storage.StorageBox
    tardis.tardis_portal.views.authentication),      attribute), 176
    202                                         MAX_IMAGES_IN_CAROUSEL (in      module
LOGIN_VIEWS                 (in      module  tardis.default_settings.frontend), 121
    tardis.default_settings.custom_views), 119 MAX_SEARCH_RESULTS (in      module
LoginForm (class in tardis.tardis_portal.forms), 228 tardis.default_settings.search), 121
logo_img (tardis.apps.push_to.models.RemoteHost atmax_size (tardis.tardis_portal.models.storage.StorageBox
    tribute), 96                                         attribute), 176
logout()                    (in      module  md5sum (tardis.tardis_portal.models.datafile.DataFile
    tardis.tardis_portal.views.authentication),      attribute), 142
    203                                         media (tardis.apps.openid_migration.models.OpenidACLMigrationAdmin
LONGSTRING (tardis.tardis_portal.models.parameters.ParameterNameattribute), 87
    attribute), 168                                         media (tardis.apps.openid_migration.models.OpenidUserMigrationAdmin
lstat () (tardis.apps.sftp.sftp.MyTSFTPServerInterface
    method), 112                                         attribute), 89
                                         media (tardis.apps.push_to.models.CredentialAdmin at-
lt () (in module tardis.tardis_portal.templatetags.basiccomparisonfilter), 92
    181                                         media (tardis.apps.push_to.models.CredentialForm at-
lte () (in module tardis.tardis_portal.templatetags.basiccomparisonfilter), 93
    181                                         media (tardis.apps.push_to.models.RemoteHostAdmin
                                         attribute), 96
M
make_dirs () (in module tardis.apps.push_to.tasks),
    97                                         media (tardis.apps.related_info.forms.RelatedInfoForm
make_mapper ()               (in      module  attribute), 100
    tardis.tardis_portal.download), 225                                         media (tardis.apps.sftp.forms.KeyAddForm
make_tar () (tardis.tardis_portal.download.UncachedTarStream
    method), 224                                         attribute), 109
                                         media (tardis.tardis_portal.admin.DatafileAdmin
                                         attribute), 210
manage_auth_methods () (in      module  media (tardis.tardis_portal.admin.DatafileAdminForm
    tardis.tardis_portal.views.authentication),
    203                                         attribute), 210
manage_groups ()              (in      module  media (tardis.tardis_portal.admin.DataFileObjectInline
    tardis.tardis_portal.views.authorisation),
    203                                         attribute), 209
                                         media (tardis.tardis_portal.admin.DataFileObjectInlineForm
                                         attribute), 209

```

media (*tardis.tardis\_portal.admin.DatasetAdmin* attribute), 210  
 media (*tardis.tardis\_portal.admin.ExperimentAdmin* attribute), 210  
 media (*tardis.tardis\_portal.admin.ExperimentParameterInline* attribute), 210  
 media (*tardis.tardis\_portal.admin.ExperimentParameterSetAdmin* attribute), 211  
 media (*tardis.tardis\_portal.admin.FacilityAdmin* attribute), 211  
 media (*tardis.tardis\_portal.admin.FreeTextSearchFieldAdmin* attribute), 211  
 media (*tardis.tardis\_portal.admin.InstrumentAdmin* attribute), 211  
 media (*tardis.tardis\_portal.admin.InstrumentParameterInline* attribute), 211  
 media (*tardis.tardis\_portal.admin.InstrumentParameterSetAdmin* attribute), 211  
 media (*tardis.tardis\_portal.admin.ObjectACLAdmin* attribute), 211  
 media (*tardis.tardis\_portal.admin.ObjectACLInline* attribute), 211  
 media (*tardis.tardis\_portal.admin.ParameterNameAdmin* attribute), 211  
 media (*tardis.tardis\_portal.admin.ParameterNameInline* attribute), 212  
 media (*tardis.tardis\_portal.admin.SchemaAdmin* attribute), 212  
 media (*tardis.tardis\_portal.admin.StorageBoxAdmin* attribute), 212  
 media (*tardis.tardis\_portal.admin.StorageBoxAttributeInline* attribute), 212  
 media (*tardis.tardis\_portal.admin.StorageBoxAttributeInlineForm* attribute), 213  
 media (*tardis.tardis\_portal.admin.StorageBoxForm* attribute), 213  
 media (*tardis.tardis\_portal.admin.StorageBoxOptionInline* attribute), 213  
 media (*tardis.tardis\_portal.admin.StorageBoxOptionInlineForm* attribute), 214  
 media (*tardis.tardis\_portal.admin.UserAuthenticationAdmin* attribute), 214  
 media (*tardis.tardis\_portal.forms.AddUserPermissionsForm* attribute), 226  
 media (*tardis.tardis\_portal.forms.CreateUserPermissionsForm* attribute), 226  
 media (*tardis.tardis\_portal.forms.DatasetForm* attribute), 226  
 media (*tardis.tardis\_portal.forms.ExperimentAuthor* attribute), 227  
 media (*tardis.tardis\_portal.forms.ExperimentForm* attribute), 228  
 media (*tardis.tardis\_portal.forms.ImportParamsForm* attribute), 228  
 media (*tardis.tardis\_portal.forms.LoginForm* attribute), 228  
 media (*tardis.tardis\_portal.forms.ManageAccountForm* attribute), 228  
 media (*tardis.tardis\_portal.forms.ManageGroupPermissionsForm* attribute), 229  
 media (*tardis.tardis\_portal.forms.NoInput* attribute), 229  
 media (*tardis.tardis\_portal.forms.RegisterExperimentForm* attribute), 229  
 media (*tardis.tardis\_portal.forms.RegistrationForm* attribute), 230  
 media (*tardis.tardis\_portal.forms.RightsForm* attribute), 230  
 media (*tardis.tardis\_portal.widgets.CommaSeparatedInput* attribute), 235  
 media (*tardis.tardis\_portal.widgets.Label* attribute), 236  
 media (*tardis.tardis\_portal.widgets.Span* attribute), 236  
 merge\_auth\_method() (in module *tardis.tardis\_portal.auth.authentication*), 123  
 METADATA\_STORE\_PATH (in module *tardis.default\_settings.storage*), 122  
 migrate\_accounts() (in module *tardis.apps.openid\_migration.views*), 90  
 migrate\_api\_key() (in module *tardis.apps.openid\_migration.migration*), 86  
 migrate\_user\_message() (in module *tardis.apps.social\_auth.auth.social\_auth*), 117  
 migrate\_user\_permissions() (in module *tardis.apps.openid\_migration.migration*), 86  
 Migration (class in *tardis.apps.openid\_migration.migrations.0001\_initial*),  
 Migration (class in *tardis.apps.push\_to.migrations.0001\_initial*), 90  
 Migration (class in *tardis.apps.push\_to.migrations.0002\_auto\_20160518\_1953*), 90  
 Migration (class in *tardis.apps.sftp.migrations.0001\_initial*), 107  
 Migration (class in *tardis.tardis\_portal.migrations.0001\_initial*), 131  
 Migration (class in *tardis.tardis\_portal.migrations.0001\_squashed\_0011\_auto\_20161111\_131*), 131  
 Migration (class in *tardis.tardis\_portal.migrations.0002\_auto\_20150528\_1128*), 131

```

131                               mimetyppe (tardis.tardis_portal.models.datafile.DataFile
Migration      (class           in      attribute), 142
               tardis.tardis_portal.migrations.0003_auto_20150907_1815)OFF_SCORE      (in      module
132                               tardis.default_settings.search), 121
Migration      (class           in      missing_host_key()
               tardis.tardis_portal.migrations.0004_storageboxoption_value(tardisapps.push_to.models.DBHostKeyPolicy
132                               method), 93
Migration      (class           in      makedirs() (in module tardis.tardis_portal.tests.slapd),
               tardis.tardis_portal.migrations.0005_datafile_add_size_int_to_column,
132                               MockAuthProvider (class      in
Migration      (class           in      tardis.tardis_portal.tests.test_authservice),
               tardis.tardis_portal.migrations.0006_datafile_remove_size_string_column,
132                               MockGroupProvider (class      in
Migration      (class           in      tardis.tardis_portal.tests.test_authservice),
               tardis.tardis_portal.migrations.0007_remove_parameter_string_value_index,
132                               MockRequest (class      in
Migration      (class           in      tardis.tardis_portal.tests.test_authservice),
               tardis.tardis_portal.migrations.0008_string_value_partial_index_postgres,
133                               MockRifCsProvider (class      in
Migration      (class           in      tardis.tardis_portal.tests.test_publishservice),
               tardis.tardis_portal.migrations.0009_auto_20160128_1119),
133                               MockSettings (class      in
Migration      (class           in      tardis.tardis_portal.tests.test_authservice),
               tardis.tardis_portal.migrations.0010_auto_20160503_1443),
133                               model (tardis.apps.push_to.models.CredentialForm.Meta
Migration      (class           in      attribute), 92
               tardis.tardis_portal.migrations.0011_auto_20160505_1464)tardis.apps.search.documents.DataFileDocument.Django
133                               attribute), 105
Migration      (class           in      model (tardis.apps.search.documents.DatasetDocument.Django
               tardis.tardis_portal.migrations.0012_userauthentication_app),
133                               model (tardis.apps.search.documents.ExperimentDocument.Django
Migration      (class           in      attribute), 106
               tardis.tardis_portal.migrations.0013_auto_20181002_1130)tardis.tardis_portal.admin.DatafileAdminForm.Meta
133                               attribute), 210
Migration      (class           in      model (tardis.tardis_portal.admin.DataFileObjectInline
               tardis.tardis_portal.migrations.0014_auto_20181002_1154)),
134                               model (tardis.tardis_portal.admin.DataFileObjectInlineForm.Meta
Migration      (class           in      attribute), 209
               tardis.tardis_portal.migrations.0015_dataset_created_inline)tardis.tardis_portal.admin.ExperimentParameterInline
134                               attribute), 210
Migration      (class           in      model (tardis.tardis_portal.admin.InstrumentParameterInline
               tardis.tardis_portal.migrations.0016_add.timestamps),
134                               model (tardis.tardis_portal.admin.ObjectACLInline at-
Migration      (class           in      tribute), 211
               tardis.tardis_portal.migrations.0017_add_cc_licenses),
134                               model (tardis.tardis_portal.admin.ParameterNameInline
attribute), 212
Migration      (class           in      model (tardis.tardis_portal.admin.StorageBoxAttributeInline
               tardis.tardis_portal.migrations.0018_make_default_storageattribute),
135                               model (tardis.tardis_portal.admin.StorageBoxAttributeInlineForm.Meta
migration_status (tardis.apps.openid_migration.models.OpenidUserMigration
attribute), 88                               model (tardis.tardis_portal.admin.StorageBoxForm.Meta
migration_timestamp
               tardis.apps.openid_migration.models.OpenidUserMigration),
134                               attribute), 213
attribute), 88                               model (tardis.tardis_portal.admin.StorageBoxOptionInline
attribute), 213

```

model (*tardis.tardis\_portal.admin.StorageBoxOptionInlineFormMeta*)  
 attribute), 214

model (*tardis.tardis\_portal.forms.DatasetForm.Meta*)  
 attribute), 226

model (*tardis.tardis\_portal.forms.ExperimentAuthor.Meta*)  
 attribute), 227

model (*tardis.tardis\_portal.forms.ExperimentForm.Meta*)  
 attribute), 227

model (*tardis.tardis\_portal.forms.ManageAccountForm.Meta*)  
 attribute), 228

model (*tardis.tardis\_portal.forms.RightsForm.Meta*)  
 attribute), 230

ModelsTestCase (class in  
*tardis.apps.push\_to.tests.test\_models*), 90

ModelTestCase (class in  
*tardis.apps.openid\_migration.tests.test\_models*),  
 85

ModelTestCase (class in  
*tardis.tardis\_portal.tests.test\_models*), 198

ModelTestCase (class in  
*tardis.tardis\_portal.tests.test\_storage*), 200

modification\_time  
 (*tardis.tardis\_portal.models.datafile.DataFile*  
 attribute), 142

modified\_time (*tardis.tardis\_portal.models.datafile.DataFileObject*)  
 attribute), 144

modified\_time (*tardis.tardis\_portal.models.dataset.Dataset*  
 attribute), 147

modified\_time (*tardis.tardis\_portal.models.facility.Facility*  
 attribute), 153

modified\_time (*tardis.tardis\_portal.models.instrument.Instrument*  
 attribute), 155

move\_file () (*tardis.tardis\_portal.models.datafile.DataFileObject*)  
 method), 144

move\_files () (*tardis.tardis\_portal.models.storage.StorageBox*  
 method), 176

move\_to\_master () (*tardis.tardis\_portal.models.storage.StorageBox*  
 method), 176

MultiValueCommaSeparatedField (class in  
*tardis.tardis\_portal.fields*), 225

my\_data () (in module  
*tardis.tardis\_portal.views.pages*), 206

myt\_auth () (*tardis.apps.sftp.sftp.MyTServerInterface*  
 method), 115

MyTardisAuthentication (class in  
*tardis.tardis\_portal.api*), 219

MyTardisAuthenticationTest (class in  
*tardis.tardis\_portal.tests.api.test\_auth*), 184

MyTardisLocalStorageSystemStorage (class in  
*tardis.tardis\_portal.storage.file\_system*), 181

MyTardisModelError (class in  
*tardis.tardis\_portal.api*), 219

MyTardisModelError.Meta (class in  
*tardis.tardis\_portal.api*), 219

MyTardisResourceTestCase (class in  
*tardis.tardis\_portal.tests.api*), 188

MyTServerInterface (class in *tardis.apps.sftp.sftp*),  
 113

MyTSFTPHandle (class in *tardis.apps.sftp.sftp*), 111

MyTSFTPRequestHandler (class in  
*tardis.apps.sftp.sftp*), 111

MyTSFTPServer (class in *tardis.apps.sftp.sftp*), 111

MyTSFTPServerInterface (class in  
*tardis.apps.sftp.sftp*), 111

MyTSFTPTCPServer (class in *tardis.apps.sftp.sftp*),  
 113

**N**

name (*tardis.analytics.apps.AnalyticsConfig* attribute),  
 75

name (*tardis.apps.openid\_migration.apps.OpenidMigrationConfig*  
 attribute), 85

name (*tardis.apps.push\_to.apps.PushToConfig* attribute), 91

name (*tardis.apps.s3utils.apps.S3UtilsConfig* attribute),  
 102

name (*tardis.apps.search.apps.SearchConfig* attribute),  
 105

DataFileDocument.Index  
 attribute), 105

DatasetDocument.Index  
 attribute), 106

ExperimentDocument.Index  
 attribute), 106

SFTPConfig attribute), 109

SFTPPublicKey attribute),  
 109

SocialAuthConfig  
 attribute), 117

DjangoGroupProvider  
 attribute), 128

DjangoUserProvider  
 attribute), 128

TokenGroupProvider  
 attribute), 129

Facility  
 attribute), 153

Instrument  
 attribute), 155

License  
 attribute), 157

DatafileParameter  
 attribute), 157

DatasetParameter  
 attribute), 160

ExperimentParameter  
 attribute), 162

```

name (tardis.tardis_portal.models.parameters.InstrumentParameter attribute), 94
      attribute), 164                               oauth_callback ()           (in module
name (tardis.tardis_portal.models.parameters.Parameter             tardis.apps.push_to.views), 98
      attribute), 167                               oauth_callback_url ()       (in module
name (tardis.tardis_portal.models.parameters.ParameterName        tardis.apps.push_to.views), 98
      attribute), 170                               oauth_check_token_url
name (tardis.tardis_portal.models.parameters.Schema               (tardis.apps.push_to.models OAuthSSHCertSigningService
      attribute), 173                               attribute), 94
name (tardis.tardis_portal.models.storage.StorageBox            oauth_client_id (tardis.apps.push_to.models OAuthSSHCertSigningS
      attribute), 176                               attribute), 95
name_id (tardis.tardis_portal.models.parameters.Parameter        auth_client_secret
      attribute), 167                               (tardis.apps.push_to.models OAuthSSHCertSigningService
namespace (tardis.tardis_portal.models.parameters.Schema         attribute), 95
      attribute), 173                               oauth_token_url (tardis.apps.push_to.models OAuthSSHCertSigningS
natural_key () (tardis.tardis_portal.models.parameters.Parameter  attribute), 95
      method), 170                               OAuthSSHCertSigningService (class in
natural_key () (tardis.tardis_portal.models.parameters.Schema     tardis.apps.push_to.models), 93
      method), 173                               OAuthSSHCertSigningService.DoesNotExist,
new_param () (tardis.tardis_portal.ParameterSetManager.ParameterSetManager
      method), 209                               OAuthSSHCertSigningService.MultipleObjectsReturned,
new_user (tardis.apps.openid_migration.models.OpenidUserMigration
      attribute), 88                               oauthsshcertsigningservice_set
new_user_auth_method
      (tardis.apps.openid_migration.models.OpenidUserMigrationattribute), 96
      attribute), 88                               obj_create () (tardis.apps.search.api.AdvanceSearchAppResource
new_user_id (tardis.apps.openid_migration.models.OpenidUserMigration
      attribute), 88                               obj_create () (tardis.tardis_portal.api.DataFileResource
next () (tardis.analytics.tracker.IteratorTracker
      method), 75                               method), 215
      obj_create () (tardis.tardis_portal.api.ExperimentResource
nickname (tardis.apps.push_to.models OAuthSSHCertSigningService
      attribute), 94                               method), 218
      nickname (tardis.apps.push_to.models.RemoteHost at-
      tribute), 96                               obj_get_list () (tardis.apps.search.api.AdvanceSearchAppResource
      NoInput (class in tardis.tardis_portal.forms), 229
      NONE (tardis.tardis_portal.models.parameters.Schema
      attribute), 172                               method), 104
      object_class (tardis.apps.s3utils.api.ReplicaAppResource.Meta
      attribute), 102
      object_class (tardis.apps.search.api.SearchAppResource
      attribute), 104
      object_class (tardis.apps.search.api.AdvanceSearchAppResource.Meta
      attribute), 104
      object_class (tardis.tardis_portal.api.SearchAppResource.Meta
      attribute), 104
      object_class (tardis.tardis_portal.api.SFTPPublicKeyAppResource.Meta
      attribute), 108
      notify_user () (in module tardis.apps.push_to.tasks), 97
      now () (tardis.tardis_portal.tests.test_tokens.FrozenTime
      class method), 201
      NS_CC (tardis.apps.oaipmh.provider.experiment.AbstractExperimentProvider
      attribute), 79
      NUMERIC (tardis.tardis_portal.models.parameters.Parameter
      attribute), 168
      numerical_value (tardis.tardis_portal.models.parameters.Parameter
      attribute), 167
O
      oauth_authorize_url
      (tardis.apps.push_to.models OAuthSSHCertSigningService
      attribute), 216
      object_class (tardis.tardis_portal.api.DataFileResource.Meta
      attribute), 215
      object_class (tardis.tardis_portal.api.DatasetParameterResource.Meta
      attribute), 216
      object_class (tardis.tardis_portal.api.DatasetParameterSetResource.Meta
      attribute), 216
      object_class (tardis.tardis_portal.api.DatasetResource.Meta
      attribute), 216

```

object\_class (*tardis.tardis\_portal.api.ExperimentAuthorResource*.*Metadis.apps openid\_migration.models.OpenidACLMigration* attribute), 217  
 object\_class (*tardis.tardis\_portal.api.ExperimentParameterResource*.*Metadis.apps openid\_migration.models.OpenidUserMigration* attribute), 217  
 object\_class (*tardis.tardis\_portal.api.ExperimentParameterSetResource*.*Metadis.apps.push\_to.models.Credential* attribute), 217  
 object\_class (*tardis.tardis\_portal.api.ExperimentResource*.*Metadis.apps.push\_to.models.OAuthSSHCertSigningService* attribute), 217  
 object\_class (*tardis.tardis\_portal.api.FacilityResource*.*Metadis.apps.push\_to.models.RemoteHost* attribute), 218  
 object\_class (*tardis.tardis\_portal.api.GroupResource*.*Metadis.apps.sftp.models.SFTPPublicKey* attribute), 218  
 object\_class (*tardis.tardis\_portal.api.InstrumentResource*.*Metadis.tardis\_portal.models.access\_control.GroupAdmin* attribute), 218  
 object\_class (*tardis.tardis\_portal.api.LocationResource*.*Metadis.tardis\_portal.models.access\_control.ObjectACL* attribute), 219  
 object\_class (*tardis.tardis\_portal.api.MyTardisModelResource*.*Metadis.tardis\_portal.models.access\_control.UserAuthentication* attribute), 219  
 object\_class (*tardis.tardis\_portal.api.ObjectACLResource*.*Metadis.tardis\_portal.models.access\_control.UserProfile* attribute), 220  
 object\_class (*tardis.tardis\_portal.api.ParameterNameResource*.*Metadis.tardis\_portal.models.datafile.DataFile* attribute), 220  
 object\_class (*tardis.tardis\_portal.api.ReplicaResource*.*Metadis.tardis\_portal.models.datafile.DataFileObject* attribute), 221  
 object\_class (*tardis.tardis\_portal.api.SchemaResource*.*Metadis.tardis\_portal.models.dataset.Dataset* attribute), 221  
 object\_class (*tardis.tardis\_portal.api.StorageBoxAttributeResource*.*Metadis.tardis\_portal.models.experiment.Experiment* attribute), 221  
 object\_class (*tardis.tardis\_portal.api.StorageBoxOptionResource*.*Metadis.tardis\_portal.models.experiment.ExperimentAuthor* attribute), 221  
 object\_class (*tardis.tardis\_portal.api.StorageBoxResource*.*Metadis.tardis\_portal.models.facility.Facility* attribute), 222  
 object\_class (*tardis.tardis\_portal.api.UserResource*.*Metadis.tardis\_portal.models.instrument.Instrument* attribute), 222  
 object\_id (*tardis.tardis\_portal.models.access\_control.ObjectACLS*.*Metadis.tardis\_portal.models.jti.JTI* attribute), 137  
 ObjectACL (class in *tardis.tardis\_portal.models.access\_control*), 136  
 ObjectACL.DoesNotExist, 136  
 ObjectACL.MultipleObjectsReturned, 136  
 ObjectACLAdmin (class in *tardis.tardis\_portal.admin*), 211  
 ObjectACLInline (class in *tardis.tardis\_portal.admin*), 211  
 ObjectACLResource (class in *tardis.tardis\_portal.api*), 219  
 ObjectACLResource.Meta (class in *tardis.tardis\_portal.api*), 219  
 objectacls (*tardis.tardis\_portal.models.experiment.Experiment* attribute), 151  
 ObjectACLTestCase (class in *tardis.tardis\_portal.tests.test\_authorisation*), 194  
 objects (tardis.tardis\_portal.models.license.License attribute), 157  
 objects (tardis.tardis\_portal.models.parameters.DatafileParameterSet attribute), 159  
 objects (tardis.tardis\_portal.models.parameters.DatasetParameterSet attribute), 161  
 objects (tardis.tardis\_portal.models.parameters.ExperimentParameterSet attribute), 163  
 objects (tardis.tardis\_portal.models.parameters.FreeTextSearchField attribute), 164  
 objects (tardis.tardis\_portal.models.parameters.InstrumentParameterSet attribute), 166  
 objects (tardis.tardis\_portal.models.parameters.Parameter attribute), 167  
 objects (tardis.tardis\_portal.models.parameters.ParameterName attribute), 170  
 objects (tardis.tardis\_portal.models.parameters.Schema attribute), 173

```

objects (tardis.tardis_portal.models.storage.StorageBox      tardis.apps.openid_migration.models), 87
        attribute), 176                                     OpenidUserMigration.DoesNotExist, 88
objects (tardis.tardis_portal.models.storage.StorageBoxAttribute) OpenidUserMigration.MultipleObjectsReturned,
        attribute), 177                                         88
objects (tardis.tardis_portal.models.storage.StorageBoxOption) OpenidUserMigrationAdmin (class      in
        attribute), 178                                     tardis.apps.openid_migration.models), 89
objects (tardis.tardis_portal.models.token.Token at- operations (tardis.apps.openid_migration.migrations.0001_initial.Migr
        tribute), 179                                     attribute), 84
offline_types (tardis.tardis_portal.models.storage.StorageBoxOperations (tardis.apps.push_to.migrations.0001_initial.Migration
        attribute), 176                                     attribute), 90
old_user (tardis.apps.openid_migration.models.OpenidUserMigrations (tardis.apps.push_to.migrations.0002_auto_20160518_1953
        attribute), 88                                     attribute), 90
old_user_auth_method operations (tardis.apps.sftp.migrations.0001_initial.Migration
        (tardis.apps.openid_migration.models.OpenidUserMigrationattribute), 107
        attribute), 89                                     operations (tardis.tardis_portal.migrations.0001_initial.Migration
old_user_id (tardis.apps.openid_migration.models.OpenidUserMigrationattribute), 131
        attribute), 89                                     operations (tardis.tardis_portal.migrations.0001_squashed_0011_auto_
online_types (tardis.tardis_portal.models.storage.StorageBox attribute), 131
        attribute), 176                                     operations (tardis.tardis_portal.migrations.0002_auto_20150528_1128
open() (tardis.apps.sftp.sftp.MyTSFTPServerInterface
        method), 112                                     attribute), 131
openid_migration_method () (in module
        tardis.apps.openid_migration.migration), operations (tardis.tardis_portal.migrations.0003_auto_20150907_1315
        86                                     attribute), 132
openid_migration_processor () (in module
        tardis.apps.openid_migration.context_processors),
        86                                     operations (tardis.tardis_portal.migrations.0004_storageboxoption_val
openid_user_migration_form () (in module
        tardis.apps.openid_migration.forms), 86
OpenidUserMigration (class      in
        tardis.apps.openid_migration.models), 87
OpenidUserMigration.DoesNotExist, 87
OpenidUserMigration.MultipleObjectsReturned operations (tardis.tardis_portal.migrations.0009_auto_20160128_1119
        attribute), 87                                     attribute), 133
openidaclmigration_set operations (tardis.tardis_portal.migrations.0010_auto_20160503_1443
        (tardis.apps.openid_migration.models.OpenidUserMigrationattribute), 133
        attribute), 89                                     operations (tardis.tardis_portal.migrations.0011_auto_20160505_1643
openidaclmigration_set
        (tardis.tardis_portal.models.access_control.ObjectACLAttribute) operations (tardis.tardis_portal.migrations.0012_userauthentication_attribute), 133
        attribute), 137                                     attribute), 133
OpenidUserMigrationAdmin (class      in
        tardis.apps.openid_migration.models), 87
OpenidUserMigrationConfig (class      in
        tardis.apps.openid_migration.apps), 85
OpenIDMigrationFormTestCase (class      in
        tardis.apps.openid_migration.tests.test_forms),
        84                                     operations (tardis.tardis_portal.migrations.0013_auto_20181002_1136
        attribute), 134                                     attribute), 134
OpenIDMigrationTestCase (class      in
        tardis.apps.openid_migration.tests.test_migration)
        85                                     operations (tardis.tardis_portal.migrations.0014_auto_20181002_1154
        attribute), 134                                     attribute), 134
OpenIDMigrationViewTestCase (class      in
        tardis.apps.openid_migration.tests.test_views),
        85                                     operations (tardis.tardis_portal.migrations.0015_dataset_created_time
        attribute), 134                                     attribute), 134
OpenidUserMigration (class      in
        tardis.tardis_portal.models.storage.StorageBox
        attribute), 176                                     operations (tardis.tardis_portal.migrations.0016_add_timestamps.Migr
        attribute), 176                                     attribute), 134
operations (tardis.tardis_portal.migrations.0017_add_cc_licenses.Migr
        attribute), 134                                     attribute), 134
options (tardis.tardis_portal.models.storage.StorageBox
        attribute), 176                                     attribute), 135
operations (tardis.tardis_portal.migrations.0018_make_default_storage
        attribute), 135

```

OracleSafeManager (class in *tardis.tardis\_portal.managers*), 233  
order (*tardis.tardis\_portal.models.experiment.ExperimentAuthor* (class in *tardis.tardis\_portal.models.parameters*), attribute), 152  
order (*tardis.tardis\_portal.models.parameters.ParameterName* Parameter.Meta (class in *tardis.tardis\_portal.models.parameters*), attribute), 166  
ordering (*tardis.tardis\_portal.api.DataFileResource*.Meta 166 Parameter.parameter\_class (*tardis.tardis\_portal.models.parameters.DatafileParameter* attribute), 159 attribute), 215  
ordering (*tardis.tardis\_portal.api.DatasetResource*.Meta parameter\_class (*tardis.tardis\_portal.models.parameters.DatasetParameter* attribute), 159 attribute), 216  
ordering (*tardis.tardis\_portal.api.ExperimentAuthorResource*.Meta parameter\_class (*tardis.tardis\_portal.models.parameters.ExperimentAuthorParameter* attribute), 161 attribute), 217  
ordering (*tardis.tardis\_portal.api.ExperimentResource*.Meta parameter\_class (*tardis.tardis\_portal.models.parameters.ExperimentParameter* attribute), 163 attribute), 217  
ordering (*tardis.tardis\_portal.api.FacilityResource*.Meta parameter\_class (*tardis.tardis\_portal.models.parameters.InstrumentFacilityParameter* attribute), 166 attribute), 218  
ordering (*tardis.tardis\_portal.api.InstrumentResource*.Meta parameter\_class (*tardis.tardis\_portal.models.parameters.ParameterSetInstrumentParameter* attribute), 171 attribute), 219  
ordering (*tardis.tardis\_portal.api.ObjectACLResource*.Meta parameter\_name (*tardis.tardis\_portal.models.parameters.FreeTextSearchField* attribute), 164 attribute), 220  
ordering (*tardis.tardis\_portal.api.ReplicaResource*.Meta parameter\_name\_id (*tardis.tardis\_portal.models.parameters.FreeTextSearchField* attribute), 221 attribute), 221  
ordering (*tardis.tardis\_portal.api.SchemaResource*.Meta attribute), 164 parameter\_type (*tardis.tardis\_portal.models.parameters.DatafileParameter* attribute), 221  
ordering (*tardis.tardis\_portal.api.StorageBoxAttributeResource*.Meta attribute), 158 parameter\_type (*tardis.tardis\_portal.models.parameters.DatasetParameter* attribute), 221  
ordering (*tardis.tardis\_portal.api.StorageBoxOptionResource*.Meta attribute), 160 parameter\_type (*tardis.tardis\_portal.models.parameters.ExperimentParameter* attribute), 221  
ordering (*tardis.tardis\_portal.api.StorageBoxResource*.Meta attribute), 162 parameter\_type (*tardis.tardis\_portal.models.parameters.InstrumentParameter* attribute), 222  
ordering (*tardis.tardis\_portal.models.parameters.Parameter*.Meta attribute), 165 parameter\_type (*tardis.tardis\_portal.models.parameters.Parameter* attribute), 166  
ordering (*tardis.tardis\_portal.models.parameters.ParameterSet*.Meta attribute), 167 ParameterChoicesFormatError, 225  
owned () (*tardis.tardis\_portal.managers.ExperimentManager*.ParameterName (class in *tardis.tardis\_portal.models.parameters*), method), 232 167  
owned\_and\_shared () (*tardis.tardis\_portal.managers.ExperimentManager*.ParameterName.DoesNotExist, 168 method), 232 ParameterName.MultipleObjectsReturned, 167  
owned\_by\_group () (*tardis.tardis\_portal.managers.ExperimentManager*.ParameterNameForm (in module *tardis.tardis\_portal.templates.formfieldfilters*), method), 232 parametername\_form () (in module *tardis.tardis\_portal.templates.formfieldfilters*), 183  
owned\_by\_user () (*tardis.tardis\_portal.managers.ExperimentManager*.ParameterNameInline (class in *tardis.tardis\_portal.admin*), 211 method), 232 tardis.tardis.portal.admin), 211  
OWNER OWNED (*tardis.tardis\_portal.models.access\_control.ObjectACL*.OwnerNameAdmin (class in *tardis.tardis.portal.admin*), 211 attribute), 136 ParameterNameInline (class in *tardis.tardis.portal.admin*), 212  
pagination () (in module *tardis.tardis\_portal.templates.pagination*, 184 ParameterNameManager (class in *tardis.tardis\_portal.managers*), 233  
paginator\_number () (in module *tardis.tardis\_portal.api*), 220 ParameterNameResource (class in *tardis.tardis.portal.admin*), 212

**P**

pagination () (in module *tardis.tardis\_portal.templates.pagination*, 184 ParameterNameManager (class in *tardis.tardis\_portal.managers*), 233  
paginator\_number () (in module *tardis.tardis\_portal.api*), 220 ParameterNameResource (class in *tardis.tardis.portal.admin*), 212

```

ParameterNameResource.Meta      (class     in  PATH_SLAPTEST (tardis.tardis_portal.tests.slapd.Slapd
    tardis.tardis_portal.api), 220           attribute), 192
ParameterResource               (class     in  PATH_TMPDIR (tardis.tardis_portal.tests.slapd.Slapd
    tardis.tardis_portal.api), 220           attribute), 192
parameters (tardis.tardis_portal.ParameterSetManager.ParameterSetManagerMeta(tardis.tardis_portal.models.storage.StorageBoxOption
    attribute), 209                         attribute), 178
ParameterSet                   (class     in  pluginId (tardis.tardis_portal.models.access_control.ObjectACL
    tardis.tardis_portal.models.parameters),           attribute), 138
    170                                     port (tardis.apps.push_to.models.RemoteHost at-
parameterset (tardis.tardis_portal.models.parameters.DatafileParameter), 96
    attribute), 158                           post_list () (tardis.tardis_portal.api.DataFileResource
parameterset (tardis.tardis_portal.models.parameters.DatasetParameter), 215
    attribute), 160                           post_save_experiment () (in module
parameterset (tardis.tardis_portal.models.parameters.ExperimentParameter), 154
    attribute), 162                           post_save_experiment_parameter () (in mod-
parameterset (tardis.tardis_portal.models.parameters.InstrumentParameter), 154
    attribute), 165                           post_save_experimentsauthor () (in module
parameterset (tardis.tardis_portal.ParameterSetManager.ParameterSetManagerMeta(tardis.tardis_portal.models.hooks), 154
    attribute), 209                         POST_SAVE_FILTERS (tardis.default_settings at-
ParameterSet.Meta            (class     in  tribute), 46
    tardis.tardis_portal.models.parameters,          prepare_output () (tardis.tardis_portal.download.UncachedTarStream
    170                                         method), 224
parameterset_id (tardis.tardis_portal.models.parameters.DatafileParameter(tardis.apps.s3utils.api.ReplicaAppResource
    attribute), 158                         method), 102
parameterset_id (tardis.tardis_portal.models.parameters.DatasetParameter(tardis.tardis_portal.api.DataFileResource
    attribute), 160                         method), 215
parameterset_id (tardis.tardis_portal.models.parameters.ExperimentParameter(tardis.tardis_portal.api.DatasetResource
    attribute), 162                         method), 216
parameterset_id (tardis.tardis_portal.models.parameters.InstrumentParameter), 104
    attribute), 165                           (class     in
                                                tardis.apps.search.api), 104
ParameterSetManager            (class     in  PrettyJSONSerializer (class     in
    tardis.tardis_portal.ParameterSetManager),           tardis.tardis_portal.api), 220
    208                                     priority (tardis.tardis_portal.models.datafile.DataFileObject
ParameterSetManagerMixin       (class     in  attribute), 144
    tardis.tardis_portal.models.parameters,          priority (tardis.tardis_portal.models.storage.StorageBox
    171                                         attribute), 177
ParameterSetManagerTestCase    (class     in  private_key (tardis.apps.push_to.models.KeyPair at-
    tardis.tardis_portal.tests.test_parametersets),           tribute), 93
    199                                     process_exception ()
ParametersTestCase             (class     in  (tardis.tardis_portal.logging_middleware.LoggingMiddleware
    tardis.tardis_portal.tests.test_parameters),           method), 231
    198                                     process_request ()
password (tardis.apps.push_to.models.Credential at-
    tribute), 91                           (tardis.tardis_portal.auth.token_auth.TokenAuthMiddleware
                                                method), 129
PATH_LDAPADD (tardis.tardis_portal.tests.slapd.Slapd
    attribute), 192                           process_response ()
                                                (tardis.tardis_portal.logging_middleware.LoggingMiddleware
                                                method), 231
PATH_LDAPSEARCH (tardis.tardis_portal.tests.slapd.Slapd
    attribute), 192                           ProxyingMetadataRegistry (class     in
                                                tardis.apps.oaipmh.server), 82
PATH_SCHEMA_DIR (tardis.tardis_portal.tests.slapd.Slapd
    attribute), 192                           ProxyingServer (class     in
                                                tardis.apps.oaipmh.server), 82, 243
PATH_SLAPD (tardis.tardis_portal.tests.slapd.Slapd at-
    tribute), 192                           psm (tardis.tardis_portal.creativecommonshandler.CreativeCommonsHand-
                                                attribute), 223
                                                public () (tardis.tardis_portal.managers.ExperimentManager

```

*method), 233*  
**public\_access** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 108  
**PUBLIC\_ACCESS\_CHOICES** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**PUBLIC\_ACCESS\_EMBARGO** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**PUBLIC\_ACCESS\_FULL** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**public\_access\_implies\_distribution()** (*tardis.tardis\_portal.models.experiment.Experiment* class method), 151  
**PUBLIC\_ACCESS\_METADATA** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**PUBLIC\_ACCESS\_NONE** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**public\_data()** (in module *tardis.tardis\_portal.views.pages*), 206  
**public\_download\_allowed()** (*tardis.tardis\_portal.models.experiment.Experiment*.*method*), 151  
**public\_key** (*tardis.apps.push\_to.models.KeyPair* attribute), 93  
**public\_key** (*tardis.apps.sftp.models.SFTPPublicKey* attribute), 110  
**PUBLICATION\_DETAILS\_SCHEMA** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**PUBLICATION\_DRAFT\_SCHEMA** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**PUBLICATION\_SCHEMA\_ROOT** (*tardis.tardis\_portal.models.experiment.Experiment*.*attribute*), 148  
**publish\_public\_expt\_rifcs()** (in module *tardis.tardis\_portal.models.hooks*), 154  
**PublishService** (class in *tardis.tardis\_portal.publish.publishservice*), 180  
**PublishServiceTestCase** (class in *tardis.tardis\_portal.tests.test\_publishservice*), 200  
**PushToConfig** (class in *tardis.apps.push\_to.apps*), 91  
**put\_detail()** (*tardis.tardis\_portal.api.DataFileResource*.*method*), 215  
*queryset* (*tardis.apps.s3utils.api.ReplicaAppResource*.*Meta attribute*), 102  
*queryset* (*tardis.apps.sftp.api.SFTPPublicKeyAppResource*.*Meta attribute*), 108  
*queryset* (*tardis.tardis\_portal.api.DatafileParameterResource*.*Meta attribute*), 215  
*queryset* (*tardis.tardis\_portal.api.DatafileParameterSetResource*.*Meta attribute*), 216  
*queryset* (*tardis.tardis\_portal.api.DataFileResource*.*Meta attribute*), 215  
*queryset* (*tardis.tardis\_portal.api.DatasetParameterResource*.*Meta attribute*), 216  
*queryset* (*tardis.tardis\_portal.api.DatasetResource*.*Meta attribute*), 216  
*queryset* (*tardis.tardis\_portal.api.ExperimentAuthorResource*.*Meta attribute*), 217  
*queryset* (*tardis.tardis\_portal.api.ExperimentParameterResource*.*Meta attribute*), 217  
*queryset* (*tardis.tardis\_portal.api.ExperimentResource*.*Meta attribute*), 217  
*queryset* (*tardis.tardis\_portal.api.FacilityResource*.*Meta attribute*), 218  
*queryset* (*tardis.tardis\_portal.api.GroupResource*.*Meta attribute*), 218  
*queryset* (*tardis.tardis\_portal.api.InstrumentResource*.*Meta attribute*), 219  
*queryset* (*tardis.tardis\_portal.api.LocationResource*.*Meta attribute*), 219  
*queryset* (*tardis.tardis\_portal.api.ObjectACLResource*.*Meta attribute*), 220  
*queryset* (*tardis.tardis\_portal.api.ParameterNameResource*.*Meta attribute*), 220  
*queryset* (*tardis.tardis\_portal.api.ReplicaResource*.*Meta attribute*), 221  
*queryset* (*tardis.tardis\_portal.api.SchemaResource*.*Meta attribute*), 221  
*queryset* (*tardis.tardis\_portal.api.StorageBoxAttributeResource*.*Meta attribute*), 221  
*queryset* (*tardis.tardis\_portal.api.StorageBoxOptionResource*.*Meta attribute*), 221  
*queryset* (*tardis.tardis\_portal.api.StorageBoxResource*.*Meta attribute*), 222  
*queryset* (*tardis.tardis\_portal.api.UserResource*.*Meta attribute*), 222  
*queryset\_pagination* (*tardis.apps.search.documents.DataFileDocument*.*Django attribute*), 105  
*quote()* (in module *tardis.tardis\_portal.tests.slapd*), 193

**Q**

*queryset* (*tardis.apps.s3utils.api.ReplicaAppResource*.*Meta attribute*), 102

**R**

*RANGE\_COMPARISON* (*tardis.tardis\_portal.models.parameters.Parameter*)

```

attribute), 168
rapidConnectEduPersonTargetedID           remove_licenses ()          (in      module
                                         (tardis.tardis_portal.models.access_control.UserProfile 134
                                         attribute), 139
                                         RemovedInMyTardis42Warning, 224
                                         rcauth ()          (in      module
                                         tardis.tardis_portal.views.authentication), 203
                                         RemovedInMyTardis43Warning, 224
                                         read_detail () (tardis.apps.sftp.api.SFTPACLAutorization render () (tardis.tardis_portal.templatetags.capture.CaptureNode
                                         method), 108
                                         method), 182
                                         read_detail () (tardis.tardis_portal.api.ACLAutorization render () (tardis.tardis_portal.templatetags.dynurl.DynUrlNode
                                         method), 214
                                         method), 182
                                         read_list () (tardis.apps.sftp.api.SFTPACLAutorization render () (tardis.tardis_portal.widgets.CommaSeparatedInput
                                         method), 108
                                         method), 235
                                         read_list () (tardis.tardis_portal.api.ACLAutorization render () (tardis.tardis_portal.widgets.Label method),
                                         method), 214
                                         236
                                         readMetadata () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry or_message () (in      module
                                         method), 82
                                         tardis.push_to.views), 98
                                         redirect_back_with_error () (in      module
                                         tardis.tardis_portal.shortcuts), 234
                                         render_error_message () (in      module
                                         tardis.tardis_portal.shortcuts), 234
                                         RegisterExperimentForm (class      in RENDER_IMAGE_DATASET_SIZE_LIMIT (in      module
                                         tardis.tardis_portal.forms), 229
                                         tardis.default_settings.frontend), 121
                                         registerReader () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry SIZE_LIMIT (in      module
                                         method), 82
                                         tardis.default_settings.frontend), 121
                                         registerWriter () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry cache () (in      module
                                         method), 82
                                         tardis.tardis_portal.util), 235
                                         REGISTRATION_OPEN (in      module
                                         tardis.default_settings.auth), 118
                                         render_public_access_badge () (in      module
                                         tardis.tardis_portal.util), 235
                                         registration_processor () (in      module
                                         tardis.tardis_portal.context_processors),
                                         223
                                         render_response_index () (in      module
                                         tardis.tardis_portal.shortcuts), 234
                                         render_success_message () (in      module
                                         tardis.push_to.views), 98
                                         RegistrationForm (class      in
                                         tardis.tardis_portal.forms), 229
                                         render_to_file () (in      module
                                         tardis.push_to.views), 98
                                         related_models (tardis.apps.search.documents.DataFileDocument attribute), 105
                                         replaces (tardis.tardis_portal.migrations.0001_squashed_0011_auto_20
                                         attribute), 105
                                         related_models (tardis.apps.search.documents.DatasetDocument attribute), 105
                                         ReplicaAppResource (class      in
                                         tardis.tardis_portal.shortcuts), 234
                                         ExperimentDocumentDjango3utils.api), 101
                                         ReplicaAppResource.Meta (class      in
                                         tardis.push_to.models.Credential attribute), 92
                                         tardis.s3utils.api), 101
                                         ReplicaResource (class in tardis.tardis_portal.api),
                                         220
                                         ReplicaResource.Meta (class      in
                                         tardis.tardis_portal.api), 220
                                         ReplicaResourceTest (class      in
                                         tardis.tardis_portal.tests.api.test_replica_resource),
                                         187
                                         REQUIRE_DATAFILE_CHECKSUMS
                                         (tardis.default_settings attribute), 46
                                         REQUIRE_DATAFILE_SIZES (tardis.default_settings
                                         attribute), 46
                                         REQUIRE_SSL_TO_GENERATE_KEY (in      module
                                         tardis.apps.sftp.default_settings), 109
                                         REQUIRE_VALIDATION_ON_INGESTION
                                         (tardis.default_settings attribute), 46

```

```

requires_admin_approval() (in module tardis.apps.social_auth.auth.social_auth), 234
    RifCsExperimentProvider (class in tardis.apps.oaipmh.provider.experiment),
    117

resource_name (tardis.apps.s3utils.api.ReplicaAppResource.Meta attribute), 102
    RifCsExperimentProvider.ExperimentWriter

resource_name (tardis.apps.search.api.AdvanceSearchAppResource.Meta attribute), 104
    80

resource_name (tardis.apps.search.api.SearchAppResource.Meta attribute), 104
    RifCsExperimentProviderTestCase (class in tardis.apps.oaipmh.tests.provider.test_experiment),

resource_name (tardis.apps.sftp.api.SFTPPublicKeyAppResource.Meta attribute), 108
    RifCsProvider (class in tardis.apps.oaipmh.tests.provider.rifcsprovider),
    180

resource_name (tardis.tardis_portal.api.DataFileResource.Meta attribute), 215
    tardis.tardis_portal.publish.provider.rifcsprovider,
    98

restart() (tardis.tardis_portal.tests.slapd.Slapd method), 193
    RifCSTestCase (class in tardis.apps.related_info.tests.test_oaipmh),
    193

RestfulExperimentParameterSet (class in tardis.tardis_portal.shortcuts), 234
    RightsForm (class in tardis.tardis_portal.forms), 230

retrieve_access_list_group_readonly() (in module tardis.tardis_portal.views.authorisation), 203
    RightsForm.Meta (class in tardis.tardis_portal.forms), 230
    RightsFormTestCase (class in tardis.tardis_portal.tests.test_forms), 196

retrieve_access_list_user_readonly() (in module tardis.tardis_portal.views.authorisation), RightsTestCase (class in tardis.tardis_portal.tests.views.test_auth_views),
    203
    190

retrieve_group_list() (in module tardis.tardis_portal.views.authorisation), 203
    RmExperimentTestCase (class in tardis.tardis_portal.tests.management.test_rmxperiment),
    189

retrieve_group_list_by_user() (in module tardis.tardis_portal.views.authorisation), 203
    rollback_migration() (in module tardis.apps.openid_migration.utils), 89

retrieve_group_userlist_readonly() (in module tardis.tardis_portal.views.authorisation), 203
    S

retrieve_licenses() (in module tardis.tardis_portal.views.ajax_json), 202
    S3_SIGNED_URL_EXPIRY (in module tardis.apps.s3utils.default_settings), 102

retrieve_owned_exps_list() (in module tardis.tardis_portal.views.ajax_pages), 202
    S3UtilsAppApiTestCase (class in tardis.apps.s3utils.tests.test_api), 101

retrieve_shared_exps_list() (in module tardis.tardis_portal.views.ajax_pages), 202
    S3UtilsAppChecksumsTestCase (class in tardis.apps.s3utils.tests.test_checksums), 101

retrieve_user_list() (in module tardis.tardis_portal.views.authorisation), 203
    S3UtilsConfig (class in tardis.apps.s3utils.apps), 102
    S3UtilsConfigTestCase (class in tardis.apps.s3utils.tests.test_app_config),
    101

return_response_error() (in module tardis.tardis_portal.shortcuts), 235
    safe (tardis.tardis_portal.models.experiment.Experiment attribute), 151

return_response_error_message() (in module tardis.tardis_portal.shortcuts), 235
    sanitize_html() (in module tardis.tardis_portal.templatetags.formfieldfilters),
    183

return_response_not_found() (in module tardis.tardis_portal.shortcuts), 235
    save() (tardis.apps.push_to.models.KeyPair method), 93

REUSE_DATASET_STORAGE_BOX (in module tardis.default_settings.storage), 122
    save() (tardis.tardis_portal.forms.ExperimentForm method), 228

reverse_func() (in module tardis.tardis_portal.migrations.0017_add_cc_licenses), 134
    save() (tardis.tardis_portal.forms.RegistrationForm method), 230

RFC
    RFC 3339, 234
    rfc3339() (in module tardis.tardis_portal.rfc3339),

```

```

save() (tardis.tardis_portal.models.access_control.UserAuthentication (tardis.tardis_portal.models.parameters.ParameterSet
method), 138
                                                attribute), 171
save() (tardis.tardis_portal.models.datafile.DataFile SchemaAdmin (class in tardis.tardis_portal.admin),
method), 142
                                                212
save() (tardis.tardis_portal.models.datafile.DataFileObjectSchemaManager (class in
method), 145
                                                tardis.tardis_portal.managers), 233
save() (tardis.tardis_portal.models.dataset.Dataset SchemaResource (class in tardis.tardis_portal.api),
method), 148
                                                221
save() (tardis.tardis_portal.models.experiment.Experiment SchemaResource.Meta (class in
method), 151
                                                tardis.tardis_portal.api), 221
save() (tardis.tardis_portal.models.experiment.ExperimentSchemaResourceTest (class in
method), 152
                                                tardis.tardis_portal.tests.api.test_schema_resource),
save() (tardis.tardis_portal.models.facility.Facility
method), 154
                                                search_fields (tardis.tardis_portal.admin.DatafileAdmin
attribute), 210
save() (tardis.tardis_portal.models.instrument.Instrument
method), 155
                                                search_fields (tardis.tardis_portal.admin.DatasetAdmin
attribute), 210
save() (tardis.tardis_portal.models.parameters.ExperimentParameterAttribute), 210
method), 162
                                                search_fields (tardis.tardis_portal.admin.ExperimentAdmin
attribute), 210
save() (tardis.tardis_portal.models.parameters.ParameterSet
method), 171
                                                search_fields (tardis.tardis_portal.admin.FacilityAdmin
attribute), 211
save_datafile_add_form() (in module tardis.tardis_portal.forms), 231
                                                search_fields (tardis.tardis_portal.admin.InstrumentAdmin
attribute), 211
save_datafile_edit_form() (in module tardis.tardis_portal.forms), 231
                                                search_fields (tardis.tardis_portal.admin.ObjectACLAdmin
attribute), 211
save_license() (tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler
method), 223
                                                search_fields (tardis.tardis_portal.admin.ParameterNameAdmin
attribute), 212
save_m2m() (tardis.tardis_portal.forms.ExperimentForm.FullExperimentAttribute), 212
method), 227
                                                search_fields (tardis.tardis_portal.admin.SchemaAdmin
attribute), 212
save_with_random_token()
    (tardis.tardis_portal.models.token.Token
method), 179
                                                search_fields (tardis.tardis_portal.admin.StorageBoxAdmin
attribute), 212
Schema (class in tardis.tardis_portal.models.parameters), search_fields (tardis.tardis_portal.admin.UserAuthenticationAdmin
attribute), 214
schema (tardis.tardis_portal.creativecommonshandler.CreativeCommonsHandler
attribute), 223
                                                (class in tardis.apps.search.api), 104
schema (tardis.tardis_portal.models.parameters.DatafileParameterSet)
    (tardis.tardis_portal.models.parameters.DatafileParameterSetMeta
attribute), 159
                                                (class in tardis.apps.search.api), 104
schema (tardis.tardis_portal.models.parameters.DatasetParameterSet)
    (tardis.tardis_portal.models.parameters.DatasetParameterSetConfig
attribute), 161
                                                searchEntities () (tardis.tardis_portal.auth.authservice.AuthService
method), 125
schema (tardis.tardis_portal.models.parameters.ExperimentParameterSet)
    (tardis.tardis_portal.models.parameters.ExperimentParameterSetAttribute), 163
                                                searchGroups () (tardis.tardis_portal.auth.authservice.AuthService
method), 125
schema (tardis.tardis_portal.models.parameters.InstrumentParameterSet)
    (tardis.tardis_portal.models.parameters.InstrumentParameterSetAttribute), 166
                                                searchGroups () (tardis.tardis_portal.auth.interfaces.GroupProvider
method), 125
schema (tardis.tardis_portal.models.parameters.ParameterName)
    (tardis.tardis_portal.models.parameters.ParameterNameAttribute), 170
                                                searchGroups () (tardis.tardis_portal.auth.localdb_auth.DjangoGroup
method), 127
schema (tardis.tardis_portal.models.parameters.ParameterSet)
    (tardis.tardis_portal.models.parameters.ParameterSetAttribute), 171
                                                searchGroups () (tardis.tardis_portal.auth.token_auth.TokenGroupProv
method), 128
schema (tardis.tardis_portal.shortcuts.RestfulExperimentParameterSet)
    (tardis.tardis_portal.shortcuts.RestfulExperimentParameterSetAttribute), 234
                                                searchGroups () (tardis.tardis_portal.tests.test_authservice.MockGroup
method), 195
Schema.DoesNotExist, 171
Schema.MultipleObjectsReturned, 172
                                                SearchObject (class in tardis.apps.search.api), 105
Schema.UnsupportedType, 172
                                                SearchQueryTypeUnprovidedError, 225
schema_id (tardis.tardis_portal.models.parameters.ParameterName)
    (tardis.tardis_portal.models.parameters.ParameterNameAttribute), 170
                                                users () (tardis.tardis_portal.auth.authservice.AuthService
method), 125

```

searchUsers () (*tardis.tardis\_portal.auth.interfaces.UserProviderattribute*), 105  
     method), 127  
 SearchView (*class in tardis.apps.search.views*), 106  
 SECRET\_KEY, 45  
 send\_admin\_email () (in module *tardis.apps.social\_auth.auth.social\_auth*), 117  
 serializer (*tardis.apps.search.api.AdvanceSearchAppResource*.~~Meta~~<sup>Attribute</sup>), 104  
 serializer (*tardis.apps.search.api.SearchAppResource*.~~Meta~~<sup>Attribute</sup>), 105  
 serializer (*tardis.tardis\_portal.api.MyTardisModelResource*.~~Meta~~<sup>Attribute</sup>), 219  
 serializer (*tardis.tardis\_portal.api.UserResource*.~~Meta~~<sup>Attribute</sup>), 222  
 SerializerTest (class in *tardis.tardis\_portal.tests.api.test\_serializer*), 187  
 service (in module *tardis.analytics.tracker*), 75  
 session\_ended () (*tardis.apps.sftp.sftp.MyTSFTPServerInterface*), 112  
 session\_started () (*tardis.apps.sftp.sftp.MyTSFTPServerInterface*), 112  
 set\_debug () (*tardis.tardis\_portal.tests.slapd.Slapd*), 193  
 set\_dn\_suffix () (*tardis.tardis\_portal.tests.slapd.Slapd*), 193  
 set\_param () (*tardis.tardis\_portal.ParameterSetManager*.~~ParameterSetManager~~<sup>Attribute</sup>), 209  
 set\_param\_list () (*tardis.tardis\_portal.ParameterSetManager*.~~ParameterSetManager~~<sup>Attribute</sup>), 209  
 set\_params\_from\_dict () (*tardis.tardis\_portal.ParameterSetManager*.~~ParameterSetManager~~<sup>Attribute</sup>), 209  
 set\_port () (*tardis.tardis\_portal.tests.slapd.Slapd*), 193  
 set\_root\_cn () (*tardis.tardis\_portal.tests.slapd.Slapd*), 193  
 set\_root\_password () (*tardis.tardis\_portal.tests.slapd.Slapd* method), 193  
 set\_slapd\_debug\_level () (*tardis.tardis\_portal.tests.slapd.Slapd* method), 193  
 set\_tmpdir () (*tardis.tardis\_portal.tests.slapd.Slapd*), 193  
 set\_token () (in module *tardis.push\_to.oauth\_tokens*), 97  
 set\_value () (*tardis.tardis\_portal.models.parameters.Parameter*), 167  
 setPost () (*tardis.tardis\_portal.tests.test\_authservice.MockRequest*), 195  
 settings (*tardis.apps.search.documents.DataFileDocument*.~~Index~~<sup>Attribute</sup>), 106  
     settings (*tardis.apps.search.documents.DatasetDocument*.~~Index~~<sup>Attribute</sup>), 106  
     settings (*tardis.apps.search.documents.ExperimentDocument*.~~Index~~<sup>Attribute</sup>), 106  
 setUp () (*tardis.apps.oaipmh.tests.provider.test\_base.BaseProviderTestCase*.~~method~~<sup>Attribute</sup>), 80  
     setUp () (*tardis.apps.oaipmh.tests.test\_oai.EndpointTestCase*.~~method~~<sup>Attribute</sup>), 81  
     setUp () (*tardis.apps.oaipmh.tests.test\_experiment.AbstractExperimentTestCase*.~~method~~<sup>Attribute</sup>), 82  
     setUp () (*tardis.apps.openid\_migration.tests.test\_forms.OpenIDMigrationForm*.~~method~~<sup>Attribute</sup>), 84  
     setUp () (*tardis.apps.openid\_migration.tests.test\_migration.OpenIDMigration*.~~method~~<sup>Attribute</sup>), 85  
 setUp () (*tardis.apps openid\_migration.tests.test\_models.ModelTestCase*.~~method~~<sup>Attribute</sup>), 85  
 setUp () (*tardis.apps openid\_migration.tests.test\_views.OpenIDMigration*.~~method~~<sup>Attribute</sup>), 85  
 setUp () (*tardis.apps.push\_to.tests.test\_models.ModelsTestCase*.~~method~~<sup>Attribute</sup>), 90  
     setUp () (*tardis.apps.related\_info.tests.test\_oaipmh.RifCSTestCase*.~~method~~<sup>Attribute</sup>), 98  
     setUp () (*tardis.apps.related\_info.tests.tests.CreateTestCase*.~~method~~<sup>Attribute</sup>), 99  
     setUp () (*tardis.apps.related\_info.tests.tests.DeleteTestCase*.~~method~~<sup>Attribute</sup>), 99  
     setUp () (*tardis.apps.related\_info.tests.tests.GetTestCase*.~~method~~<sup>Attribute</sup>), 99  
     setUp () (*tardis.apps.related\_info.tests.tests.ListTestCase*.~~method~~<sup>Attribute</sup>), 99  
     setUp () (*tardis.apps.related\_info.tests.tests.TabTestCase*.~~method~~<sup>Attribute</sup>), 99  
     setUp () (*tardis.apps.related\_info.tests.tests.UpdateTestCase*.~~method~~<sup>Attribute</sup>), 99  
 setUp () (*tardis.apps.s3utils.tests.test\_api.S3UtilsAppApiTestCase*.~~method~~<sup>Attribute</sup>), 101  
 setUp () (*tardis.apps.s3utils.tests.test\_checksums.S3UtilsAppChecksums*.~~method~~<sup>Attribute</sup>), 101  
 setUp () (*tardis.apps.search.tests.test\_api.SimpleSearchTest*.~~method~~<sup>Attribute</sup>), 103  
 setUp () (*tardis.apps.search.tests.test\_index.IndexExperimentTestCase*.~~method~~<sup>Attribute</sup>), 103  
 setup () (*tardis.apps.sftp.sftp.MyTSFTPRequestHandler*.~~method~~<sup>Attribute</sup>), 111  
 setUP () (*tardis.apps.sftp.tests.test\_sftp.SFTPTest*.~~method~~<sup>Attribute</sup>), 107  
 setUP () (*tardis.tardis\_portal.tests.api.MyTardisResourceTestCase*.~~method~~<sup>Attribute</sup>), 188  
 setParameter () (*tardis.tardis\_portal.tests.api.test\_datafile\_resource.DataFileResource*.~~method~~<sup>Attribute</sup>), 185  
 setRequest () (*tardis.tardis\_portal.tests.api.test\_dataset\_metadata\_resources*.~~method~~<sup>Attribute</sup>), 185

*method), 185*  
*setUp () (tardis.tardis\_portal.tests.api.test\_experiment\_resource.ExperimentResourceTestCases().test\_auth\_views.UserListTestCase().method), 190*  
*setUp () (tardis.tardis\_portal.tests.api.test\_schema\_resource.SchemaResourceTestCases().test\_contextual\_views.ContextualListPortalTests().method), 191*  
*setUp () (tardis.tardis\_portal.tests.management.test\_collector.CollectorListPortalTests().views.test\_experiment\_views.ExperimentListPortalTests().method), 191*  
*setUp () (tardis.tardis\_portal.tests.management.test\_dump\_schema.DumpSchemaListPortalTests().views.test\_template\_contexts.ExperimentTemplatePortalTests().method), 191*  
*setUp () (tardis.tardis\_portal.tests.test\_authentication.AuthenticationTestCase().test\_tardis\_portal.tests.views.test\_template\_contexts.ViewTemplatePortalTests().method), 191*  
*setUp () (tardis.tardis\_portal.tests.test\_authorisation.ObjectACLTestCase().test\_tardis\_portal.tests.views.test\_upload\_views.UploadTestCase().method), 192*  
*setUp () (tardis.tardis\_portal.tests.test\_authservice.AuthServiceTestCase () (in module tardis.apps.sftp.views), 116*  
*setUp () (tardis.tardis\_portal.tests.test\_copy\_move.CopyMoveTestCase () (in module tardis.apps.sftp.views), 116*  
*SFTP\_USERNAME\_ATTRIBUTE (in module tardis.apps.sftp.default\_settings), 109*  
*setUp () (tardis.tardis\_portal.tests.test\_download.DownloadTestCase().test\_sftp.default\_settings).SFTPAuthorization (class in tardis.apps.sftp.default\_settings), 109*  
*setUp () (tardis.tardis\_portal.tests.test\_download\_apikey.ApiKeyDotTardisSftpCase().test\_sftp).SFTPCConfig (class in tardis.apps.sftp.apps), 109*  
*setUp () (tardis.tardis\_portal.tests.test\_facility\_overview.FacilityOverviewTestCase () (class in tardis.apps.sftp.tests.test\_sftp), 107*  
*setUp () (tardis.tardis\_portal.tests.test\_forms.RightsFormTestCase().test\_sftp).SFTPPublicKey (class in tardis.apps.sftp.models), 109*  
*SFTPPublicKey.DoesNotExist, 110*  
*setUp () (tardis.tardis\_portal.tests.test\_iiif.ExtraTestCase().test\_sftp).SFTPPublicKey.MultipleObjectsReturned, 110*  
*setUp () (tardis.tardis\_portal.tests.test\_iiif.Level0TestCase().test\_sftp).SFTPPublicKeyAppResource (class in tardis.apps.sftp.api), 108*  
*setUp () (tardis.tardis\_portal.tests.test\_iiif.Level1TestCase().test\_sftp).SFTPPublicKeyAppResource.Meta (class in tardis.apps.sftp.api), 108*  
*setUp () (tardis.tardis\_portal.tests.test\_iiif.Level2TestCase().test\_sftp).SFTPTest (class in tardis.apps.sftp.tests.test\_sftp), 107*  
*setUp () (tardis.tardis\_portal.tests.test\_ldap.LDAPTest().test\_sftp).sha512sum (tardis.tardis\_portal.models.datafile.DataFile), 107*  
*setUp () (tardis.tardis\_portal.tests.test\_ldap.LDAPTest().test\_sftp).attribute, 143*  
*setUp () (tardis.tardis\_portal.tests.test\_models.ModelTestCase().test\_sftp).share () (in module tardis.tardis\_portal.views.authorization), 203*  
*setUp () (tardis.tardis\_portal.tests.test\_parameters.ParametersTestCase().test\_sftp).in module tardis.tardis\_portal.views.pages), 206*  
*setUp () (tardis.tardis\_portal.tests.test\_parametersets.EditParameterSetsTestCase().test\_sftp).in module tardis.tardis\_portal.managers.ExperimentManager, 233*  
*setUp () (tardis.tardis\_portal.tests.test\_parametersets.ParametersTestCase().test\_sftp).in module tardis.apps.push\_to.utils), 97*  
*setUp () (tardis.tardis\_portal.tests.test\_publishservice.PublishServiceTestCase().test\_sftp).in module tardis.apps.sftp.sftp.MyTSFTPTCPServer, 97*  
*setUp () (tardis.tardis\_portal.tests.test\_storage.ModelTestCase().test\_sftp).sign\_certificate () (in module tardis.tardis\_portal.managers.ExperimentManager), 113*  
*setUp () (tardis.tardis\_portal.tests.test\_tar\_download.TarDownloadTestCase().test\_sftp).push\_to.ssh\_authz, 97*  
*setUp () (tardis.tardis\_portal.tests.test\_tasks.BackgroundTaskTestCase().test\_sftp).simple\_search\_public\_data () (in module tardis.tardis\_portal.managers.ExperimentManager), 105*  
*setUp () (tardis.tardis\_portal.tests.test\_tokens.TokenTestCase().test\_sftp).SimpleSearchTest (class in tardis.apps.search.tests.test\_api), 103*  
*SINGLE\_SEARCH\_ENABLED (in module tardis.tardis\_portal.managers.ExperimentManager), 103*  
*setUp () (tardis.tardis\_portal.tests.views.test\_auth\_views.UserGroupListTestCase().test\_sftp).settings.search, 121*

single\_search\_processor() (in module tardis.tardis\_portal.context\_processors), 223

site\_routed\_view() (in module tardis.tardis\_portal.views.pages), 206

site\_settings() (in module tardis.tardis\_portal.views.machine), 204

SITE\_TITLE (in module tardis.default\_settings.site\_customisations), 122

size (tardis.tardis\_portal.models.datafile.DataFile attribute), 143

size() (in module tardis.tardis\_portal.templatetags.formfieldfilters), 183

Slapd (class in tardis.tardis\_portal.tests.slapd), 192

SocialAuthConfig (class in tardis.apps.social\_auth.apps), 117

Span (class in tardis.tardis\_portal.widgets), 236

split\_path() (in module tardis.tardis\_portal.util), 235

SPONSORED\_TEXT (in module tardis.default\_settings.site\_customisations), 122

start() (tardis.tardis\_portal.tests.slapd.Slapd method), 193

start\_server() (in module tardis.apps.sftp.sftp), 115

start\_time (tardis.tardis\_portal.models.experiment.Experiment attribute), 151

started() (tardis.tardis\_portal.tests.slapd.Slapd method), 193

stat() (tardis.apps.sftp.sftp.MyTSFTPHandle method), 111

stat() (tardis.apps.sftp.sftp.MyTSFTPServerInterface method), 112

STATIC\_ROOT (tardis.default\_settings attribute), 48

STATIC\_URL (tardis.default\_settings attribute), 48

StaticField (class in tardis.tardis\_portal.forms), 230

stats() (in module tardis.tardis\_portal.views.pages), 207

status (tardis.tardis\_portal.models.datafile.DataFile attribute), 143

status (tardis.tardis\_portal.models.storage.StorageBox attribute), 177

status\_code (tardis.tardis\_portal.views.utils.HttpResponseMethodNotAllowed), 208

status\_code (tardis.tardis\_portal.views.utils.HttpResponseMethodNotAllowed), 208

stop() (tardis.tardis\_portal.tests.slapd.Slapd method), 193

storage\_box (tardis.tardis\_portal.models.datafile.DataFile attribute), 145

storage\_box (tardis.tardis\_portal.models.parameters.DatasetParameter attribute), 159

storage\_box (tardis.tardis\_portal.models.parameters.ExperimentParameter attribute), 163

storage\_box (tardis.tardis\_portal.models.parameters.InstrumentParameter attribute), 166

storage\_box (tardis.tardis\_portal.models.parameters.ParameterSet attribute), 171

storage\_box (tardis.tardis\_portal.models.storage.StorageBoxAttribute attribute), 177

storage\_box (tardis.tardis\_portal.models.storage.StorageBoxOption attribute), 178

storage\_box\_id (tardis.tardis\_portal.models.datafile.DataFileObject attribute), 145

storage\_box\_id (tardis.tardis\_portal.models.storage.StorageBoxAttribute attribute), 177

storage\_box\_id (tardis.tardis\_portal.models.storage.StorageBoxOption attribute), 178

storage\_type (tardis.tardis\_portal.models.datafile.DataFileObject attribute), 145

storage\_type (tardis.tardis\_portal.models.storage.StorageBox attribute), 177

StorageBox (class in tardis.tardis\_portal.models.storage), 173

StorageBox.DoesNotExist, 173

StorageBox.MultipleObjectsReturned, 174

StorageBoxAdmin (class in tardis.tardis\_portal.admin), 212

StorageBoxAttribute (class in tardis.tardis\_portal.models.storage), 177

StorageBoxAttribute.DoesNotExist, 177

StorageBoxAttribute.MultipleObjectsReturned, 177

StorageBoxAttributeInline (class in tardis.tardis\_portal.admin), 212

StorageBoxAttributeInlineForm (class in tardis.tardis\_portal.admin), 212

StorageBoxAttributeInlineForm.Meta (class in tardis.tardis\_portal.admin), 212

StorageBoxAttributeResource (class in tardis.tardis\_portal.api), 221

StorageBoxAttributeResource.Meta (class in tardis.tardis\_portal.api), 221

StorageBoxAttributeResourceTest (class in tardis.tardis\_portal.admin), 212

StorageBoxForm (class in tardis.tardis\_portal.admin), 213

StorageBoxForm.Meta (class in tardis.tardis\_portal.admin), 213

StorageBoxObject (class in tardis.tardis\_portal.models.storage), 178

StorageBoxObject.DoesNotExist, 178

StorageBoxObject.MultipleObjectsReturned, 178

178  
 StorageBoxOptionInline (class in tardis.tardis\_portal.admin), 213  
 StorageBoxOptionInlineForm (class in tardis.tardis\_portal.admin), 213  
 StorageBoxOptionInlineForm.Meta (class in tardis.tardis\_portal.admin), 214  
 StorageBoxOptionResource (class in tardis.tardis\_portal.api), 221  
 StorageBoxOptionResource.Meta (class in tardis.tardis\_portal.api), 221  
 StorageBoxOptionResourceTest (class in tardis.tardis\_portal.tests.api.test\_storagebox\_resources), 188  
 StorageBoxResource (class in tardis.tardis\_portal.api), 222  
 StorageBoxResource.Meta (class in tardis.tardis\_portal.api), 222  
 StorageBoxResourceTest (class in tardis.tardis\_portal.tests.api.test\_storagebox\_resources), 188  
 streaming\_download\_datafiles() (in module tardis.tardis\_portal.download), 225  
 STRING (tardis.tardis\_portal.models.parameters.Parameter attribute), 168  
 STRING (tardis.tardis\_portal.models.storage.StorageBoxOption attribute), 178  
 string\_value (tardis.tardis\_portal.models.parameters.Parameter attribute), 167  
 subtype (tardis.tardis\_portal.models.parameters.Schema attribute), 173  
 suite () (in module tardis.tardis\_portal.tests.tests), 202  
 sum\_sizes () (tardis.tardis\_portal.models.datafile.DataFile class method), 143  
 supports\_anonymous\_user (tardis.tardis\_portal.auth.authorisation.ACIAwareBackend attribute), 124  
 supports\_object\_permissions (tardis.tardis\_portal.auth.authorisation.ACIAwareBackend attribute), 124  
 SYSTEM OWNED (tardis.tardis\_portal.models.access\_control.ObjectACL attribute), 136  
 system\_owned\_groups () (tardis.tardis\_portal.managers.ExperimentManager method), 233

**T**

TabTestCase (class in tardis.apps.related\_info.tests.tests), 99  
 tag (tardis.tardis\_portal.widgets.Label attribute), 236  
 tag (tardis.tardis\_portal.widgets.Span attribute), 236  
 TAPE (tardis.tardis\_portal.models.storage.StorageBox attribute), 174  
 tardis (module), 239  
 tardis.analytics (module), 76  
 tardis.analytics.apps (module), 75  
 tardis.analytics.ga (module), 75  
 tardis.analytics.tracker (module), 75  
 tardis.app\_config (module), 238  
 tardis.apps (module), 117  
 tardis.apps.deep\_storage\_download\_mapper (module), 76  
 tardis.apps.deep\_storage\_download\_mapper.mapper (module), 76  
 tardis.apps.deep\_storage\_download\_mapper.urls (module), 76  
 tardis.apps.dl\_mapper\_df\_dir\_only (module), 77  
 tardis.apps.dl\_mapper\_df\_dir\_only.mapper (module), 77  
 tardis.apps.dl\_mapper\_df\_dir\_only.urls (module), 77  
 tardis.apps.filepicker (module), 77  
 tardis.apps.filepicker.filepicker\_settings (module), 77  
 tardis.apps.filepicker.urls (module), 77  
 tardis.apps.filepicker.utils (module), 77  
 tardis.apps.filepicker.views (module), 77  
 tardis.apps.oaipmh (module), 84  
 tardis.apps.oaipmh.models (module), 82  
 tardis.apps.oaipmh.provider (module), 80  
 tardis.apps.oaipmh.provider.base (module), 78  
 tardis.apps.oaipmh.provider.experiment (module), 79  
 tardis.apps.oaipmh.server (module), 82  
 tardis.apps.oaipmh.tests (module), 82  
 tardis.apps.oaipmh.tests.provider (module), 82  
 tardis.apps.oaipmh.tests.provider.test\_base (module), 80  
 tardis.apps.oaipmh.tests.provider.test\_experiment (module), 81  
 tardis.apps.oaipmh.tests.test\_oai (module), 82  
 tardis.apps.oaipmh.urls (module), 84  
 tardis.apps.oaipmh.views (module), 84  
 tardis.apps.openid\_migration (module), 90  
 tardis.apps.openid\_migration.apps (module), 85  
 tardis.apps.openid\_migration.context\_processors (module), 86  
 tardis.apps.openid\_migration.default\_settings (module), 86  
 tardis.apps.openid\_migration.email\_text (module), 86  
 tardis.apps.openid\_migration.forms (module), 86

tardis.apps.openid\_migration.migration tardis.apps.related\_info.settings (*module*), 86  
tardis.apps.openid\_migration.migrations tardis.apps.related\_info.tests (*module*), 100  
tardis.apps.openid\_migration.migrations.0001\_initial related\_info.tests.test\_oaipmh (*module*), 98  
tardis.apps.openid\_migration.models tardis.apps.related\_info.tests.tests (*module*), 99  
tardis.apps.openid\_migration.tasks (*module*), 89 tardis.apps.related\_info.urls (*module*), 100  
tardis.apps.openid\_migration.tests (*module*), 85 tardis.apps.related\_info.views (*module*), 100  
tardis.apps.openid\_migration.tests.test\_federation tardis.apps.s3utils (*module*), 103  
tardis.apps.openid\_migration.tests.test\_federation (*module*), 84 tardis.apps.s3utils.api (*module*), 101  
tardis.apps.openid\_migration.tests.test\_magda tardis.apps.s3utils.apps (*module*), 102  
tardis.apps.openid\_migration.tests.test\_magda (*module*), 85 tardis.apps.s3utils.default\_settings  
tardis.apps.openid\_migration.tests.test\_models (*module*), 102 tardis.apps.s3utils.tests (*module*), 101  
tardis.apps.openid\_migration.tests.test\_vaidis tardis.apps.s3utils.tests.test\_api (*module*), 101  
tardis.apps.openid\_migration.urls (*module*), 89 tardis.apps.s3utils.tests.test\_app\_config (*module*), 101  
tardis.apps.openid\_migration.user\_menu\_mbardiapps.s3utils.tests.test\_checksums (*module*), 101  
tardis.apps.openid\_migration.utils (*module*), 89 tardis.apps.s3utils.urls (*module*), 102  
tardis.apps.openid\_migration.views (*module*), 90 tardis.apps.s3utils.utils (*module*), 102  
tardis.apps.push\_to (*module*), 98 tardis.apps.search (*module*), 106  
tardis.apps.push\_to.apps (*module*), 91 tardis.apps.search.api (*module*), 104  
tardis.apps.push\_to.exceptions (*module*), 91 tardis.apps.search.apps (*module*), 105  
tardis.apps.push\_to.migrations (*module*), 90 tardis.apps.search.documents (*module*), 105  
tardis.apps.push\_to.migrations.0001\_initial (*module*), 90 tardis.apps.search.tests (*module*), 104  
tardis.apps.push\_to.migrations.0002\_auto20160518\_958 tardis.apps.search.tests.test\_api (*module*), 103  
tardis.apps.push\_to.models (*module*), 91 tardis.apps.search.tests.test\_index (*module*), 103  
tardis.apps.push\_to.oauth\_tokens (*module*), 96 tardis.apps.search.urls (*module*), 106  
tardis.apps.push\_to.ssh\_authz (*module*), 97 tardis.apps.sftp (*module*), 116  
tardis.apps.push\_to.tasks (*module*), 97 tardis.apps.sftp.admin (*module*), 108  
tardis.apps.push\_to.tests (*module*), 91 tardis.apps.sftp.api (*module*), 108  
tardis.apps.push\_to.tests.test\_models (*module*), 90 tardis.apps.sftp.apps (*module*), 109  
tardis.apps.push\_to.urls (*module*), 97 tardis.apps.sftp.default\_settings (*module*), 109  
tardis.apps.push\_to.utils (*module*), 97 tardis.apps.sftp.forms (*module*), 109  
tardis.apps.push\_to.views (*module*), 97 tardis.apps.sftp.management (*module*), 107  
tardis.apps.related\_info (*module*), 100 tardis.apps.sftp.management.commands (*module*), 107  
tardis.apps.related\_info.forms (*module*), 100 tardis.apps.sftp.management.commands.sftpd (*module*), 107  
tardis.apps.related\_info.models (*module*), 100 tardis.apps.sftp.migrations (*module*), 107  
tardis.apps.related\_info.models.0001\_initial (*module*), 107  
tardis.apps.sftp.models (*module*), 109  
tardis.apps.sftp.sftp (*module*), 110

tardis.apps.sftp.tests (*module*), 108  
tardis.apps.sftp.tests.test\_sftp (*module*), 107  
tardis.apps.sftp.urls (*module*), 116  
tardis.apps.sftp.user\_menu\_modifiers (*module*), 116  
tardis.apps.sftp.views (*module*), 116  
tardis.apps.social\_auth (*module*), 117  
tardis.apps.social\_auth.apps (*module*), 117  
tardis.apps.social\_auth.auth (*module*), 117  
tardis.apps.social\_auth.auth.social\_auth (*module*), 116  
tardis.apps.social\_auth.default\_settingstardis.tardis\_portal (*module*), 237, 239  
tardis.celery (*module*), 238  
tardis.default\_settings (*module*), 123  
tardis.default\_settings.admins (*module*), 118  
tardis.default\_settings.analytics (*module*), 118  
tardis.default\_settings.apps (*module*), 118  
tardis.default\_settings.auth (*module*), 118  
tardis.default\_settings.caches (*module*), 118  
tardis.default\_settings.celery\_settings (*module*), 118  
tardis.default\_settings.custom\_views (*module*), 118  
tardis.default\_settings.database (*module*), 119  
tardis.default\_settings.debug (*module*), 119  
tardis.default\_settings.downloads (*module*), 120  
tardis.default\_settings.email (*module*), 120  
tardis.default\_settings.filters (*module*), 120  
tardis.default\_settings.frontend (*module*), 121  
tardis.default\_settings.i18n (*module*), 121  
tardis.default\_settings.localisation (*module*), 121  
tardis.default\_settings.logging (*module*), 121  
tardis.default\_settings.middlewares (*module*), 121  
tardis.default\_settings.publication (*module*), 121  
tardis.default\_settings.search (*module*), 121  
tardis.default\_settings.sharing (*module*), 122  
tardis.default\_settings.site\_customisation (*module*), 123  
tardis.default\_settings.static\_files (*module*), 122  
tardis.default\_settings.storage (*module*), 122  
tardis.default\_settings.templates (*module*), 122  
tardis.default\_settings.uploads (*module*), 123  
tardis.default\_settings.urls (*module*), 123  
tardis.tardis\_portal (*module*), 237, 239  
tardis.tardis\_portal.admin (*module*), 209  
tardis.tardis\_portal.api (*module*), 214  
tardis.tardis\_portal.auth (*module*), 129  
tardis.tardis\_portal.auth.authentication (*module*), 123  
tardis.tardis\_portal.auth.authorisation (*module*), 124  
tardis.tardis\_portal.auth.authservice (*module*), 124  
tardis.tardis\_portal.auth.decorators (*module*), 125  
tardis.tardis\_portal.auth.fix\_circular (*module*), 127  
tardis.tardis\_portal.auth.interfaces (*module*), 127  
tardis.tardis\_portal.auth.localdb\_auth (*module*), 128  
tardis.tardis\_portal.auth.token\_auth (*module*), 129  
tardis.tardis\_portal.auth.utils (*module*), 129  
tardis.tardis\_portal.constants (*module*), 223  
tardis.tardis\_portal.context\_processors (*module*), 223  
tardis.tardis\_portal.creativecommonshandler (*module*), 223  
tardis.tardis\_portal.deprecations (*module*), 224  
tardis.tardis\_portal.download (*module*), 224  
tardis.tardis\_portal.email (*module*), 225  
tardis.tardis\_portal.errors (*module*), 225  
tardis.tardis\_portal.fields (*module*), 225  
tardis.tardis\_portal.forms (*module*), 225  
tardis.tardis\_portal.iiif (*module*), 231  
tardis.tardis\_portal.logging\_middleware (*module*), 231  
tardis.tardis\_portal.management (*module*), 131  
tardis.tardis\_portal.management.commands (*module*), 131  
tardis.tardis\_portal.management.createuser (*module*), 131

(*module*), 130  
tardis.tardis\_portal.management.commands (*module*), 130  
tardis.tardis\_portal.management.commands.addschemass\_portal.models.dataset (*module*), 145  
tardis.tardis\_portal.management.commands.addschemass\_portal.models.experiment (*module*), 130  
tardis.tardis\_portal.management.commands.addschemass\_portal.models.facility (*module*), 130  
tardis.tardis\_portal.managers (*module*), tardis.tardis\_portal.models.hooks (*module*), 231  
tardis.tardis\_portal.migrations (*module*), tardis.tardis\_portal.models.instrument (*module*), 135  
tardis.tardis\_portal.migrations (*module*), tardis.tardis\_portal.models.jti (*module*), 131  
tardis.tardis\_portal.migrations.0001\_init (*module*), 155  
tardis.tardis\_portal.migrations.0001\_squashed\_001\_fixes\_to\_201605061643license (*module*), 131  
tardis.tardis\_portal.migrations.0002\_auto\_201505081328 (*module*), 157  
tardis.tardis\_portal.migrations.0003\_auto\_201509071315 (*module*), 173  
tardis.tardis\_portal.migrations.0004\_storage\_extensions\_pseudo\_random\_models.token (*module*), 132  
tardis.tardis\_portal.migrations.0005\_datafixes\_for\_django\_parameter\_set\_manager (*module*), 132  
tardis.tardis\_portal.migrations.0006\_datafixes\_remove\_stale\_rfc3339\_index (*module*), 132  
tardis.tardis\_portal.publish.provider (*module*), 180  
tardis.tardis\_portal.migrations.0007\_remove\_parameter\_value\_index (*module*), 132  
tardis.tardis\_portal.publish.provider.rifcsprovider (*module*), 180  
tardis.tardis\_portal.migrations.0008\_string\_value\_index\_postgres (*module*), 133  
tardis.tardis\_portal.publish.publishservice (*module*), 180  
tardis.tardis\_portal.migrations.0009\_auto\_201605050514 (*module*), 133  
tardis.tardis\_portal.publish.rfc3339 (*module*), 234  
tardis.tardis\_portal.migrations.0010\_auto\_201605050514 (*module*), 133  
tardis.tardis\_portal.shortcuts (*module*), 234  
tardis.tardis\_portal.migrations.0011\_auto\_201605050514 (*module*), 133  
tardis.tardis\_portal.signals (*module*), 235  
tardis.tardis\_portal.storage (*module*), 181  
tardis.tardis\_portal.migrations.0012\_user\_and\_henrik\_tardis\_approved\_storage.file\_system (*module*), 133  
tardis.tardis\_portal.signals (*module*), 181  
tardis.tardis\_portal.tasks (*module*), 235  
tardis.tardis\_portal.templates.tags (*module*), 133  
tardis.tardis\_portal.migrations.0014\_auto\_2018100218454 (*module*), 134  
tardis.tardis\_portal.templates.approved\_user\_tags (*module*), 180  
tardis.tardis\_portal.migrations.0015\_dataset\_crud (*module*), 134  
tardis.tardis\_portal.templates.basiccomparison (*module*), 181  
tardis.tardis\_portal.migrations.0016\_add\_timestamp (*module*), 134  
tardis.tardis\_portal.templates.bleach\_tag (*module*), 181  
tardis.tardis\_portal.migrations.0017\_add\_cc\_lid (*module*), 134  
tardis.tardis\_portal.templates.capture (*module*), 182  
tardis.tardis\_portal.migrations.0018\_make\_default\_page\_box\_status\_online (*module*), 135  
tardis.tardis\_portal.templates.dataset\_tags (*module*), 182  
tardis.tardis\_portal.models (*module*), 180, 237, 239  
tardis.tardis\_portal.templates.dynurl (*module*), 182  
tardis.tardis\_portal.models.access\_control (*module*), 135  
tardis.tardis\_portal.templates.experiment\_tags (*module*), 182  
tardis.tardis\_portal.models.datafile (*module*), 182

```
tardis.tardis_portal.templatetags.experiments \(module\), 189
    \(module\), 183                                tardis.tardis_portal.tests.management.test_createuser
tardis.tardis_portal.templatetags.facility_tags \(module\), 189
    \(module\), 183                                tardis.tardis_portal.tests.management.test_dumpschedule
tardis.tardis_portal.templatetags.feed           \(module\), 189
    \(module\), 183                                tardis.tardis_portal.tests.management.test_loadschedule
tardis.tardis_portal.templatetags.formfieldfilter \(module\), 189
    \(module\), 183                                tardis.tardis_portal.tests.management.test_rmexperiment
tardis.tardis_portal.templatetags.lookupfilters \(module\), 189
    \(module\), 183                                tardis.tardis_portal.tests.slapd \(module\)
tardis.tardis_portal.templatetags.pagination     \(module\), 192
    \(module\), 184                                tardis.tardis_portal.tests.test_authentication
tardis.tardis_portal.templatetags.xmldate        \(module\), 194
    \(module\), 184                                tardis.tardis_portal.tests.test_authorisation
tardis.tardis_portal.tests \(module\), 202          \(module\), 194
tardis.tardis_portal.tests.api \(module\), tardis.tardis_portal.tests.test_authservice
    188                                         \(module\), 194
tardis.tardis_portal.tests.api.test_auth         tardis.tardis_portal.tests.test_copy_move
    \(module\), 184          \(module\), 195
tardis.tardis_portal.tests.api.test_data failure \(module\), tardis.tardis_portal.tests.test_download
    \(module\), 184          \(module\), 195
tardis.tardis_portal.tests.api.test_data failure \(module\), tardis.tardis_portal.tests.test_download_apikey
    \(module\), 185          \(module\), 196
tardis.tardis_portal.tests.api.test_data failure \(module\), tardis.tardis_portal.tests.test_facility_overview
    \(module\), 185          \(module\), 196
tardis.tardis_portal.tests.api.test_data failure \(module\), tardis.tardis_portal.tests.test_forms
    \(module\), 185          \(module\), 196
tardis.tardis_portal.tests.api.test_experiments failure \(module\), tardis.tardis_portal.tests.test_iiif
    \(module\), 186          \(module\), 196
tardis.tardis_portal.tests.api.test_experiments failure \(module\), tardis.tardis_portal.tests.test_ldap
    \(module\), 186          \(module\), 197
tardis.tardis_portal.tests.api.test_facility      failure \(module\), tardis.tardis_portal.tests.test_models
    \(module\), 186          \(module\), 198
tardis.tardis_portal.tests.api.test_group         failure \(module\), tardis.tardis_portal.tests.test_parameters
    \(module\), 186          \(module\), 198
tardis.tardis_portal.tests.api.test_instrument     failure \(module\), tardis.tardis_portal.tests.test_parametersets
    \(module\), 187          \(module\), 199
tardis.tardis_portal.tests.api.test_replies        failure \(module\), tardis.tardis_portal.tests.test_publishservice
    \(module\), 187          \(module\), 200
tardis.tardis_portal.tests.api.test_schemas        failure \(module\), tardis.tardis_portal.tests.test_storage
    \(module\), 187          \(module\), 200
tardis.tardis_portal.tests.api.test_serializers    failure \(module\), tardis.tardis_portal.tests.test_tar_download
    \(module\), 187          \(module\), 200
tardis.tardis_portal.tests.api.test_storage        failure \(module\), tardis.tardis_portal.tests.test_tasks
    \(module\), 188          \(module\), 201
tardis.tardis_portal.tests.api.test_user            failure \(module\), tardis.tardis_portal.tests.test_tokens
    \(module\), 188          \(module\), 201
tardis.tardis_portal.tests.auth \(module\), tardis.tardis_portal.tests.tests
    188                                         \(module\), 202
tardis.tardis_portal.tests.ldap_ldif             tardis.tardis_portal.tests.views \(module\)
    \(module\), 192          \(module\), 192
tardis.tardis_portal.tests.management            tardis.tardis_portal.tests.views.test_auth_views
    \(module\), 190          \(module\), 190
tardis.tardis_portal.tests.management.tester       tardis.tardis_portal.tests.views.test_contextual_views
```

```

    (module), 190
tardis.tardis_portal.tests.views.test_experiments.tearDown() (tardis.apps.oaipmh.tests.test_oai.EndpointTestCase
    (module), 191                                         method), 82
tardis.tardis_portal.tests.views.test_template_contexts.tearDown() (tardis.apps.s3utils.tests.test_api.S3UtilsAppApiTestCase
    (module), 191                                         method), 191
tardis.tardis_portal.tests.views.test_upload_views.tearDown() (tardis.apps.s3utils.tests.test_checksums.S3UtilsAppChecksums
    (module), 192                                         method), 101
tardis.tardis_portal.util (module), 235              tearDown() (tardis.tardis_portal.tests.api.test_dataset_metadata_resource
tardis.tardis_portal.views (module), 208, 237, 239   tearDown() (tardis.tardis_portal.tests.api.test_schema_resource.Schema
    (module), 202                                         method), 187
tardis.tardis_portal.views.ajax_actions.tearDown() (tardis.tardis_portal.tests.management.test_collectstatic.Collectors
    (module), 202                                         method), 189
tardis.tardis_portal.views.ajax_json.tearDown() (tardis.tardis_portal.tests.management.test_dumpschemas.DumpSchema
    (module), 202                                         method), 189
tardis.tardis_portal.views.ajax_pages.tearDown() (tardis.tardis_portal.tests.test_authorisation.ObjectACLTest
    (module), 202                                         method), 194
tardis.tardis_portal.views.authentication.tearDown() (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase
    (module), 202                                         method), 194
tardis.tardis_portal.views.authorization.tearDown() (tardis.tardis_portal.tests.test_copy_move.CopyMoveTestCase
    (module), 203                                         method), 195
tardis.tardis_portal.views.facilities.tearDown() (tardis.tardis_portal.tests.test_download.DownloadTestCase
    (module), 203                                         method), 195
tardis.tardis_portal.views.images (module), 204     tearDown() (tardis.tardis_portal.tests.test_download_apikey.ApiKeyDownload
tardis.tardis_portal.views.machine (module), 204     tearDown() (tardis.tardis_portal.tests.test_ldap.LDAPTest
tardis.tardis_portal.views.pages (module), 204      tearDown() (tardis.tardis_portal.tests.test_parameters.ParametersTestCase
tardis.tardis_portal.views.parameters (module), 207  tearDown() (tardis.tardis_portal.tests.test_parametersets.EditParameter
tardis.tardis_portal.views.upload (module), 208      tearDown() (tardis.tardis_portal.tests.test_parametersets.ParameterSetsTestCase
tardis.tardis_portal.views.utils (module), 208       tearDown() (tardis.tardis_portal.tests.test_storage.ModelTestCase
tardis.tardis_portal.widgets (module), 235          tearDown() (tardis.tardis_portal.tests.test_tar_download.TarDownloadTestCase
tardis.tardis_portal.xmlwriter (module), 236        tearDown() (tardis.tardis_portal.tests.test_tokens.TokenTestCase
tardis.test_on_mysql_settings (module), 238        tearDown() (tardis.tardis_portal.tests.views.test_auth_views.UserGroup
tardis.test_on_postgresql_settings (module), 238   tearDown() (tardis.tardis_portal.tests.views.test_auth_views.UserListTestCase
tardis.test_settings (module), 238      tearDown() (tardis.tardis_portal.tests.views.test_contextual_views.ContextualView
tardis.views (module), 239           tearDown() (tardis.tardis_portal.tests.views.test_template_contexts.TemplateContext
TarDownloadTestCase (class) in tardis.tardis_portal.tests.test_tar_download, 200
tarinfo_for_df() (tardis.tardis_portal.download.UncachedTarStream) in tardis.tardis_portal.tests.views.test_template_contexts.View
method), 224                                         method), 191
tearDown() (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase) in tardis.tardis_portal.tests.views.test_upload_views.UploadView
method), 80                                         method), 192
tearDown() (tardis.apps.oaipmh.tests.provider.test_experimentup_AbstractExperimentDataProvider) in tardis.tardis_portal.tests.views.test_template_contexts.View
method), 81                                         attribute), 215
tearDown() (tardis.apps.oaipmh.tests.provider.test_experimentup_AbstractExperimentDataProvider) in tardis.tardis_portal.tests.views.SearchView
method), 81                                         attribute), 106

```

```

template_name (tardis.tardis_portal.views.pages.DatasetView    method), 185
    attribute), 205                                test_create_df_for_staging()
template_name (tardis.tardis_portal.views.pages.ExperimentView(tardis.tardis_portal.tests.api.test_datafile_resource.DataFileReso
    attribute), 206                                method), 185
template_name (tardis.tardis_portal.views.pages.IndexView    test_create_index()
    attribute), 206                                (tardis.apps.search.tests.test_index.IndexExperimentTestCase
TEMPORARY (tardis.tardis_portal.models.storage.StorageBox      method), 103
    attribute), 174                                test_create_token()
test_add_datafile_params ()                               (tardis.tardis_portal.tests.test_tokens.TokenTestCase
    (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTestCase), 201
    method), 199                                test_create_user_automatically_generate_api_key()
test_add_dataset_params ()                            (tardis.tardis_portal.tests.test_models.ModelTestCase
    (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTestCase), 208
    method), 199                                test_credential_generation()
test_add_experiment_params ()                         (tardis.apps.push_to.tests.test_models.ModelsTestCase
    (tardis.tardis_portal.tests.test_parametersets.EditParameterSetTestCase), 200
    method), 199                                test_cyberduck_connection_window()
test_advance_search_authenticated_user ()             (tardis.apps.sftp.tests.test_sftp.SFTPTest
    (tardis.apps.search.tests.test_api.SimpleSearchTest
    method), 103                                method), 107
                                                test_datafile () (tardis.tardis_portal.tests.test_models.ModelTestCase
test_advance_search_unauthenticated_user ()          method), 198
    (tardis.apps.search.tests.test_api.SimpleSearchTest
    method), 103                                test_dataset () (tardis.tardis_portal.tests.test_models.ModelTestCase
                                                method), 198
test_apikey_authentication ()                      test_dataset_json()
    (tardis.tardis_portal.tests.api.test_auth.MyTardisAuthenticationTest)
    method), 184                                (tardis.tardis_portal.tests.views.test_experiment_views.Experimen
                                                method), 191
test_app_config ()                                 test_dataset_view()
    (tardis.apps.s3utils.tests.test_app_config.S3UtilsConfigTest)
    method), 101                                method), 191
test_authenticate ()                             test_debug_serializer()
    (tardis.tardis_portal.tests.test_ldap.LDAPTest
    method), 197                                (tardis.tardis_portal.tests.api.test_serializer.SerializerTest
                                                method), 187
test_authors () (tardis.tardis_portal.tests.test_models.ModelTestCase) test_expiry()
    method), 198                                (tardis.tardis_portal.tests.test_tokens.TokenTestCase
method), 201
test_bad_credentials ()                          (tardis.tardis_portal.tests.api.test_auth.MyTardisAuthenticatio
    method), 184                                test_django_oauth()
                                                (tardis.tardis_portal.tests.test_models.ModelTestCase
method), 198
test_cache () (tardis.tardis_portal.tests.test_copy_move.CopyMoveTestCase), 98
    method), 195                                test_details_display()
test_checksums () (tardis.apps.s3utils.tests.test_checksums.S3UtilsChecksumTest)
    method), 101                                views.test_contextual_views.Contextual
                                                method), 191
test_collectstatic ()                           test_django_oauth()
    (tardis.tardis_portal.tests.management.test_collectstatic.CollectStaticList)
    method), 189                                portal.tests.test_authentication.AuthenticationTestC
                                                method), 194
test_copy () (tardis.tardis_portal.tests.test_copy_move.CopyMoveTestCase)
    method), 195                                (tardis.apps.openid_migration.tests.test_migration.OpenIDMigrat
method), 85
test_create_and_edit ()                         test_download_apikey()
    (tardis.tardis_portal.tests.views.test_experiment_view.ExperimentTestCase)
    method), 191                                (tardis.tardis_portal.tests.test_download_apikey.ApiKeyDownload
method), 196
test_create_dataset_pset ()                     test_download_apikey()
    (tardis.tardis_portal.tests.api.test_dataset_metadata_resourc
    method), 185                                (tardis.apps.s3utils.tests.test_api.S3UtilsAppApiTestCase
method), 101
test_create_dataset_pset_no_auth ()            test_download_apikey()
    (tardis.tardis_portal.tests.api.test_dataset_metadata_resourc
    method), 101                                (tardis.apps.s3utils.tests.test_api.S3UtilsAppApiTestCase
method), 196

```

```

(tardis.tardis_portal.tests.api.test_datafile_resource.DataFileRedispatchTesttardis.tests.api.test_experiment_resource.Experiment
method), 185
test_edit_datafile_params() test_get_facility_by_id()
(tardis.tardis_portal.tests.test_parametersets.EditParameterSettardis.tests.api.test_facility_resource.FacilityResou
method), 186
test_edit_dataset_params() test_get_facility_by_manager_group_id()
(tardis.tardis_portal.tests.test_parametersets.EditParameterSettardis.tests.api.test_facility_resource.FacilityResou
method), 186
test_edit_experiment_params() test_get_facility_by_name()
(tardis.tardis_portal.tests.test_parametersets.EditParameterSettardis.tests.api.test_facility_resource.FacilityResou
method), 186
test_ensures_suitable_license() test_get_group_by_id()
(tardis.tardis_portal.tests.test_forms.RightsFormTestCasetardis.tests.api.test_group_resource.GroupResource
method), 186
test_existing_parameterset() test_get_group_by_name()
(tardis.tardis_portal.tests.test_parametersets.ParameterSettardis.tests.api.test_group_resource.GroupResource
method), 186
test_experiment() test_get_group_list()
(tardis.tardis_portal.tests.test_models.ModelTestCasetardis.tests.views.test_auth_views.UserGroupListsT
method), 190
test_experiment_parameter_get() test_get_instrument_by_id()
(tardis.tardis_portal.tests.test_parameters.ParametersTestCtardis.tests.api.test_instrument_resource.Instrumen
method), 187
test_experiment_view() test_get_instrument_by_name()
(tardis.tardis_portal.tests.views.test_template_contexts.Viewtardis.tests.api.test_instrument_resource.Instrumen
method), 187
test_facility_overview_datafile_list() test_get_receiving_box()
(tardis.tardis_portal.tests.test_facility_overview.FacilityOvervtardis.tests.test_storage.ModelTestCase
method), 200
test_facility_overview_experiments() test_get_schema_by_id()
(tardis.tardis_portal.tests.test_facility_overview.FacilityOvervtardis.tests.api.test_schema_resource.SchemaResou
method), 187
test_file_upload() test_get_schema_by_namespace()
(tardis.tardis_portal.tests.views.test_upload_views.UploadTetardis.tests.api.test_schema_resource.SchemaResou
method), 187
test_get_allowed_signing_services() test_get_session_expiry()
(tardis.apps.push_to.tests.test_models.ModelsTestCasetardis.tests.test_tokens.TokenTestCase
method), 201
test_get_dataset_files() test_get_session_expiry_expired_token()
(tardis.tardis_portal.tests.api.test_dataset_resource.DatasetRtardis.tests.test_tokens.TokenTestCase
method), 201
test_get_dataset_filter_instrument() test_get_session_expiry_near_expiry()
(tardis.tardis_portal.tests.api.test_dataset_resource.DatasetRtardis.tests.test_tokens.TokenTestCase
method), 201
test_get_dataset_no_instrument() test_get_storage_box_attr_list_from_box_id()
(tardis.tardis_portal.tests.api.test_dataset_resource.DatasetRtardis.tests.api.test_storagebox_resources.StorageE
method), 188
test_get_dataset_with_instrument() test_get_storage_box_by_id()
(tardis.tardis_portal.tests.api.test_dataset_resource.DatasetRtardis.tests.api.test_storagebox_resources.StorageE
method), 188
test_get_experiment() test_get_storage_box_option_by_id()
(tardis.tardis_portal.tests.api.test_experiment_resource.ExperimentRedispatchTesttardis.tests.api.test_storagebox_resources.StorageE
method), 188
test_get_experiment_author() test_get_storage_box_option_list_from_box_id()

```

```
(tardis.tardis_portal.tests.api.test_storagebox_resources.StomaghBdxOptionResourceTest
    method), 188                                         test_move () (tardis.tardis_portal.tests.test_copy_move.CopyMoveTestCase
                                                               method), 195
test_get_user_by_id ()                                (tardis.tardis_portal.tests.api.test_user_resource.UserResourceTest_view()
                                                               method), 188                                         (tardis.tardis_portal.tests.views.test_template_contexts.Experiment
                                                               method), 191
test_get_user_by_username ()                           (tardis.tardis_portal.tests.api.test_user_resource.UserResourceTest_confirmation()
                                                               method), 188                                         (tardis.tardis_portal.tests.test_forms.RightsFormTestCase
                                                               method), 196
test_get_user_list ()                               (tardis.tardis_portal.tests.views.test_auth_views.UserGroupListTestCase
                                                               method), 190                                         (tardis.tardis_portal.tests.test_parametersets.ParameterSetManager
                                                               method), 199
test_get_user_list ()                               (tardis.tardis_portal.tests.views.test_auth_views.UserListTestCase
                                                               method), 190                                         UserMigration_creation ()
                                                               (tardis.apps.openid_migration.tests.test_models.ModelTestCase
                                                               method), 85
test_getgroupbyid ()                                (tardis.tardis_portal.tests.test_ldap.LDAPTest
                                                               method), 197                                         test_parameter () (tardis.tardis_portal.tests.test_models.ModelTestCase
                                                               method), 198
test_getgroups () (tardis.tardis_portal.tests.test_ldap.LDAPTest
                                                               method), 198                                         parameterset_as_string ()
                                                               (tardis.tardis_portal.tests.test_parametersets.ParameterSetManager
                                                               method), 199
test_getgroupsforentity ()                         (tardis.tardis_portal.tests.test_ldap.LDAPTest
                                                               method), 198                                         test_permissions_checks ()
                                                               (tardis.tardis_portal.tests.test_parameters.ParametersTestCase
                                                               method), 199
test_getuserbyid ()                                (tardis.tardis_portal.tests.test_ldap.LDAPTest
                                                               method), 198                                         test_pkey_to_credential ()
                                                               (tardis.apps.push_to.tests.test_models.ModelsTestCase
                                                               method), 91
test_image_filename_parameters ()                  (tardis.tardis_portal.tests.test_parameters.ParametersTestCase
                                                               method), 198                                         dataset_()
                                                               (tardis.tardis_portal.tests.api.test_dataset_resource.DatasetResource
                                                               method), 188
test_init () (tardis.apps.openid_migration.tests.test_forms.OpenIDMigrationFormTestCase
                                                               method), 84                                         IDMigrationFormTestCase
                                                               test_post_dataset_with_params ()
                                                               (tardis.tardis_portal.tests.api.test_dataset_metadata_resources.DatasetMetadata
                                                               method), 185
test_instrument ()                                (tardis.tardis_portal.tests.test_models.ModelTestCase
                                                               method), 198                                         test_post_experiment ()
                                                               (tardis.tardis_portal.tests.api.test_experiment_resource.Experiment
                                                               method), 186
test_is_expired ()                                 (tardis.tardis_portal.tests.test_tokens.TokenTestCase
                                                               method), 201                                         test_post_instrument ()
                                                               (tardis.tardis_portal.tests.api.test_instrument_resource.Instrument
                                                               method), 187
test_keys_from_private_key_only ()                (tardis.apps.push_to.tests.test_models.ModelsTestCase
                                                               method), 90                                         test_post_single_file ()
                                                               (tardis.tardis_portal.tests.api.test_datafile_resource.DataFileResource
                                                               method), 188
test_link_parameter_type ()                      (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase
                                                               method), 199                                         test_pretty_serializer ()
                                                               (tardis.tardis_portal.tests.api.test_serializer.SerializerTest
                                                               method), 189
test_link_parameter_type_extra ()                (tardis.tardis_portal.tests.test_parametersets.ParameterSetManagerTestCase
                                                               method), 199                                         test_rename_instrument ()
                                                               (tardis.tardis_portal.tests.api.test_instrument_resource.Instrument
                                                               method), 187
test_link_urls () (tardis.tardis_portal.tests.test_parameters.ParameterSetManagerTestCase
                                                               method), 199                                         (tardis.tardis_portal.tests.api.test_instrument_resource.Instrument
                                                               method), 187
test_login () (tardis.tardis_portal.tests.tests.UserInterfaceTestCase
                                                               method), 202                                         retrieve_access_list_tokens ()
                                                               (tardis.tardis_portal.tests.test_tokens.TokenTestCase
                                                               method), 201
test_manage_account ()                           (tardis.tardis_portal.tests.views.test_auth_views.ManageAccountTestCase
                                                               method), 190                                         acquire_valid_owner ()
                                                               (tardis.tardis_portal.tests.views.test_auth_views.RightsTestCase
                                                               method), 190
test_migrate_accounts ()                        (tardis.apps.openid_migration.tests.test_views.OpenIDMigrationViewTestCase
                                                               method), 189                                         (tardis.tardis_portal.tests.tests.UserInterfaceTestCase
                                                               method), 190
```

*method), 202*  
*test\_save\_with\_random\_token() (tardis.tardis\_portal.tests.test\_tokens.TokenTestCase method), 201*  
*test\_save\_with\_random\_token\_failures() (tardis.tardis\_portal.tests.test\_tokens.TokenTestCase method), 201*  
*test\_save\_with\_random\_token\_gives\_up() (tardis.tardis\_portal.tests.test\_tokens.TokenTestCase method), 201*  
*test\_search() (tardis.tardis\_portal.tests.test\_ldap.LDAPTest method), 197*  
*test\_search() (tardis.tardis\_portal.tests.test\_ldap.LDAPTest method), 198*  
*test\_searchgroups() (tardis.tardis\_portal.tests.test\_ldap.LDAPTest method), 198*  
*test\_sftp() (tardis.apps.sftp.tests.test\_sftp.SFTPTest method), 108*  
*test\_sftp\_dynamic\_docs\_dataset() (tardis.apps.sftp.tests.test\_sftp.SFTPTest method), 108*  
*test\_sftp\_dynamic\_docs\_experiment() (tardis.apps.sftp.tests.test\_sftp.SFTPTest method), 108*  
*test\_sftp\_key\_connect() (tardis.apps.sftp.tests.test\_sftp.SFTPTest method), 108*  
*test\_shared\_fs\_many\_files() (tardis.tardis\_portal.tests.api.test\_datafile\_resource.DataFileResourceTest method), 185*  
*test\_shared\_fs\_single\_file() (tardis.tardis\_portal.tests.api.test\_datafile\_resource.DataFileResourceTest method), 185*  
*test\_shared\_view() (tardis.tardis\_portal.tests.views.test\_template\_contexts.ExperimentAndDatasetTest method), 191*  
*test\_simple\_search\_authenticated\_user() (tardis.apps.search.tests.test\_api.SimpleSearchTest method), 103*  
*test\_simple\_search\_unauthenticated\_user() (tardis.apps.search.tests.test\_api.SimpleSearchTest method), 103*  
*test\_storageboxoption() (tardis.tardis\_portal.tests.test\_storage.ModelTestCase method), 200*  
*test\_tar\_experiment\_download() (tardis.tardis\_portal.tests.test\_tar\_download.TarDownloadTestCase method), 201*  
*test\_token\_delete() (tardis.tardis\_portal.tests.test\_tokens.TokenTestCase method), 201*  
*test\_tz\_aware\_date\_handling() (tardis.tardis\_portal.tests.test\_parametersets.ParameterSetManagerTestCase method), 199*  
*method), 199*  
*test\_tz\_naive\_date\_handling() (tardis.tardis\_portal.tests.test\_parametersets.ParameterSetManagerTestCase method), 199*  
*method), 199*  
*test\_unauthorized\_instrument\_access\_attempt() (tardis.tardis\_portal.tests.api.test\_instrument\_resource.InstrumentTestCase method), 187*  
*test\_unresolvable\_link\_parameter() (tardis.tardis\_portal.tests.test\_parametersets.ParameterSetManagerTestCase method), 199*  
*method), 199*  
*test\_urls() (tardis.tardis\_portal.tests.tests.UserInterfaceTestCase method), 202*  
*test\_urls\_with\_some\_content() (tardis.tardis\_portal.tests.tests.UserInterfaceTestCase method), 202*  
*TEST\_UTILS\_DIR (tardis.tardis\_portal.tests.slacd.Slapd attribute), 192*  
*test\_wrong\_size\_verification() (tardis.tardis\_portal.tests.test\_tasks.BackgroundTaskTestCase method), 201*  
*testAccessWithoutReadPerms() (tardis.apps.related\_info.tests.tests.TabTestCase method), 99*  
*testAccessWithReadPerms() (tardis.apps.related\_info.tests.tests.TabTestCase method), 99*  
*DataFileResourceTest() (tardis.tardis\_portal.tests.test\_authservice.AuthServiceTestCase method), 194*  
*DataFileResourceTest() (tardis.apps.related\_info.tests.CreateTestCase method), 99*  
*testCanDelete() (tardis.apps.related\_info.tests.DeleteTestCase method), 99*  
*testCanGetInfoAsJSON() (tardis.tardis\_portal.tests.test\_iif.Level0TestCase method), 197*  
*testCanGetInfoAsXML() (tardis.tardis\_portal.tests.test\_iif.Level0TestCase method), 197*  
*testCanGetJpegFormat() (tardis.tardis\_portal.tests.test\_iif.Level1TestCase method), 197*  
*testCanGetOriginalImage() (tardis.tardis\_portal.tests.test\_iif.Level0TestCase method), 197*  
*testCanGetRequiredFormats() (tardis.tardis\_portal.tests.test\_iif.Level2TestCase method), 197*  
*testCantEditLockedExperiment() (tardis.tardis\_portal.tests.test\_authorisation.ObjectACLTestCase method), 199*  
*Method) TestCase*

```

testChangeUserPermissions ()                                testHandleSizing ()
    (tardis.tardis_portal.tests.test_authorisation.ObjectACLTest).ObjectACLTest (tardis.tardis_portal.tests.test_iif.Level1TestCase
    method), 194                                         method), 197
testContext () (tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase
    method), 200                                         (tardis.tardis_portal.tests.test_iif.Level2TestCase
    method), 197
testDatasetFile ()                                         method), 197
    (tardis.tardis_portal.tests.test_download.DownloadTestCase)
    method), 195                                         handlesMultipleEntries ()
    (tardis.tardis_portal.tests.test_download.DownloadTestCase)
    method), 195                                         (tardis.apps.related_info.tests.tests.ListTestCase
    method), 99                                         method), 99
testDetectsBadInput ()                                     method), 99
    (tardis.apps.related_info.tests.tests.CreateTestCase) method), 99
    method), 99                                         method), 99
testDetectsBadInput ()                                     method), 99
    (tardis.apps.related_info.tests.tests.UpdateTestCase)
    method), 100                                         method), 99
testDownload () (tardis.tardis_portal.tests.test_download.DownloadTestCase
    method), 195                                         method), 99
testDumpSchemas ()                                         method), 81
    (tardis.tardis_portal.tests.management.test_dumpschemas.DumpSchemasTestCase)
    method), 189                                         (tardis.apps.oaipmh.tests.provider.test_base.BaseProv
    method), 81                                         ider).testProviderTestCase (tardis.apps.oaipmh.tests.provider.test_experiment.Abs
    method), 81                                         method), 81
testExistsInOaipmh ()                                     method), 82
    (tardis.apps.related_info.tests.test_oaipmh.RifCSTestCase)
    method), 99                                         method), 82
testGetGroupsForEntity ()                                 method), 99
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
    method), 194                                         method), 196
    method), 194                                         method), 196
testGetRecord () (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase)
    method), 80                                         method), 197
testGetRecord () (tardis.apps.oaipmh.tests.provider.test_experiment.ExperimentProviderTestCase)
    method), 81                                         method), 197
testGetRecord () (tardis.apps.oaipmh.tests.provider.test_experiment.RifCSTestCase)
    method), 81                                         method), 197
testGetRecord () (tardis.apps.oaipmh.tests.test_oai.EndpointTestCase)
    method), 82                                         method), 194
testGetRecordHandlesInvalidIdentifiers () method), 82
    (tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentAndProviderTestCase)
    method), 81                                         method), 200
testGroupProvider ()                                     method), 200
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
    method), 194                                         method), 200
testGroupSearch ()                                       method), 200
    (tardis.tardis_portal.tests.test_authservice.AuthServiceTestCase)
    method), 194                                         method), 189
testHandleRegions ()                                     method), 189
    (tardis.tardis_portal.tests.test_iif.Level1TestCase)
    method), 197                                         method), 189
testHandleRotation ()                                    method), 189
    (tardis.tardis_portal.tests.test_iif.Level1TestCase)
    method), 197                                         method), 81
testHandlesEmptySet ()                                 method), 81
    (tardis.apps.related_info.tests.tests.ListTestCase)
    method), 99                                         method), 81
testHandlesFound ()                                    method), 81
    (tardis.apps.related_info.tests.tests.GetTestCase)
    method), 99                                         method), 82
testList () (tardis.tardis_portal.tests.management.test_rmexperiment.R
    method), 189                                         method), 189
testListIdentifiers ()                               method), 189
    (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase)
    method), 81                                         method), 81
testListIdentifiers ()                               method), 81
    (tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentAndProviderTestCase)
    method), 81                                         method), 81
testListIdentifiers ()                               method), 81
    (tardis.apps.oaipmh.tests.test_oai.EndpointTestCase)
    method), 82                                         method), 82
testListIdentifiersDoesNotHandleSets ()               method), 82
    (tardis.apps.oaipmh.tests.test_oai.EndpointTestCase)
    method), 82                                         method), 82

```

```

(tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTC
method), 81
testListMetadataFormats () testReadAccess () (tardis.tardis_portal.tests.test_authorisation.Object
(tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase) (tardis.tardis_portal.tests.management.test_rmexperiment
method), 81 method), 194
method), 189
testListMetadataFormats () testSFTPWithoutHostKey ()
(tardis.apps.oaipmh.tests.provider.test_experiment.AbstractExperimentProviderTC) (tardis.tardis_portal.tests.sftp.SFTPDManagementTestCase
method), 81 method), 107
testListMetadataFormats () testSimpleAuthenticate ()
(tardis.apps.oaipmh.tests.test_oai.EndpointTestCase (tardis.tardis_portal.tests.test_authentication.AuthenticationTestCase
method), 82 method), 194
testListRecords () testView () (tardis.tardis_portal.tests.test_download.DownloadTestCase
(tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase), 195
method), 81 testWriteAccess ()
(tardis.tardis_portal.tests.test_authorisation.ObjectACLTTestCase
method), 81
testListRecords () timeout (tardis.apps.sftp.sftp.MyTSFTPRequestHandler
(tardis.apps.oaipmh.tests.provider.test_experiment.DcExperimentProviderTestCase
method), 81 attribute), 111
testListRecords () (tardis.apps.oaipmh.tests.provider.test_experiment.RifCExperimentProviderTestCase.experiment.Experiment
method), 81 attribute), 151
testListRecords () to_json () (tardis.apps.search.api.PrettyJSONSerializer
(tardis.apps.oaipmh.tests.test_oai.EndpointTestCase method), 104
method), 82 to_json () (tardis.tardis_portal.api.PrettyJSONSerializer
testListSets () (tardis.apps.oaipmh.tests.provider.test_base.BaseProviderTestCase
method), 81 todatetime () (in module
testListSets () (tardis.apps.oaipmh.tests.provider.test_experiment.RifCExperimentProviderTestCase.feed), 183
method), 81 Token (class in tardis.tardis_portal.models.token), 179
testLoadSchemas () token (tardis.tardis_portal.models.token.Token attribute)
(tardis.tardis_portal.tests.management.test_loadschemas.LoadSchemaTest
method), 189 Token.DoesNotExist, 179
testLocalFile () (tardis.tardis_portal.tests.test_tasks.BackgroundTaskTestCase
method), 201 token_delete () (in module
testManageAuthMethods () tardis.tardis_portal.views.authorization),
(tardis.tardis_portal.tests.test_authentication.AuthenticationTestCase
method), 194 token_set (tardis.tardis_portal.models.experiment.Experiment
attribute), 151
testManageRifCsCheckContent () tardis.tardis_portal.auth.token_auth), 129
(tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase
method), 200 TokenGroupProvider (class in
testManageRifCsCreateAndRemove () tardis.tardis_portal.auth.token_auth), 129
(tardis.tardis_portal.tests.test_publishservice.PublishServiceTestCase
method), 200 TokenTestCase (class in
testMustHaveWrite () tardis.tardis_portal.tests.test_tokens), 201
(tardis.apps.related_info.tests.tests.CreateTestCase
method), 99 toxmldatetime () (in module tardis.tardis_portal.template.tags.xmldate),
testMustHaveWrite () 184
(tardis.apps.related_info.tests.tests.DeleteTestCase
method), 99 track_download () (in module tardis.analytics.ga),
testMustHaveWrite () 75
(tardis.apps.related_info.tests.tests.UpdateTestCase
method), 100 track_login () (in module tardis.analytics.ga), 75
track_logout () (in module tardis.analytics.ga), 75
type (tardis.tardis_portal.models.parameters.Schema
testNoInput () (tardis.tardis_portal.tests.management.test_createExperimentUserTestCase
method), 189 TYPE_CHOICES (tardis.tardis_portal.models.storage.StorageBoxOption
testOwnedExperiments () attribute), 178
(tardis.tardis_portal.tests.test_authorisation.ObjectACLTTestCase (tardis.tardis_portal.models.storage.StorageBox

```

```

    attribute), 177
TYPE_UNKNOWN (tardis.tardis_portal.models.storage.StorageBox
    attribute), 174
TYPES (tardis.tardis_portal.models.storage.StorageBox
    attribute), 174

U
UncachedTarStream (class
    tardis.tardis_portal.download), 224
units (tardis.tardis_portal.models.parameters.ParameterName
    attribute), 170
unpickled_value (tardis.tardis_portal.models.storage.StorageBox
    attribute), 178
UnsupportedSearchQueryTypeError, 225
update_all_files ()
    (tardis.apps.sftp.sftp.DynamicTree
        method), 111
update_dataset_files ()
    (tardis.apps.sftp.sftp.DynamicTree
        method), 111
update_datasets ()
    (tardis.apps.sftp.sftp.DynamicTree
        method), 111
update_detail () (tardis.tardis_portal.api.ACIAuthorization
    method), 214
update_experiments ()
    (tardis.apps.sftp.sftp.DynamicTree
        method), 111
update_list () (tardis.tardis_portal.api.ACIAuthorization
    method), 214
update_mimetype ()
    (tardis.tardis_portal.models.datafile.DataFile
        method), 143
update_nothing () (tardis.apps.sftp.sftp.DynamicTree
    method), 111
update_time (tardis.tardis_portal.models.experiment.Experiment
    attribute), 151
UpdateTestCase (class
    tardis.apps.related_info.tests.tests), 99
upload_auth () (in
    tardis.tardis_portal.auth.decorators), 127
upload_complete () (in
    tardis.tardis_portal.views.upload), 208
UPLOAD_METHOD (in
    tardis.default_settings.uploads), 123
UploadTestCase (class
    tardis.tardis_portal.tests.views.test_upload_views),
    192
uri (tardis.tardis_portal.models.datafile.DataFileObject
    attribute), 145
url (tardis.tardis_portal.models.experiment.Experiment
    attribute), 152
url (tardis.tardis_portal.models.experiment.ExperimentAuth
    attribute), 152

url (tardis.tardis_portal.models.license.License
    attribute), 157
URL (tardis.tardis_portal.models.parameters.ParameterName
    attribute), 168
urls (tardis.tardis_portal.tests.test_authorisation.ObjectACLTTestCase
    attribute), 194
urls (tardis.tardis_portal.tests.test_tokens.TokenTestCase
    attribute), 201

USE_FILTERS (in
    module
    tardis.default_settings.filters), 121
use_rapid_connect () (in
    module
    tardis.tardis_portal.views.pages), 207
user (tardis.apps.push_to.models.Credential
    attribute), 92
user (tardis.apps.sftp.models.SFTPPublicKey
    attribute), 110
user (tardis.tardis_portal.models.access_control.GroupAdmin
    attribute), 135
user (tardis.tardis_portal.models.access_control.UserProfile
    attribute), 139
user (tardis.tardis_portal.models.token.Token
    attribute), 179
user_acls () (tardis.tardis_portal.managers.ExperimentManager
    method), 233
user_details_processor () (in
    module
    tardis.tardis_portal.context_processors),
    223
user_guide () (in
    module
    tardis.tardis_portal.views.pages), 207
user_id (tardis.apps.push_to.models.Credential
    attribute), 92
user_id (tardis.apps.sftp.models.SFTPPublicKey
    attribute), 110
user_id (tardis.tardis_portal.models.access_control.GroupAdmin
    attribute), 136
user_id (tardis.tardis_portal.models.access_control.UserProfile
    attribute), 139
user_id (tardis.tardis_portal.models.token.Token
    attribute), 179
USER_MENU_MODIFIERS (in
    module
    tardis.default_settings.apps), 118
user_menu_processor () (in
    module
    tardis.tardis_portal.context_processors),
    223
user_migration (tardis.apps.openid_migration.models.OpenidACLMig
    attribute), 87
user_migration_id
    (tardis.apps.openid_migration.models.OpenidACLMigration
    attribute), 87
user_migration_obj ()
    (tardis.apps.openid_migration.models.OpenidACLMigrationAdm
    method), 87
user_owned_groups ()
    (tardis.tardis_portal.managers.ExperimentManager
    attribute), 152

```

*method), 233*  
 UserAuthentication (class in *tardis.tardis\_portal.models.access\_control*), 138  
 UserAuthentication.DoesNotExist, 138  
 UserAuthentication.MultipleObjectsReturned, 138  
 userauthentication\_set (*tardis.tardis\_portal.models.access\_control.UserProfile* attribute), 139  
 UserAuthenticationAdmin (class in *tardis.tardis\_portal.admin*), 214  
 UserGroupListsTestCase (class in *tardis.tardis\_portal.tests.views.test\_auth\_views*), 190  
 UserInterfaceTestCase (class in *tardis.tardis\_portal.tests.tests*), 202  
 UserListTestCase (class in *tardis.tardis\_portal.tests.views.test\_auth\_views*), 190  
 username (*tardis.tardis\_portal.models.access\_control.UserAuthentication* attribute), 139  
 UserProfile (class in *tardis.tardis\_portal.models.access\_control*), 139  
 userProfile (*tardis.tardis\_portal.models.access\_control.UserAuth* attribute), 138  
 UserProfile.DoesNotExist, 139  
 UserProfile.MultipleObjectsReturned, 139  
 userProfile\_id (*tardis.tardis\_portal.models.access\_control.UserAuthentication* attribute), 138  
 UserProvider (class in *tardis.tardis\_portal.auth.interfaces*), 127  
 UserResource (class in *tardis.tardis\_portal.api*), 222  
 UserResource.Meta (class in *tardis.tardis\_portal.api*), 222  
 UserResourceTest (class in *tardis.tardis\_portal.tests.api.test\_user\_resource*), 188  
 users () (*tardis.tardis\_portal.managers.ExperimentManager* method), 233

**V**  
 validate\_remote\_path () (in module *tardis.apps.push\_to.views*), 98  
 validation (*tardis.apps.sftp.api.SFTPPublicKeyAppResource*.Meta attribute), 108  
 value (*tardis.tardis\_portal.models.storage.StorageBoxAttribute* attribute), 177  
 value (*tardis.tardis\_portal.models.storage.StorageBoxOption* attribute), 178  
 value\_from\_datadict () (*tardis.tardis\_portal.widgets.CommaSeparatedInput* method), 236

**W**  
 value\_type (*tardis.tardis\_portal.models.storage.StorageBoxOption* attribute), 178  
 verbose\_name (*tardis.analytics.apps.AnalyticsConfig* attribute), 75  
 verbose\_name (*tardis.appsopenid\_migration.apps.OpenidMigrationConfig* attribute), 85  
 verbose\_name (*tardis.apps.push\_to.apps.PushToConfig* attribute), 91  
 verbose\_name (*tardis.apps.search.apps.SearchConfig* attribute), 105  
 verbose\_name (*tardis.apps.sftp.apps.SFTPConfig* attribute), 109  
 verbose\_name (*tardis.apps.social\_auth.apps.SocialAuthConfig* attribute), 117  
 verified (*tardis.tardis\_portal.models.datafile.DataFile* attribute), 143  
 verified (*tardis.tardis\_portal.models.datafile.DataFileObject* attribute), 145  
 verify () (*tardis.tardis\_portal.models.datafile.DataFile* method), 143  
 verify\_file () (*tardis.tardis\_portal.api.DataFileResource* method), 215  
 verify\_remote\_access ()  
 Credential (in module *tardis.tardis\_portal.push\_to.models*), 92  
 version (*tardis.tardis\_portal.models.datafile.DataFile* attribute), 143  
 UserAuthentication (in module *tardis.tardis\_portal.download*), 225  
 view\_functions (*tardis.tardis\_portal.shortcuts.RestfulExperimentPara* attribute), 234

ViewTemplateContextsTest (class in *tardis.tardis\_portal.tests.views.test\_template\_contexts*), 191  
 wait () (*tardis.tardis\_portal.tests.slapd.Slapd* method), 193  
 which () (in module *tardis.tardis\_portal.tests.slapd*), 193  
 widget (*tardis.tardis\_portal.forms.StaticField* attribute), 230  
 widgets (*tardis.apps.push\_to.models.CredentialForm*.Meta attribute), 93  
 widgets (*tardis.tardis\_portal.admin.DatafileAdminForm*.Meta attribute), 210  
 widgets (*tardis.tardis\_portal.admin.DataFileObjectInlineForm*.Meta attribute), 209  
 widgets (*tardis.tardis\_portal.admin.StorageBoxAttributeInlineForm*.Meta attribute), 213  
 widgets (*tardis.tardis\_portal.admin.StorageBoxForm*.Meta attribute), 213

```
widgets (tardis.tardis_portal.admin.StorageBoxOptionInlineForm.Meta
attribute), 214
widgets (tardis.tardis_portal.forms.RightsForm.Meta
attribute), 230
write () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider.ExperimentWriter
method), 80
write_permissions_required () (in module
tardis.tardis_portal.auth.decorators), 127
write_template_to_dir () (tardis.tardis_portal.xmlwriter.XMLWriter
static method), 236
write_template_to_file () (tardis.tardis_portal.xmlwriter.XMLWriter
static method), 236
write_xml_to_file () (tardis.tardis_portal.xmlwriter.XMLWriter
static method), 236
writeExperimentMetadata () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider
static method), 80
writeMetadata () (tardis.apps.oaipmh.provider.base.BaseProvider
method), 79, 243
writeMetadata () (tardis.apps.oaipmh.server.ProxyingMetadataRegistry
method), 82
writeRegistryObjectsWrapper () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider.ExperimentWriter
method), 80
writeRelatedAuthor () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider.ExperimentWriter
method), 80
writeRelatedInfo () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider.ExperimentWriter
method), 80
writeRelatedUser () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider.ExperimentWriter
method), 80
writeSubject () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider.ExperimentWriter
method), 80
writeUserMetadata () (tardis.apps.oaipmh.provider.experiment.RifCsExperimentProvider
static method), 80
```

## X

XMLWriter (*class in tardis.tardis\_portal.xmlwriter*),  
236